










# Public price list Export 2022

VAT not included

Alle Preise zzgl. ges. MwSt.

**October 18<sup>th</sup>, 2022**

**Axolight**

alysoid	3	nelly	69
aura (avir)	5	nelly straight	71
bell 	10	orchid	73
bul-bo	17	pivot 	76
clavius	18	poses 	82
cloudy	21	skin	88
cut	22	skirt 	91
dodot	24	spillray	106
ego	27	u-light 	115
fairy	28	ukiyo 	126
fedora	32	urban (1 edition)	128
float	35	urban (New LCC edition)	131
hoops	38	urban mini (1 edition)	134
jewel	41	urban mini (New LCC edition)	138
jewel mono	43	velvet 	142
kwic	44	virtus	147
layers 	46	driver for ego - 250mA	151
liaison 	50	driver 350mA	152
lik	60	driver 700mA	153
manifesto	61	driver spillray / u-light	154
manto	62	driver poses	155
mountain view	64	legend / EEL compatibility	156
muse	65	sales conditions	157

Visionare [www.axolight.it](http://www.axolight.it) per dati tecnici dei prodotti sempre aggiornati.

*Please see [www.axolight.it](http://www.axolight.it) for updated product data.*

---

L'Ufficio Tecnico Axo Light rimane a Vostra completa disposizione per analizzare e sviluppare i Vostri progetti, lo studio illuminotecnico delle ambientazioni oltre che per customizzare le nostre collezioni.

*The Axo Light Technical Department is at your complete disposal to analyse and develop your projects, the lighting study as well as for any other information you might require.*

# Alysoid

Ryosuke Fukusada

Collezione di lampade a sospensione in alluminio. Disponibile in diverse finiture e dimensioni. La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of aluminium suspended lamps. Available in different finishings and sizes. Built-in dimmable LED light source.

## COLOURS



anthracite grey wrinkled / chains: black polished nickel




anthracite grey wrinkled / chains: natural brass



anthracite grey canopy

## SP ALYS 34

kg 2.5 m<sup>3</sup> 0.04



### ALYSOID


Type	Article	Colours	Catene / chains	Source	EURO
SP	ALYS 34	AN anthracite grey wrinkled	NI black polished nickel	LED 20W - diffused beam 3000K*, 2700K	788,00
			OT natural brass		725,00

CE IP20 CRI90 220-240VAC **LED** ~1234 lm\* ~86 lm/W\*

example composition code SP ALYS34 AN OT LED

## SP ALYS 43

kg 3.2 m<sup>3</sup> 0.06



### ALYSOID

Type	Article	Colours	Catene / chains	Source	EURO
SP	ALYS 43	AN anthracite grey wrinkled	NI black polished nickel	LED 20W - diffused beam 3000K*, 2700K	893,00
			OT natural brass		767,00

CE IP20 CRI90 220-240VAC **LED** ~1234 lm\* ~86 lm/W\*

example composition code SP ALYS43 AN NI LED



# Alysoid


Ryosuke Fukusada

Collezione di lampade a sospensione in alluminio. Disponibile in diverse finiture e dimensioni. La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of aluminium suspended lamps. Available in different finishings and sizes. Built-in dimmable LED light source.

## SP ALY 51 P

kg 3.7 m<sup>3</sup> 0.11



### ALYSOID


Type	Article	Colours	Catene / chains	Source	EURO
SP	ALY 51 P	AN anthracite grey wrinkled	NI black polished nickel	LED 20W - diffused beam 3000K*, 2700K	977,00
			OT natural brass		788,00

IP20 CRI90 220-240VAC **LED** ~1234 lm\* ~86 lm/W\*

example composition code SP ALY51P AN OT LED

## SP ALY 51 G

kg 4.5 m<sup>3</sup> 0.11



### ALYSOID

Type	Article	Colours	Catene / chains	Source	EURO
SP	ALY 51 G	AN anthracite grey wrinkled	NI black polished nickel	LED 20W - diffused beam 3000K*, 2700K	1.313,00
			OT natural brass		893,00

IP20 CRI90 220-240VAC **LED** ~1234 lm\* ~86 lm/W\*

example composition code SP ALY51G AN NI LED


# Aura (Avir)

Manuel Vivian

Collezione composta da lampade da parete, soffitto e sospensione, con pendenti in vetro di Murano colorato incamiciato, cristallo e ritorti a mano. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of wall, ceiling and suspended lamps with double-layered coloured Murano glass hand twisted pendants. Available in several colours and sizes. Screw fitting light source.

## COLOURS



"rigadin" crystal



white



red



tea

## CEILING VERSION



chrome


## SUSPENSION VERSION



chrome

## AP AURA

kg 16.5 m<sup>3</sup> 0.26



### AURA

Type	Article	Colours	Finish	Source	EURO
AP	AURA XX	CS "rigadin" crystal	CR chrome	E27 2 x Max 20W LED or 2 x Max 100W halogen	2.350,00
		BC white			2.473,00
		RS red			2.522,00
		TA tea			2.631,00

CE IP20 +LED 220-240V<sub>ac</sub>

example composition code AP AURA XX RS CR E27

# Aura (Avir)


Manuel Vivian

Collezione composta da lampade da parete, soffitto e sospensione, con pendenti in vetro di Murano colorato incamiciato, cristallo e ritorti a mano. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of wall, ceiling and suspended lamps with double-layered coloured Murano glass hand twisted pendants. Available in several colours and sizes. Screw fitting light source.

## PL AUR P 30

kg 22 m<sup>3</sup> 0.33



### AURA

Type	Article	Colours	Finish	Source	EURO
PL	AUR P 30	CS "rigadin" crystal	CR chrome	E27 4 x Max 20W LED or 4 x Max 100W halogen	2.706,00
		BC white			3.211,00
		RS red			3.411,00
		TA tea			3.759,00




IP20 +LED 220-240V<sub>ac</sub>

example composition code PL AURP30 CS CR E27

## PL AURA PX

kg 26.5 m<sup>3</sup> 0.45



### AURA

Type	Article	Colours	Finish	Source	EURO
PL	AURA PX	CS "rigadin" crystal	CR chrome	E27 4 x Max 20W LED or 4 x Max 100W halogen	3.468,00
		BC white			3.825,00
		RS red			4.116,00
		TA tea			4.365,00



IP20 +LED 220-240V<sub>ac</sub>

example composition code PL AURA PX RS CR E27

# Aura (Avir)


Manuel Vivian

Collezione composta da lampade da parete, soffitto e sospensione, con pendenti in vetro di Murano colorato incamiciato, cristallo e ritorti a mano. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of wall, ceiling and suspended lamps with double-layered coloured Murano glass hand twisted pendants. Available in several colours and sizes. Screw fitting light source.

## PL AUR G 30

kg 24.5 m<sup>3</sup> 0.44



### AURA

Type	Article	Colours	Finish	Source	EURO
PL	AUR G 30	CS "rigadin" crystal	CR chrome	E27 4 x Max 20W LED or 4 x Max 100W halogen	3.821,00
		BC white			4.480,00
		RS red			4.844,00
		TA tea			5.325,00




IP20 +LED 220-240V<sub>ac</sub>

example composition code PL AURG30 RS CR E27

## PL AURA GR

kg 44 m<sup>3</sup> 0.62



### AURA

Type	Article	Colours	Finish	Source	EURO
PL	AURA GR	CS "rigadin" crystal	CR chrome	E27 4 x Max 20W LED or 4 x Max 100W halogen	5.962,00
		BC white			6.647,00
		RS red			7.143,00
		TA tea			7.502,00



IP20 +LED 220-240V<sub>ac</sub>

example composition code PL AURAGR BC CR E27

# Aura (Avir)


Manuel Vivian

Collezione composta da lampade da parete, soffitto e sospensione, con pendenti in vetro di Murano colorato incamiciato, cristallo e ritorti a mano. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of wall, ceiling and suspended lamps with double-layered coloured Murano glass hand twisted pendants. Available in several colours and sizes. Screw fitting light source.

## SP AURA 45

kg 19 m<sup>3</sup> 0.33



### AURA

Type	Article	Colours	Finish	Source	EURO
SP	AURA 45	CS "rigadin" crystal	CR chrome	E27 1 x Max 27W LED or 1 x Max 150W halogen	3.036,00
		BC white			3.383,00
		RS red			3.520,00
		TA tea			3.891,00




IP20 +LED 220-240V<sub>ac</sub>

example composition code SP AURA45 BC CR E27

## SP AU 45/2

kg 30 m<sup>3</sup> 0.57



### AURA

Type	Article	Colours	Finish	Source	EURO
SP	AU 45/2	CS "rigadin" crystal	CR chrome	E27 2 x Max 20W LED or 2 x Max 150W halogen	5.508,00
		BC white			6.305,00
		RS red			6.967,00
		TA tea			7.419,00



IP20 +LED 220-240V<sub>ac</sub>

example composition code SP AU 45/2 BC CR E27

# Aura (Avir)


Manuel Vivian

Collezione composta da lampade da parete, soffitto e sospensione, con pendenti in vetro di Murano colorato incamiciato, cristallo e ritorti a mano. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of wall, ceiling and suspended lamps with double-layered coloured Murano glass hand twisted pendants. Available in several colours and sizes. Screw fitting light source.

## SP AURA 60

kg 28 m<sup>3</sup> 0.48



### AURA

Type	Article	Colours	Finish	Source	EURO
SP	AURA 60	CS "rigadin" crystal	CR chrome	E27 1 x Max 35W LED or 1 x Max 250W halogen	4.728,00
		BC white			5.226,00
		RS red			5.672,00
		TA tea			5.970,00




IP20 +LED 220-240Vac

example composition code PL AURA60 RS CR E27

## SP AU 60/2

kg 45 m<sup>3</sup> 0.84



### AURA

Type	Article	Colours	Finish	Source	EURO
SP	AU 60/2	CS "rigadin" crystal	CR chrome	E27 2 x Max 35W LED or 2 x Max 250W halogen	8.440,00
		BC white			9.261,00
		RS red			10.139,00
		TA tea			10.533,00



IP20 +LED 220-240Vac

example composition code SP AU 60/2 BC CR E27

# Bell

Manuel Vivian

Collezione composta da lampade da soffitto e a sospensione con struttura metallica rivestita con fettuccia di tessuto ignifugato pongé superliscio. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.

Collection consisting of ceiling and suspended lamps with a metal frame covered with strips of extra smooth flame-retardant pongé fabric. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.



prodotto fonoassorbente / sound absorbing product



## COLOURS



white




warm white



gold yellow



black



red



diffuser detail



white canopy

Altri colori disponibili su richiesta / Other colors available upon request.

## PL BEL 060

kg 4 m<sup>3</sup> 0.18



BELL / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	BEL 060 E27	BC white BW warm white GI gold yellow NE black RS red	XX	E27 2 x Max 16W LED or 2 x Max 57W halogen	767,00

CE IP20 +LED 220-240VAc

example composition code PL BEL060E27 GI XX



## Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,10	0,15	0,22	0,32	0,41	0,55	0,61	0,34	0,32

# Bell


Manuel Vivian

Collezione composta da lampade da soffitto e a sospensione con struttura metallica rivestita con fettuccia di tessuto ignifugato pongé superliscio. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.

Collection consisting of ceiling and suspended lamps with a metal frame covered with strips of extra smooth flame-retardant pongé fabric. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.

## PL BEL 090

kg 8 m<sup>3</sup> 0.98



BELL / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	BEL 090 E27	BC white  BW warm white  GI gold yellow  NE black  RS red	XX	E27 3 x Max 16W LED or 3 x Max 57W halogen	<b>1.344,00</b>

CE IP20 +LED 220-240VAc

example composition code PL BEL090E27 BW XX




### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,12	0,30	<b>0,52</b>	<b>0,67</b>	<b>0,81</b>	0,98	1,20	0,66	0,67

## PL BEL 118

kg 10 m<sup>3</sup> 0.98



BELL / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	BEL 118 E27	BC white  BW warm white  GI gold yellow  NE black  RS red	XX	E27 4 x Max 16W LED or 4 x Max 57W halogen	<b>1.995,00</b>

CE IP20 +LED 220-240VAc

example composition code PL BEL118E27 BC XX



### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,14	0,38	<b>0,67</b>	<b>0,75</b>	<b>1,15</b>	1,50	1,90	0,93	0,86



# Bell


Manuel Vivian

Collezione composta da lampade da soffitto e a sospensione con struttura metallica rivestita con fettuccia di tessuto ignifugato pongé superliscio. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.

Collection consisting of ceiling and suspended lamps with a metal frame covered with strips of extra smooth flame-retardant pongé fabric. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.

## PL BEL 180

kg 27 m<sup>3</sup> 2,64



BELL / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	BEL 180 E27	BC white  BW warm white  GI gold yellow  NE black  RS red	XX	E27 5 x Max 16W LED or 5 x Max 46W halogen	<b>3.888,00</b>

CE IP20 +LED 220-240V<sub>ac</sub>

example composition code PL BEL180E27 BW XX



### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,18	0,65	<b>1,18</b>	<b>1,80</b>	<b>2,60</b>	3,10	3,40	1,84	1,86

# Bell

Manuel Vivian

Collezione composta da lampade da soffitto e a sospensione con struttura metallica rivestita con fettuccia di tessuto ignifugato pongé superliscio. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.

Collection consisting of ceiling and suspended lamps with a metal frame covered with strips of extra smooth flame-retardant pongé fabric. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.

## SP BEL 045

kg 5 m<sup>3</sup> 0.22



BELL / diffusore NON INCLUSO / diffuser NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	BEL 045 E27	BC white BW warm white GI gold yellow NE black RS red	XX	E27 1 x Max 20W LED or 1 x Max 70W halogen	653,00



IP20 +LED 220-240V<sub>AC</sub>


example composition code SP BEL045E27 GI XX

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,05	0,15	0,25	0,33	0,38	0,45	0,51	0,30	0,32

## SP BEL 060

kg 7.5 m<sup>3</sup> 0.43



BELL / diffusore NON INCLUSO / diffuser NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	BEL 060 E27	BC white BW warm white GI gold yellow NE black RS red	XX	E27 1 x Max 20W LED or 1 x Max 70W halogen	830,00



IP20 +LED 220-240V<sub>AC</sub>

example composition code SP BEL060E27 BW XX

KITLIGHTEC2

diffusore opzionale - optional diffuser

70,00

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,05	0,15	0,25	0,33	0,41	0,48	0,51	0,31	0,33

# Bell


Manuel Vivian

Collezione composta da lampade da soffitto e a sospensione con struttura metallica rivestita con fettuccia di tessuto ignifugato pongé superliscio. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.

Collection consisting of ceiling and suspended lamps with a metal frame covered with strips of extra smooth flame-retardant pongé fabric. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.

## SP BEL 090

kg 13.5 m<sup>3</sup> 1.06



BELL / diffusore INCLUSO, con illuminazione verso alto e basso / diffuser INCLUDED, with upward and downward lighting

Type	Article	Colours	Finish	Source	EURO
SP	BEL 090 E27	BC white	XX	E27 4 x Max 20W LED or 4 x Max 46W halogen	1.733,00
		BW warm white			1.883,00
		GI gold yellow			1.883,00
		NE black			1.883,00
		RS red			1.883,00




CE IP20 +LED 220-240V<sub>AC</sub>

example composition code SP BEL090E27 BW XX

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,15	0,33	0,48	0,68	0,92	1,21	1,41	0,74	0,69

## SP BEL 090 LED



BELL / diffusore INCLUSO, con illuminazione verso alto e basso / diffuser INCLUDED, with upward and downward lighting

Type	Article	Colours	Finish	Source	EURO
SP	BEL 090 LED	BC white	XX	LED 88W - diffused beam 3000K*, 4000K	2.972,00
		BW warm white			3.269,00
		GI gold yellow			3.269,00
		NE black			3.269,00
		RS red			3.269,00



CE IP20 CRI90 LED ~9610 lm\* 109 lm/W\* 110-240V<sub>AC</sub>

example composition code SP BELO90LED RS XX

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,15	0,33	0,48	0,68	0,92	1,21	1,41	0,74	0,69

# Bell


Manuel Vivian

Collezione composta da lampade da soffitto e a sospensione con struttura metallica rivestita con fettuccia di tessuto ignifugato pongé superliscio. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.

Collection consisting of ceiling and suspended lamps with a metal frame covered with strips of extra smooth flame-retardant pongé fabric. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.

## SP BEL 118

kg 16.5 m<sup>3</sup> 1.9



BELL / diffusore INCLUSO, con illuminazione verso alto e basso / diffuser INCLUDED, with upward and downward lighting

Type	Article	Colours	Finish	Source	EURO
SP	BEL 118 E27	BC white BW warm white GI gold yellow NE black RS red	XX	E27 4 x Max 20W LED or 4 x Max 57W halogen	3.076,00

CE IP20 +LED 220-240V<sub>ac</sub>


example composition code SP BEL118E27 BC XX



### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,59	1,03	1,37	1,84	2,34	2,67	3,31	1,88	1,85

## SP BEL 118 LED



BELL / diffusore INCLUSO, con illuminazione verso alto e basso / diffuser INCLUDED, with upward and downward lighting

Type	Article	Colours	Finish	Source	EURO
SP	BEL 118 LED	BC white BW warm white GI gold yellow NE black RS red	XX	LED 98W - diffused beam 3000K*, 4000K	3.923,00

CE IP20 CRI90 LED ~10719 lm\* 109 lm/W\* 110-240V<sub>ac</sub>

example composition code SP BEL118LED RS XX



### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,59	1,03	1,37	1,84	2,34	2,67	3,31	1,88	1,85

# Bell


Manuel Vivian

Collezione composta da lampade da soffitto e a sospensione con struttura metallica rivestita con fettuccia di tessuto ignifugato pongé superliscio. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.

Collection consisting of ceiling and suspended lamps with a metal frame covered with strips of extra smooth flame-retardant pongé fabric. Available in several colours and sizes. Screw fitting or built-in dimmable LED light source.

## SP BEL 180

kg 39 m<sup>3</sup> 5.7



**BELL** / diffusore INCLUSO, con illuminazione verso alto e basso / *diffuser INCLUDED, with upward and downward lighting*

Type	Article	Colours	Finish	Source E27	EURO
SP	BEL 180 E27	BC white	XX	4 x Max 16W + 1 x Max 9,5W LED	<b>6.181,00</b>
		BW warm white		or	
		GI gold yellow		4 x Max 57W + 1 x Max 46W halogen	
		NE black			
		RS red			

CE IP20 +LED 220-240V<sub>ac</sub>


example composition code SP BEL180E27 GI XX



### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	1,55	2,65	3,56	4,65	5,68	6,38	7,10	4,51	4,63

## SP BEL 180 LED



**BELL** / diffusore INCLUSO, con illuminazione verso alto e basso / *diffuser INCLUDED, with upward and downward lighting*

Type	Article	Colours	Finish	Source	EURO
SP	BEL 180 LED	BC white	XX	LED 98W - diffused beam 3000K*, 4000K	<b>7.723,00</b>
		BW warm white			
		GI gold yellow			
		NE black			
		RS red			

CE IP20 CRI90 LED ~10719 lm\* 109 lm/W\* 110-240V<sub>ac</sub>

example composition code SP BEL180LED BW XX



### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	1,55	2,65	3,56	4,65	5,68	6,38	7,10	4,51	4,63

# Bul-Bo

Gabetti and Isola


Collezione composta da piantana orientabile in acciaio e alluminio.  
Disponibile in due colorazioni. Sorgente LED dimmerabile incorporata.  
Regolazione del posizionamento della sorgente LED.

*Collection consisting of steel and aluminum adjustable floor lamp.  
Available in two colours. Built-in dimmable LED source.  
Adjustable Led source positioning.*

## COLOUR



polished aluminum



intense black

## BAG FINISHING




black

## PT BUL-BO

kg 30 m<sup>3</sup> 0.40

### BUL-BO / DRIVER INCLUDED



Type	Article	CCT	Body Colours	Bag Finishing	Source	EURO
PT	BUL-B	1 2700K	AL polished aluminum	NE nero/black	LED 15,3 W	2.625,00
		2 3000K*	NE intense black			

IP20 CRI>90 dimmable 100-240V<sub>AC</sub> LED ~1924 lm\* ~125 lm/W\*

example composition code PT BUL-B 1 AL NE LED

# Clavius

Manuel Vivian

Collezione composta da lampade da parete, soffitto, sospensione, tavolo e da terra con montatura in metallo e paralume lavorato a mano con fili setati. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of wall, ceiling, suspended, table and floor lamps. Metal frame and hand-made silken thread lampshade. Available in several colours and sizes. Screw fitting light source.

## COLOURS



white



tobacco



sand

## FINISHES



chrome canopy



gold canopy




chrome finish



gold finish

## AP CLAV BR

kg 1.5 m<sup>3</sup> 0.03



### CLAVIUS


Type	Article	Colours	Finish	Source	EURO
AP	CLAV BR	BC white	XX chrome	E14 1 x Max 6,5W LED or 1 x Max 42W halogen	427,00
		TA tobacco	OR gold		469,00
		SA sand			

CE IP20 +LED 220-240V<sub>ac</sub>

example composition code AP CLAVBR SA OR E14

## AP CLAV 30

kg 2 m<sup>3</sup> 0.03



### CLAVIUS / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Colours	Finish	Source	EURO
AP	CLAV 30	BC white	XX white	E14 1 x Max 6,5W LED or 1 x Max 42W halogen	298,00
		TA tobacco			
		SA sand			

CE IP20 +LED 220-240V<sub>ac</sub>

example composition code AP CLAV30 TA XX E14

# Clavius


Manuel Vivian

Collezione composta da lampade da parete, soffitto, sospensione, tavolo e da terra con montatura in metallo e paralume lavorato a mano con fili setati. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of wall, ceiling, suspended, table and floor lamps. Metal frame and hand-made silken thread lampshade. Available in several colours and sizes. Screw fitting light source.

## PL CLAVIU

kg 3 m<sup>3</sup> 0.06



### CLAVIUS

Type	Article	Colours	Finish	Source	EURO
PL	CLAVIU	BC white	XX white	E27 3 x Max 9,5W LED or 3 x Max 46W halogen	437,00
		TA tobacco			
		SA sand			




IP20 +LED 220-240V<sub>AC</sub>

example composition code PL CLAVIU BC XX E27

## SP CLAVIU E27

kg 5 m<sup>3</sup> 0.12



### CLAVIUS / diffusore NON INCLUSO / diffuser NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	CLAVIU	BC white	CR chrome	E27 3 x Max 16W LED or 3 x Max 70W halogen	788,00
		TA tobacco	OR gold		868,00
		SA sand			



IP20 +LED 220-240V<sub>AC</sub>


example composition code SP CLAVIU SA OR E27

DSPCLAVIUSXXXXX diffusore optional / optional diffuser

63,00

## PT CLAVIU

kg 16 m<sup>3</sup> 0.24



### CLAVIUS

Type	Article	Colours	Finish	Source	EURO
PT	CLAVIU	BC white	CR chrome	E27 2 x Max 70W halogen (dimnable lamps required)	1.940,00
		TA tobacco	OR gold		2.228,00
		SA sand			



IP20 +LED 220-240V<sub>AC</sub>

example composition code PT CLAVIU BC OR E27



# Clavius


Manuel Vivian

Collezione composta da lampade da parete, soffitto, sospensione, tavolo e da terra con montatura in metallo e paralume lavorato a mano con fili setati. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of wall, ceiling, suspended, table and floor lamps. Metal frame and hand-made silken thread lampshade. Available in several colours and sizes. Screw fitting light source.

## LT CLAV XP

kg 1 m<sup>3</sup> 0.03



### CLAVIUS


Type	Article	Colours	Finish	Source	EURO
LT	CLAV XP	BC white	CR chrome	E14 1 x Max 6,5W LED or 1 x Max 42W halogen	324,00
		TA tobacco	OR gold		356,00
		SA sand			

CE IP20 +LED 220-240V<sub>AC</sub>

example composition code LT CLAVXPBC OR E14

## LT CLAVI P

kg 4 m<sup>3</sup> 0.07



### CLAVIUS


Type	Article	Colours	Finish	Source	EURO
LT	CLAVI P	BC white	CR chrome	E14 2 x Max 6,5W LED or 2 x Max 42W halogen	731,00
		TA tobacco	OR gold		804,00
		SA sand			

CE IP20 +LED 220-240V<sub>AC</sub>

example composition code LT CLAVIP SA CR E14

## LT CLAVI G

kg 8 m<sup>3</sup> 0.16



### CLAVIUS

Type	Article	Colours	Finish	Source	EURO
LT	CLAVI G	BC white	CR chrome	E27 2 x Max 16W LED or 2 x Max 70W halogen	941,00
		TA tobacco	OR gold		1.037,00
		SA sand			

CE IP20 +LED 220-240V<sub>AC</sub>

example composition code LT CLAVIG SA OR E27


# Cloudy

Dima Loginoff

Lampade a sospensione con struttura metallica in alluminio e acciaio diffusori in materiale plastico con rivestimento in tessuto elastico removibile e lavabile. Disponibile in colore bianco. Sorgente luminosa a LED integrato dimmerabile.

*Suspended lamp with steel and aluminum frame and diffusers in plastic material with elastic, removable and washable fabric cover. Available in white colour. Built-in dimmable LED light source.*



COLOUR



white

## SP CLOUDY

kg 15 m<sup>3</sup> 0.700



### CLOUDY / DRIVER INCLUDED

Type	Article	Colours	Finishings	Source	EURO
SP	CLOUDY	BC white	XX white	LED 92W - diffused beam 3000K*, 2700K	2,940.00



IP20 CRI>90



110-240VAc **LED**

~7602 lm\* ~83 lm/W\*

example composition code SP CLOUDY BC XX LED

# Cut

Timo Ripatti

Collezione di lampade a sospensione, terra e tavolo con struttura metallica in alluminio e acciaio. Disponibile in colore nero. Corpo illuminante installabile in tre posizioni differenti. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of steel and aluminum suspended, floor and table lamps. Available in black colour. The Lighting source can be installed in three different positions. Built-in dimmable LED light source.



COLOUR



intense black

## SP CUT

kg 5,57 m³ 0,133



CUT / DRIVER INCLUDED



Type	Article	Colours	Finishings	Source	EURO
SP	CUT XXX	NE intense black	XX	LED 21W - optic ~ 60° beam 3000K	1.418,00

IP20 CRI>90 110-240VAC ~1665 lm ~80 lm/W

example composition code SP CUT XXX NE XX LED

## PT CUT

kg 15,5 m³ 0,220



CUT / DIMMER INCLUDED

Type	Article	Colours	Finishings	Source	EURO
PT	CUT XXX	NE intense black	XX	LED 21W - optic ~ 60° beam 3000K	1.680,00

IP20 CRI>90 110-240VAC ~1665 lm ~80 lm/W

example composition code PT CUTXXX NE XX LED

# Cut


Timo Ripatti

Collezione di lampade a sospensione, terra e tavolo con struttura metallica in alluminio e acciaio. Disponibile in colore nero. Corpo illuminante installabile in tre posizioni differenti. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of steel and aluminum suspended, floor and table lamps. Available in black colour. The Lighting source can be installed in three different positions. Built-in dimmable LED light source.

## LT CUT

kg 4,75 m<sup>3</sup> 0,133






### CUT / DIMMER INCLUDED

Type	Article	Colours	Finishings	Source	EURO
LT	CUT XXX	NE intense black	XX	LED 17W - optic ~ 60° beam 3000K	1.313,00

IP20
 CRI>90
 dimmable
 110-240VAc
 LED
 ~1376 lm ~81 lm/W

example composition code LT CUT XXX NE XX LED

Altre 2 posizioni di montaggio del diffusore / Installation of the diffuser in 2 additional positions



# Dodot

Simone Micheli

Lampada da soffitto o parete con struttura metallica in alluminio e acciaio.  
Sorgente luminosa orientabile. LED integrato dimmerabile.

*Ceiling or wall lamp with metal frame in aluminum and steel. The lighting source can be adjusted.  
Built-in dimmable LED source.*

## COLOURS



white




blue




black




concrete green




maive dust



OPTIC-LENS 48°




OPTIC-REFLECTOR 35°



OPTIC-REFLECTOR 15°

## FA DODOT

kg 0.9 m<sup>3</sup> 0.02



### DODOT / DRIVER INCLUDED

Type	Article	Colours	Beam - degrees	Source	EURO
FA	DOD9 30	BC white BL blue NE black CG concrete green MD maive dust	48°	LED 17,4 W - 3000K*	342.00

Type	Article	Colours	Beam - degrees	Source	EURO
FA	DOD9 27	BC white BL blue NE black CG concrete green MD maive dust	48°	LED 17,4 W - 2700K*	342.00



IP20 CRI≥90 220-240VAc **LED** ~2100 lm\* ~120 lm/W\*

example composition code FA DOD927 NE 48 LED

Compatibile con sistema Casambi su richiesta / Compatibility with Casambi system upon request


# Dodot

Simone Micheli

Lampada da soffitto o parete con struttura metallica in alluminio e acciaio.  
Sorgente luminosa orientabile. LED integrato dimmerabile.

*Ceiling or wall lamp with metal frame in aluminum and steel. The lighting source can be adjusted.  
Built-in dimmable LED source.*

kg 0.9 m<sup>3</sup> 0.02



## DODOT / DRIVER INCLUDED

Type	Article	Colours	Beam - degrees	Source	EURO
FA	DOD9 30	BC white BL blue NE black CG concrete green MD mauve dust	35°	LED 17,4 W - 3000K*	300,00

Type	Article	Colours	Beam - degrees	Source	EURO
FA	DOD9 27	BC white BL blue NE black CG concrete green MD mauve dust	35°	LED 17,4 W - 2700K*	300,00



IP20 CRI:90 220-240VAc **LED** ~2100 lm\* ~120 lm/W\*

example composition code FA DOD930 NE 35 LED

Compatibile con sistema Casambi su richiesta / Compatibility with Casambi system upon request


# Dodot

Simone Micheli

Lampada da soffitto o parete con struttura metallica in alluminio e acciaio.  
Sorgente luminosa orientabile. LED integrato dimmerabile.

*Ceiling or wall lamp with metal frame in aluminum and steel. The lighting source can be adjusted.  
Built-in dimmable LED source.*

kg 0.9 m<sup>3</sup> 0.02



## DODOT / DRIVER INCLUDED

Type	Article	Colours	Beam - degrees	Source	EURO
FA	DOD9 30	BC white	15°	LED 17,4 W - 3000K*	300,00
		BL blue			
		NE black			
		CG concrete green			
		MD mauve dust			

Type	Article	Colours	Beam - degrees	Source	EURO
FA	DOD9 27	BC white	15°	LED 17,4 W - 2700K*	300,00
		BL blue			
		NE black			
		CG concrete green			
		MD mauve dust			



IP20 CRI:90 220-240VAc **LED** ~2100 lm\* ~120 lm/W\*

example composition code FA DOD930 NE 15 LED

Compatibile con sistema Casambi su richiesta / Compatibility with Casambi system upon request

Lampada da soffitto o parete con struttura metallica in ottone naturale.  
Sorgente luminosa orientabile. LED integrato dimmerabile.

*Ceiling or wall lamp with natural brass frame. Adjustable lighting source.  
Built-in dimmable LED.*


COLOUR



natural brass

**FA EGO X 30**

kg 0,5 m<sup>3</sup> 0,004



EGO / DRIVER NOT INCLUDED

Type	Article	Colours	Finishings	Source	EURO
FA	EGO X 30	OT natural brass	XX	LED 1 x 8.8W - 250 mA 35,2Vdc diffused - 3000K	352,00


with dedicated PSU IP20 CRI80 **LED** ~1220 lm ~139 lm/W  
 example composition code **FA EGO X 30 OT XX LED**

optional for more info see page 161

CEDLTC00123	standard 250mA driver - Max 10W	32,00
CEDLTC00124	dimnable Phase Cut 250mA driver - Max 12W	69,00
CEDLTC00125	dimnable DALI 1-10V & PUSH 250mA driver - Max 28W	132,00
CEDLTC00126	dimnable DALI 250mA driver - Max 12W	69,00

**FA EGO P 30**

kg 0,5 m<sup>3</sup> 0,004



EGO / DRIVER NOT INCLUDED

Type	Article	Colours	Finishings	Source	EURO
FA	EGO P 30	OT natural brass	XX	LED 1 x 3.2W - 350 mA 9Vdc diffused - 3000K	352,00

with dedicated PSU IP20 CRI90 **LED** ~310 lm ~96 lm/W  
 example composition code **FA EGO P 30 OT XX LED**

optional for more info see page 162

CEDLTC00100	on/off 350mA driver - Max 8W	31,00
CEDLTC00101	on/off 350mA driver - Max 12W	44,00
CEDLTC00103	dimnable 1-10V 350mA driver - Max 25W	125,00
CEDLTC00104	dimnable DALI 350mA driver - Max 25W	152,00
CEDLLG00302	on/off 350mA driver - Max 6W	66,00



# Fairy

Manuel Vivian

Collezione composta da faretti, lampade da parete, soffitto e sospensione con struttura in metallo e diffusore in cristallo. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrato, dimmerabile per alcuni articoli.

Collection consisting of recessed downlights, wall, ceiling and suspended lamps with metal frame and glass diffuser. Available in several colours and sizes. Built-in (dimnable for some versions) LED light source.

## COLOURS



crystal



amber



grey



chrome finish



chrome canopy




chromed recessed canopy



white canopy for 12 R, 12 AND 18 versions

## FA FAIRY

kg 1 m<sup>3</sup> 0.0014



### FAIRY / DRIVER NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
FA	FAIRY X	CS crystal	CR chrome	LED 5,9W - 350mA - 17vdc diffused beam - 2700K	233,00
		AM amber			255,00
		GR grey			255,00

CE IP20 CRI90 **LED** ~717 lm ~121 lm/W

foro - hole Ø 8 cm / profondità min - min depth 10 cm - Collegare in serie. / Wire in series.

example composition code FA FAIRYX AM CR LED

optional for more info see page 162

	CEDLTC00100	on/off 350mA driver - Max 8W	31,00
	CEDLTC00103	dimnable 1-10V 350mA driver - Max 25W	125,00
	CEDLTC00104	dimnable DALI 350mA driver - Max 25W	152,00

# Fairy


Manuel Vivian

Collezione composta da faretti, lampade da parete, soffitto e sospensione con struttura in metallo e diffusore in cristallo. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrato, dimmerabile per alcuni articoli.

Collection consisting of recessed downlights, wall, ceiling and suspended lamps with metal frame and glass diffuser. Available in several colours and sizes. Built-in (dimnable for some versions) LED light source.

## AP FAIRY

kg 1.3 m<sup>3</sup> 0.0032




### FAIRY / DRIVER INCLUDED

Type	Article	Colours	Finish	Source	EURO
AP	FAIRY X	CS crystal	CR chrome	LED 5,9W - diffused beam 2700K	443,00
		AM amber			456,00
		GR grey			456,00

CE IP20 CRI90 **LED** ~717 lm ~121 lm/W 100-240VAc  
 example composition code AP FAIRYX CS CR LED

## PL FAIRY

kg 1.3 m<sup>3</sup> 0.0048



### FAIRY / DRIVER INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	FAIRY X	CS crystal	CR chrome	LED 5,9W - diffused beam 2700K	382,00
		AM amber			425,00
		GR grey			425,00

CE IP20 CRI90 **LED** ~717 lm ~121 lm/W 100-240VAc  
 example composition code PL FAIRYX GR CR LED

# Fairy


Manuel Vivian

Collezione composta da faretto, lampade da parete, soffitto e sospensione con struttura in metallo e diffusore in cristallo. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrato, dimmerabile per alcuni articoli.

Collection consisting of recessed downlights, wall, ceiling and suspended lamps with metal frame and glass diffuser. Available in several colours and sizes. Built-in (dimmerable for some versions) LED light source.

## SP FAIRY

kg 1.7 m<sup>3</sup> 0.015




### FAIRY / DRIVER INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	FAIRY X	CS crystal	CR chrome	LED 5.9W diffused beam - 2700K	450,00
		AM amber			472,00
		GR grey			472,00

CE IP20 CRI90 **LED** ~717 lm ~121 lm/W 100-240VAc  
example composition code SP FAIRYX CS BR LED

## SP FAIRY I (RECESSED)

kg 1.2 m<sup>3</sup> 0.015



### FAIRY / DRIVER NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	FAIRY I	CS crystal	CR chrome	LED 5.9W - 350mA - 17vdc diffused beam - 2700K	329,00
		AM amber			345,00
		GR grey			345,00


CE IP20 CRI90 **LED** ~717 lm ~121 lm/W  
foro - hole Ø 5.5 cm / profondità min - min depth 10 cm - Collegare in serie. / Wire in series.  
example composition code SP FAIRYI AM NI LED

optional for more info see page 162

CEDLTC00100	standard 350mA driver - Max 8W	31,00
CEDLTC00103	dimnable 1-10V 350mA driver - Max 25W	125,00
CEDLTC00104	dimnable DALI 350mA driver - Max 25W	152,00

## SP FAI 12 R

kg 14.5 m<sup>3</sup> 0.16



### FAIRY / DRIVER INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	FAI 12 R	CS crystal	CR white + chrome	LED 12 x 5.9W diffused beam - 2700K	4.262,00
		AM amber			4.559,00
		GR grey			4.559,00

CE IP20 CRI90 **LED** 12 x ~717 lm ~121 lm/W 110-240VAc  
example composition code SP FAI12R GR BR LED

# Fairy



Manuel Vivian

Collezione composta da faretto, lampade da parete, soffitto e sospensione con struttura in metallo e diffusore in cristallo. Disponibile in vari colori e dimensioni. Sorgente luminosa a LED integrato, dimmerabile per alcuni articoli.

Collection consisting of recessed downlights, wall, ceiling and suspended lamps with metal frame and glass diffuser. Available in several colours and sizes. Built-in (dimmerable for some versions) LED light source.

## SP FAIR 12

kg 14.5 m<sup>3</sup> 0.17



### FAIRY / DRIVER INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	FAIR 12	CS crystal	CR white + chrome	LED 12 x 5,9W diffused beam - 2700K	4.216,00
		AM amber			4.506,00
		GR grey			4.506,00

CE IP20 CRI90 LED 12 x ~717 lm ~121 lm/W 110-240VAc  
example composition code SP FAIR12 CS NI LED



optional accessories:

ANELLOFAIRY060X	kg 1.2 - m <sup>3</sup> 0.034 - Ø 60 cm Anello per composizione personalizzata. Elementi di bloccaggio inclusi. Ring for customised composition. Fastening elements included.	189,00
ANELLOFAIRY100X	kg 2 - m <sup>3</sup> 0.093 - Ø 100 cm Anello per composizione personalizzata. Elementi di bloccaggio inclusi. Ring for customised composition. Fastening elements included.	240,00

Suggeriamo l'uso di entrambi gli anelli da Ø 60 e Ø 100 cm per la creazione di composizioni personalizzate.  
We suggest the use of both the Ø 60 e Ø 100 cm rings together when creating customised compositions.

## SP FAIR 18

kg 20.1 m<sup>3</sup> 0.28



### FAIRY / DRIVER INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	FAIR 18	CS crystal	CR white + chrome	LED 18 x 5,9W diffused beam - 2700K	5.670,00
		AM amber			6.402,00
		GR grey			6.402,00

CE IP20 CRI90 LED 18 x ~717 lm ~121 lm/W 110-240VAc  
example composition code SP FAIR18 CS CR LED

optional accessories:

ANELLOFAIRY060X	kg 1.2 - m <sup>3</sup> 0.034 - Ø 60 cm Anello per composizione personalizzata. Elementi di bloccaggio inclusi. Ring for customised composition. Fastening elements included.	189,00
ANELLOFAIRY100X	kg 2 - m <sup>3</sup> 0.093 - Ø 100 cm Anello per composizione personalizzata. Elementi di bloccaggio inclusi. Ring for customised composition. Fastening elements included.	240,00

Suggeriamo l'uso di entrambi gli anelli da Ø 60 e Ø 100 cm per la creazione di composizioni personalizzate.  
We suggest the use of both the Ø 60 e Ø 100 cm rings together when creating customised compositions.

# Fedora

Dima Loginoff

Collezione composta da faretto ad incasso e lampade a sospensione. Disponibile in vari colori e dimensioni. Sorgente luminosa LED con attacco GU10.

Collection consisting of recessed downlight and suspended lamps. Available in several colours and sizes. GU10 LED light source.

## COLOURS



rose gold



bronze



chrome




white



white canopy

## FA FEDORA

kg 0.4 m<sup>3</sup> 0.01



### FEDORA

Type	Article	Colours	Finish	Source	EURO
FA	FEDORA	XX glass	XX white varnished metal	GU1 GU10 LED 1 x Max 5,5W only LED bulbs	198,00

CE IP20 LED 220-240VAc


foro - hole Ø 10 cm / profondità min - min depth 11 cm

example composition code FA FEDORA XX XX GU1

LAMPGU105,5W040 optional GU10 LED bulb 5,5W - 3000K - 40° angle - see page 160 **44,00**

## SP FEDOR 1

kg 1.21 m<sup>3</sup> 0.04



### FEDORA

Type	Article	Colours	Finish	Source	EURO
SP	FEDOR 1	BC white + glass	BC white varnished metal	GU1 GU10 LED 1 x Max 5,5W only LED bulbs	310,00
		RO rose gold + glass			376,00
		BR bronze + glass			376,00
		CR chrome + glass			376,00

CE IP20 LED 220-240VAc

example composition code SP FEDOR1 CR BC GU1

LAMPGU105,5W040 optional GU10 LED bulb 5,5W - 3000K - 40° angle - see page 160 **44,00**

# Fedora


Dima Loginoff

Collezione composta da faretto ad incasso e lampade a sospensione. Disponibile in vari colori e dimensioni. Sorgente luminosa LED con attacco GU10.

Collection consisting of recessed downlight and suspended lamps. Available in several colours and sizes. GU10 LED light source.

## SP FEDOR 3

kg 4.56 m<sup>3</sup> 0.06



### FEDORA

Type	Article	Colours	Finish	Source	EURO
SP	FEDOR 3	BC white + glass	BC white varnished metal	GU1 GU10 LED 3 x Max 5,5W only LED bulbs	725,00
		RO rose gold + glass			870,00
		BR bronze + glass			870,00
		CR chrome + glass			870,00

CE IP20 LED 220-240VAc

example composition code SP FEDOR3 RO BC GU1




LAMPGU105,5W040 optional GU10 LED bulb 5,5W - 3000K - 40° angle - see page 160

44,00

## SP FEDOR 6

kg 9.12 m<sup>3</sup> 0.24



### FEDORA

Type	Article	Colours	Finish	Source	EURO
SP	FEDOR 6	BC white + glass	BC white varnished metal	GU1 GU10 LED 6 x Max 5,5W only LED bulbs	1.498,00
		RO rose gold + glass			1.785,00
		BR bronze + glass			1.785,00
		CR chrome + glass			1.785,00

CE IP20 LED 220-240VAc

example composition code SP FEDOR6 BR BC GU1




LAMPGU105,5W040 optional GU10 LED bulb 5,5W - 3000K - 40° angle - see page 160

44,00

## SP FEDOR 7

kg 11 m<sup>3</sup> 0.25



### FEDORA

Type	Article	Colours	Finish	Source	EURO
SP	FEDOR 7	BC white + glass	BC white varnished metal	GU1 GU10 LED 7 x Max 5,5W only LED bulbs	1.764,00
		RO rose gold + glass			2.079,0
		BR bronze + glass			2.079,0
		CR chrome + glass			2.079,0

CE IP20 LED 220-240VAc

example composition code SP FEDOR7 CR BC GU1



LAMPGU105,5W040 optional GU10 LED bulb 5,5W - 3000K - 40° angle - see page 160

44,00

# Fedora


3.147,00  
Dima Loginoff

Collezione composta da faretto ad incasso e lampade a sospensione. Disponibile in vari colori e dimensioni. Sorgente luminosa LED con attacco GU10.

Collection consisting of recessed downlight and suspended lamps. Available in several colours and sizes. GU10 LED light source.

## SP FEDO 12

kg 17.95 m³ 0.41



### FEDORA

Type	Article	Colours	Finish	Source	EURO
SP	FEDOR 12	BC white + glass	BC white varnished metal	GU1 GU10 LED 12 x Max 5,5W only LED bulbs	2.893,00
		RO rose gold + glass			3.147,00
		BR bronze + glass			3.147,00
		CR chrome + glass			3.147,00

CE IP20 LED 220-240V<sub>AC</sub>

example composition code SP FEDOR12 RO BC GU1



LAMPGU105,5W040 optional GU10 LED bulb 5,5W - 3000K - 40° angle - see page 160

44,00

# Float

Mario Alessiani

Lampada multifunzionale portatile a batteria, con sorgente a led integrata, adatta per interni ed esterni. Struttura realizzata in alluminio e acciaio inox con diffusore in PC ad alta efficienza. Dimmerabile a 5 livelli. Autonomia 9h con kit batterie sostituibili e ricaricabili per almeno 500 cicli, alla massima efficienza.

*Multifunctional mobile battery lamp with integrated led source, for indoor and outdoor applications. Aluminum and stainless steel structure, high efficiency PC diffuser. Dimmable 5 steps. 9 hours runtime with replaceable battery kit with at least 500 recharging cycles, at maximum efficiency.*

## COLOURS



white



blue



black




concrete green




mauve dust

## COLOURS TOP



white




black



concrete grey

## SP FLOAT

kg 0.40 m<sup>3</sup> 0.0025



FLOAT / suspension lamp / wall lamp / for installation on bottles

Type	Article	Colours / Finish	Source	EURO
SP	FLOATX	BC white / BC white  BL blue / BC white  NE black / NE black  CG concrete green / CO concrete grey  MD mauve dust / BC white	LED 3.5W - diffused beam 2700K	210,00

5 steps IP55 CRI 80 Li-Ion battery 500 cycles 9 hours **LED** ~200 lm\* 57.14 lm/W\*

example composition code SP FLOATX BL BC LED



# Float

Mario Alessiani


Lampada multifunzionale portatile a batteria, con sorgente a led integrata, adatta per interni ed esterni. Struttura realizzata in alluminio e acciaio inox con diffusore in PC ad alta efficienza. Dimmerabile a 5 livelli. Autonomia 9h con kit batterie sostituibili e ricaricabili per almeno 500 cicli, alla massima efficienza.

*Multifunctional mobile battery lamp with integrated led source, for indoor and outdoor applications. Aluminum and stainless steel structure, high efficiency PC diffuser.*

*Dimmable 5 steps. 9 hours runtime with replaceable battery kit with at least 500 recharging cycles, at maximum efficiency.*

## LT FLOAT

kg 0.90 m<sup>3</sup> 0.007



FLOAT / table lamp / wall lamp / suspension lamp / for installation on bottles

Type	Article	Colours / Finish	Source	EURO
LT	FLOATX	<p>BC white / BC white</p> <p>BL blue / BC white</p> <p>NE black / NE black</p> <p>CG concrete green / CO concrete grey</p> <p>MD mauve dust / BC white</p>	LED 3.5W - diffused beam 2700K	250.00

5 steps IP55 CRI 80 Li-Ion battery 500 cycles 9 hours **LED** ~200 lm\* 57.14 lm/W\*  
 example composition code LT FLOATX BL BC LED

# Float

Mario Alessiani

Lampada multifunzionale portatile a batteria, con sorgente a led integrata, adatta per interni ed esterni. Struttura realizzata in alluminio e acciaio inox con diffusore in PC ad alta efficienza. Dimmerabile a 5 livelli. Autonomia 9h con kit batterie sostituibili e ricaricabili per almeno 500 cicli, alla massima efficienza.

*Multifunctional mobile battery lamp with integrated led source, for indoor and outdoor applications. Aluminum and stainless steel structure, high efficiency PC diffuser. Dimmable 5 steps. 9 hours runtime with replaceable battery kit with at least 500 recharging cycles, at maximum efficiency.*

## PT FLOAT

kg 0.90 m<sup>3</sup> 0.007



FLOAT / floor lamp / wall lamp / suspension lamp / for installation on bottles

Type	Article	Colours / Finish	Source	EURO
PT	FLOATX	<p>BC white / BC white</p> <p>BL blue / BC white</p> <p>NE black / NE black</p> <p>CG concrete green / CO concrete grey</p> <p>MD mauve dust / BC white</p>	LED 3.5W - diffused beam 2700K	305,00

5 steps IP55 CRI 80 Li-Ion battery 500 cycles 9 hours LED ~200 lm\* 57.14 lm/W\*  
 example composition code PT FLOATX BL BC LED

# Hoops

Giovanni Barbato

Collezione composta da lampade da soffitto e sospensione con elementi intercambiabili di diverse forme e dimensioni. Finitura dorata o nera. Sorgente luminosa a LED integrato dimmerabile. Le lampade a sospensione prevedono un'illuminazione diretta ed indiretta.

Collection consisting of ceiling and suspended lamps with interchangeable elements in different shapes and sizes. Gold or black finish. Built-in dimmable LED light source. The suspended lamps can illuminate upward and downward.

## COLOURS




white



gold



gold canopy




black



black canopy

## PL HOOPS 2

kg 3.7 m<sup>3</sup> 0.43




### HOOPS

Type	Article	Colours / Finish	Source	EURO
PL	HOOPS 2	BC white/ BC white	LED 17W - diffused beam 3000K  other CCT options available upon request	945,00
		NE black / NE black		945,00
		OR gold / OR gold		1.106,00

CE IP20 CRI90 220-240VAC LED ~1330 lm 78 lm/W  
example composition code PL HOOPS2 NE NE LED

## PL HOOPS 3

kg 4 m<sup>3</sup> 0.43



### HOOPS

Type	Article	Colours / Finish	Source	EURO
PL	HOOPS 3	BC white/ BC white	LED 17W - diffused beam 3000K  other CCT options available upon request	977,00
		NE black / NE black		977,00
		OR gold / OR gold		1.159,00

CE IP20 CRI90 220-240VAC LED ~1330 lm 78 lm/W  
example composition code PL HOOPS3 OR OR LED

# Hoops


Giovanni Barbato

Collezione composta da lampade da soffitto e sospensione con elementi intercambiabili di diverse forme e dimensioni. Finitura dorata o nera. Sorgente luminosa a LED integrato dimmerabile. Le lampade a sospensione prevedono un'illuminazione diretta ed indiretta.

Collection consisting of ceiling and suspended lamps with interchangeable elements in different shapes and sizes. Gold or black finish. Built-in dimmable LED light source. The suspended lamps can illuminate upward and downward.

## SP HOOPS 2

kg 5.7 m<sup>3</sup> 0.43




**HOOPS** / con illuminazione verso alto e basso / with upward and downward lighting

Type	Article	Colours / Finish	Source	EURO
SP	HOOPS 2	BC white/ BC white	LED 34W - diffused beam 3000K  other CCT options available upon request	1.470,00
		NE black / NE black		1.470,00
		OR gold / OR gold		1.757,00

220-240VAC **LED** ~2660 lm 78 lm/W  
 example composition code SP HOOPS2 OR OR LED

## SP HOOPS 3

kg 5.8 m<sup>3</sup> 0.43




**HOOPS** / con illuminazione verso alto e basso / with upward and downward lighting

Type	Article	Colours / Finish	Source	EURO
SP	HOOPS 3	BC white/ BC white	LED 34W - diffused beam 3000K  other CCT options available upon request	1.491,00
		NE black / NE black		1.491,00
		OR gold / OR gold		1.791,00

220-240VAC **LED** ~2660 lm 78 lm/W  
 example composition code SP HOOPS3 OR OR LED

## SP HOOPS 4

kg 7.1 m<sup>3</sup> 0.43



**HOOPS** / con illuminazione verso alto e basso / with upward and downward lighting

Type	Article	Colours / Finish	Source	EURO
SP	HOOPS 4	BC white/ BC white	LED 34W - diffused beam 3000K  other CCT options available upon request	1.680,00
		NE black / NE black		1.680,00
		OR gold / OR gold		2.067,00

220-240VAC **LED** ~2660 lm 78 lm/W  
 example composition code SP HOOPS4 OR OR LED

# Hoops


Giovanni Barbato

Collezione composta da lampade da soffitto e sospensione con elementi intercambiabili di diverse forme e dimensioni. Finitura dorata o nera. Sorgente luminosa a LED integrato dimmerabile. Le lampade a sospensione prevedono un'illuminazione diretta ed indiretta.

Collection consisting of ceiling and suspended lamps with interchangeable elements in different shapes and sizes. Gold or black finish. Built-in dimmable LED light source. The suspended lamps can illuminate upward and downward.

## SP HOOPS 6

kg 7.7 m<sup>3</sup> 0.43



**HOOPS** / con illuminazione verso alto e basso / with upward and downward lighting

Type	Article	Colours / Finish	Source	EURO
SP	HOOPS 6	BC white/ BC white	LED 34W - diffused beam 3000K  other CCT options available upon request	1.785,00
		NE black / NE black		1.785,00
		OR gold / OR gold		2.429,00

220-240V<sub>AC</sub> **LED** ~2660 lm 78 lm/W  
 example composition code **SP HOOPS6 OR OR LED**

# Jewel

Yonoh

Collezione di lampade a sospensione in alluminio con arco in nylon caricato a vetro riciclato. Disponibile in colore nero e quattro versioni. La sorgente luminosa è a LED integrato dimmerabile o non dimmerabile.

Collection of aluminum suspended lamps with glass filled nylon arch made with recycled materials. Available in four pre-defined configurations in black color. Built-in dimmable or not dimmable LED light source.

COLOUR



black




greige upon request



produced with recycled material

## SP JEWE / JEWD 01

kg 0,9 m³ 0,039



JEWEL / DRIVER INCLUDED DIMMABLE


Type	Article	Colours / Finish	Source	EURO
SP	JEWD 01	NE black / NE black GE greige / NE black	LED 6,5W - optic ~ 38° beam 3000K*, 2700K, 3500K dimmable	342,00

CE IP20 CRI>90 dimmable 0/1-10V LED ~671 lm\* ~103 lm/W\* 220-240Vac

example composition code SP JEWD 01 NE NE LED

## SP JEWE / JEWD 03

kg 3,5 m³ 0,0208



JEWEL / DRIVER INCLUDED DIMMABLE

Type	Article	Colours / Finish	Source	EURO
SP	JEWD 03	NE black / NE black GE greige / NE black	LED 3 x 6,5W - optic ~ 38° beam 3000K*, 2700K, 3500K dimmable	1.012,00

CE IP20 CRI>90 dimmable 0/1-10V LED ~2013 lm\* ~103 lm/W\* 220-240Vac

example composition code SP JEWD 03 NE NE LED

# Jewel


Yonoh

Collezione di lampade a sospensione in alluminio con arco in nylon caricato a vetro riciclato. Disponibile in colore nero e quattro versioni. La sorgente luminosa è a LED integrato dimmerabile o non dimmerabile.

Collection of aluminum suspended lamps with glass filled nylon arch made with recycled materials. Available in four pre-defined configurations in black color. Built-in dimmable or not dimmable LED light source.

## SP JEWE / JEWD 04

kg 8,7 m³ 0,065



### JEWEL / DRIVER INCLUDED DIMMABLE


Type	Article	Colours / Finish	Source	EURO
SP	JEWD 04	NE black / NE black GE greige / NE black	LED 4 x 6,5W - optic ~ 38° beam 3000K*, 2700K, 3500K dimmable	1.350,00

IP20 CRI>90 dimmable 0/1-10V LED ~2684 lm\* ~103 lm/W\* 220-240VAC

example composition code SP JEWD 04 NE NE LED

## SP JEWD 10

kg 8,7 m³ 0,201



### JEWEL / DRIVER INCLUDED DIMMABLE

Type	Article	Colours / Finish	Source	EURO
SP	JEWD 10	NE black / NE black GE greige / NE black	LED 10 x 6,5W - optic ~ 38° beam 3000K*, 2700K, 3500K dimmable	2.727,00

IP20 CRI>90 dimmable 0/1-10V LED ~6710 lm\* ~103 lm/W\* 220-240VAC

example composition code SP JEWD 10 NE NE LED


# Jewel Mono

Yonoh

Collezione di lampade a sospensione in alluminio con arco in nylon riciclato PA12 arch. Disponibile in diverse versioni. La sorgente luminosa è a LED integrato dimmerabile o non dimmerabile. La particolare tecnica di produzione dell' archetto può avere lievi differenze di tonalità.

Collection consisting of suspended lamps made of aluminium and recycled PA12 arch. Available in different versions. Built-in dimmable or not dimmable LED light source. The particular production technique of the small arch could have slight differences of tonality.

COLOUR



black / black

black / gray

gold / black

greige / black upon request

## SP JEWEL MONO 01

kg 0,9 m³ 0,004



JEWEL / DRIVER INCLUDED DIMMABLE

Type	Article	Beam- degrees	CCT	Colours / Finish	Source	EURO
SP	JM 01	1 12°	1 2700K	NE black / NE black	LED 6,5W	305,00
		3 38°	2 3000K	NE black / GR gray		305,00
			3500K upon request	OR gold / NE black		342,00
				GE greige / NE black upon request		



IP20 CRI>90




~671 lm\* ~103 lm/W\* 220-240VAc

example composition code SP JM 01 1 1 NE NE LED

## SP JEWEL MONO I1 (RECESSED)

kg 0,9 m³ 0,039



JEWEL / DRIVER NOT INCLUDED

Type	Article	Beam- degrees	CCT	Colours / Finish	Source	EURO
SP	JM I1	1 12°	1 2700K	NE black / NE black	LED 6,5W	200,00
		3 38°	2 3000K	NE black / GR gray		200,00
			3500K upon request	OR gold / NE black		237,00
				GE greige / NE black upon request		



IP20 CRI>90



~671 lm\* 103 lm/W\* 700mA 9,2Vdc

example composition code SP JM I1 1 2 NE NE LED

Compatible with pivot system pag.76



optional for more info see page 163

CEDLTC00124

dimnable Phase Cut 700mA driver - Max 20W trailing and leading edge

69,00

CEDLTC00127

dimnable 0/1 - 10V - Push - 700mA driver - Max 9W

69,00



CEDLTC00126

dimnable DALI 700mA driver - Max 20W

69,00

CEDLTC00104

dimnable DALI 700mA driver - Max50W

152,00



# Kwic

S. & R. Cornelissen


Collezione di lampade a soffitto/parete, sospensione e terra con struttura metallica in alluminio e acciaio. Diffusore in vetro soffiato opalino. Disponibile in tre colori e due dimensioni. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of steel and aluminum ceiling/wall lamps, suspended and floor lamps with opaline blown glass diffuser. Available in three colours and two sizes. Built-in dimmable LED light source.


## COLOURS



intense black



transparent bronze




white

Data la lavorazione artigianale del prodotto ed il particolare processo di finitura, sempre manuale, è possibile riscontrare diversi aspetti e tonalità di finitura tra un prodotto e l'altro che devono essere ritenuti un pregio assoluto del prodotto.

Considering the craftsmanlike manufacturing of the product and the special finishing process, always by hand, you may find different appearances and shades between one product and another and they are to consider as absolute distinction of the item.

## PL KWIC 36

kg 1.9 m<sup>3</sup> 0,065



KWIC / DRIVER INCLUDED / applicazione a soffitto o parete / application: both as ceiling or wall lamp


Type	Article	Colours	Finishings	Source	EURO
PL	KWIC 36	NE intense black	XX	LED 18W - diffused beam 3000K*, 2700K, 3500K upon request	473.00
		BR transparent bronze			
		BC white			

CE IP20 CRI>90 dimmable 0/1-10V 110-240VAc LED ~2255 lm\* ~125 lm/W\*

example composition code PL KWIC 36 XX XX LED

## PL KWIC 48

kg 2.25 m<sup>3</sup> 0,074



KWIC / DRIVER INCLUDED / applicazione a soffitto o parete / application: both as ceiling or wall lamp

Type	Article	Colours	Finishings	Source	EURO
PL	KWIC 48	NE intense black	XX	LED 18W - diffused beam 3000K*, 2700K, 3500K upon request	494.00
		BR transparent bronze			
		BC white			

CE IP20 CRI>90 dimmable 0/1-10V 110-240VAc LED ~2255 lm\* ~125 lm/W\*

example composition code PL KWIC 48 XX XX LED

# Kwic


S. & R. Cornelissen

Collezione di lampade a soffitto/parete, sospensione e terra con struttura metallica in alluminio e acciaio. Diffusore in vetro soffiato opalino. Disponibile in tre colori e due dimensioni. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of steel and aluminum ceiling/wall lamps, suspended and floor lamps with opaline blown glass diffuser. Available in three colours and two sizes. Built-in dimmable LED light source.

## SP KWIC 36

kg 2.25 m<sup>3</sup> 0,065



### KWIC / DRIVER INCLUDED


Type	Article	Colours	Finishings	Source	EURO
SP	KWIC 36	NE intense black BR transparent bronze BC white upon request	XX	LED 18W - diffused beam 3000K*, 2700K, 3500K upon request	704.00

CE IP20 CRI>90 dimmable 0/1-10V 110-240VAC LED ~2255 lm\* ~125 lm/W\*

example composition code SP KWIC 36 XX XX LED

## SP KWIC 48

kg 3.2 m<sup>3</sup> 0,074



### KWIC / DRIVER INCLUDED


Type	Article	Colours	Finishings	Source	EURO
SP	KWIC 48	NE intense black BR transparent bronze BC white upon request	XX	LED 18W - diffused beam 3000K*, 2700K, 3500K upon request	735.00

CE IP20 CRI>90 dimmable 0/1-10V 110-240VAC LED ~2255 lm\* ~125 lm/W\*

example composition code SP KWIC 48 XX XX LED

## PT KWIC 36

kg 10,1 m<sup>3</sup> 0,126



### KWIC / DIMMER INCLUDED

Type	Article	Colours	Finishings	Source	EURO
PT	KWIC 36	NE intense black BR transparent bronze BC white upon request	XX	LED 18W - diffused beam 3000K*, 2700K, 3500K upon request	919.00

CE IP20 CRI>90 dimmable 110-240VAC LED ~2255 lm\* ~125 lm/W\*

example composition code PT KWIC 36 XX XX LED

# Layers

Vanessa Vivian

Collezione composta da lampade a sospensione con struttura metallica rivestita con fettuccia di tessuto ignifugato pongé superliscio. Disponibile vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of suspended lamps with a metal frame covered with strips of extra smooth flame-retardant pongé fabric. Available in several colours and sizes. Screw fitting light source.



prodotto fonoassorbente / sound absorbing product

## COLOURS



white



warm white




white canopy

Altri colori disponibili su richiesta / Other colors available upon request.

## SPLAY A

kg 26.2 m<sup>3</sup> 0.76



### LAYERS

Type	Article	Colours	Code End	Source	EURO
SP	LAY A XX E27	BC white BW warm white	XX	E27 9 x Max 16W LED or 9 x Max 70W halogen	4.412,00

CE IP20 +LED 220-240V<sub>AC</sub>  
example composition code SP LAYAXXE27 BC XX



## Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,32	1,89	1,99	2,67	3,25	3,66	4,54	2,62	2,64

# Layers


Vanessa Vivian

Collezione composta da lampade a sospensione con struttura metallica rivestita con fettuccia di tessuto ignifugato pongé superliscio. Disponibile vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of suspended lamps with a metal frame covered with strips of extra smooth flame-retardant pongé fabric. Available in several colours and sizes. Screw fitting light source.

## SP LAY B

kg 48.5 m<sup>3</sup> 2.06



### LAYERS

Type	Article	Colours	Code End	Source	EURO
SP	LAY B XX E27	BC white  BW warm white	XX	E27 15 x Max 16W LED or 15 x Max 70W halogen	<b>8.770,00</b>



IP20 **+LED**

220-240V<sub>AC</sub>

example composition code SP LAYBXXE27 BW XX




### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,33	2,33	4,12	5,56	7,65	9,54	11,22	5,82	5,78

## SP LAY C

kg 41.3 m<sup>3</sup> 1.71



### LAYERS

Type	Article	Colours	Code End	Source	EURO
SP	LAY C XX E27	BC white  BW warm white	XX	E27 15 x Max 16W LED or 15 x Max 70W halogen	<b>7.373,00</b>



IP20 **+LED**

220-240V<sub>AC</sub>

example composition code SP LAYCXXE27 GI XX



### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,33	2,23	3,23	3,87	5,12	6,28	7,65	4,10	4,07

# Layers


Vanessa Vivian

Collezione composta da lampade a sospensione con struttura metallica rivestita con fettucce di tessuto ignifugato pongé superliscio. Disponibile vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of suspended lamps with a metal frame covered with strips of extra smooth flame-retardant pongé fabric. Available in several colours and sizes. Screw fitting light source.

## SP LAY D

kg 29.3 m<sup>3</sup> 0.76



### LAYERS

Type	Article	Colours	Code End	Source	EURO
SP	LAY D XX E27	BC white BW warm white	XX	E27 9 x Max 16W LED or 9 x Max 70W halogen	<b>4.893,00</b>

CE IP20 +LED 220-240V<sub>AC</sub>  
example composition code SP LAYDXXE27 BC XX




### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,33	2,01	2,56	2,87	3,45	4,14	5,25	2,94	2,96

## SP LAY E

kg 24.4 m<sup>3</sup> 1.71



### LAYERS

Type	Article	Colours	Code End	Source	EURO
SP	LAY E XX E27	BC white BW warm white	XX	E27 9 x Max 16W LED or 9 x Max 70W halogen	<b>4.392,00</b>

CE IP20 +LED 220-240V<sub>AC</sub>  
example composition code SP LAYEXXE27 BW XX



### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,34	1,89	2,44	2,87	3,10	3,41	4,23	2,61	2,80

# Layers


Vanessa Vivian

Collezione composta da lampade a sospensione con struttura metallica rivestita con fettucce di tessuto ignifugato pongé superliscio. Disponibile vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of suspended lamps with a metal frame covered with strips of extra smooth flame-retardant pongé fabric. Available in several colours and sizes. Screw fitting light source.

## SP LAY F

kg 25.1 m<sup>3</sup> 0.76



### LAYERS

Type	Article	Colours	Code End	Source	EURO
SP	LAY F XX E27	BC white BW warm white	XX	E27 9 x Max 16W LED or 9 x Max 70W halogen	<b>3.943,00</b>



IP20 **+LED**

220-240V<sub>AC</sub>






example composition code SP LAYFXXE27 BC XX




### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,31	1,66	1,94	2,22	2,75	3,66	4,56	2,44	2,30

Liaison compositions ○○○



# Liaison colors legend



## BLACK / MATT GOLD

Arch colors / Final & sphere finishes
NE black / OO matt gold



## MATT GOLD / BLACK

Arch colors / Final & sphere finishes
OO matt gold / NE black



## BLACK / BLACK


Arch colors / Final & sphere finishes
NE black / NE black





# Liaison

Sara Moroni




Collezione di lampade a sospensione in metallo. Disponibile in vari colori e dimensioni. La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of metal suspended lamps. Available in several colors and sizes. Built-in dimmable LED light source.

## SP LIAI P 1

kg 1,766 m<sup>3</sup> 0,0591




LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAI P 1	NE black / NE black	LED 6,7W - optic ~ 40° beam 3000K* 2700K upon request	411,00
		NE black / OO matt gold		445,00
		OO matt gold / NE black		493,00

IP20 CRI>90 **LED** ~671 lm\* ~100 lm/W\* 220-240VAc  
 example composition code SP LIAI P 1 NE NE LED

## SP LIAI M 1

kg 2,181 m<sup>3</sup> 0,0947




LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAI M 1	NE black / NE black	LED 6,7W - optic ~ 40° beam 3000K* 2700K upon request	479,00
		NE black / OO matt gold		520,00
		OO matt gold / NE black		577,00

IP20 CRI>90 **LED** ~671 lm\* ~100 lm/W\* 220-240VAc  
 example composition code SP LIAI M 1 OO NE LED

## SP LIAI G 1

kg 2,448 m<sup>3</sup> 0,16




LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAI G 1	NE black / NE black	LED 6,7W - optic ~ 40° beam 3000K* 2700K upon request	523,00
		NE black / OO matt gold		558,00
		OO matt gold / NE black		650,00

IP20 CRI>90 **LED** ~671 lm\* ~100 lm/W\* 220-240VAc  
 example composition code SP LIAI G 1 OO NE LED

# Liaison

Sara Moroni




Collezione di lampade a sospensione in metallo. Disponibile in vari colori e dimensioni. La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of metal suspended lamps. Available in several colors and sizes. Built-in dimmable LED light source.

## SP LIA P 1I (RECESSED)

kg 1,5 m<sup>3</sup> 0,0591



Compatible with pivot system  
pag.76




LIAISON / DRIVER NOT INCLUDED

Type	Article	Arch / Final & sphere finishes	Led source	EURO
SP	LIA P 1I	NE black / NE black	LED 6,7W - optic ~ 40° beam 3000K* 2700K upon request	344,00
		NE black / OO matt gold		382,00
		OO matt gold / NE black		430,00

CE IP20 CRI>90 LED 700mA - 9,4Vdc ~671 lm\* ~100 lm/W\*  
example composition code SP LIA P 1I NE NE LED

## SP LIA M 1I (RECESSED)

kg 1,9 m<sup>3</sup> 0,0947



Compatible with pivot system  
pag.76




LIAISON / DRIVER NOT INCLUDED

Type	Article	Arch / Final & sphere finishes	Led source	EURO
SP	LIA M 1I	NE black / NE black	LED 6,7W - optic ~ 40° beam 3000K* 2700K upon request	394,00
		NE black / OO matt gold		441,00
		OO matt gold / NE black		504,00

CE IP20 CRI>90 LED 700mA - 9,4Vdc ~671 lm\* ~100 lm/W\*  
example composition code SP LIA M 1I NE NE LED

## SP LIA G 1I (RECESSED)

kg 2,2 m<sup>3</sup> 0,16



Compatible with pivot system  
pag.76



LIAISON / DRIVER NOT INCLUDED

Type	Article	Arch / Final & sphere finishes	Led source	EURO
SP	LIA G 1I	NE black / NE black	LED 6,7W - optic ~ 40° beam 3000K* 2700K upon request	450,00
		NE black / OO matt gold		487,00
		OO matt gold / NE black		588,00


CE IP20 CRI>90 LED 700mA - 9,4Vdc ~671 lm\* ~100 lm/W\*  
example composition code SP LIA G 1I NE NE LED

optional accessories for recessed versions . See page 163

	CEDLTC00124	dimmerable Phase Cut 700mA driver - Max 20W trailing and leading edge	69,00
	CEDLTC00127	dimmerable 0/1 - 10V - Push - 700mA driver - Max 9W	69,00
	CEDLTC00126	dimmerable DALI 700mA driver - Max 20W	69,00
	CEDLTC00104	dimmerable DALI 700mA driver - Max 50W	152,00

# Liaison

Sara Moroni




Collezione di lampade a sospensione in metallo. Disponibile in vari colori e dimensioni. La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of metal suspended lamps. Available in several colors and sizes. Built-in dimmable LED light source.

## SP LIAI P 2

kg 2,549 m<sup>3</sup> 0,0591



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAI P 2	NE black / NE black	LED 2 x 6,7W - optic ~ 40° beam 3000K* 2700K upon request	739,00
		NE black / OO matt gold		809,00
		OO matt gold / NE black		938,00




IP20 CRI>90 **LED** ~1342 lm\* ~100 lm/W\* 220-240VAC

example composition code SP LIAI P 2 NE NE LED

## SP LIAI M 2

kg 2,673 m<sup>3</sup> 0,0947



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAI M 2	NE black / NE black	LED 2 x 6,7W - optic ~ 40° beam 3000K* 2700K upon request	846,00
		NE black / OO matt gold		920,00
		OO matt gold / NE black		1.071,00




IP20 CRI>90 **LED** ~1342 lm\* ~100 lm/W\* 220-240VAC

example composition code SP LIAI M 2 OO NE LED

## SP LIAI G 2

kg 2,734 m<sup>3</sup> 0,16



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAI G 2	NE black / NE black	LED 2 x 6,7W - optic ~ 40° beam 3000K* 2700K upon request	859,00
		NE black / OO matt gold		935,00
		OO matt gold / NE black		1.221,00




IP20 CRI>90 **LED** ~1342 lm\* ~100 lm/W\* 220-240VAC

example composition code SP LIAI G 2 OO NE LED

# Liaison

Sara Moroni




Collezione di lampade a sospensione in metallo. Disponibile in vari colori e dimensioni. La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of metal suspended lamps. Available in several colors and sizes. Built-in dimmable LED light source.

## SP LIAI P 4

kg 5,697 m<sup>3</sup> 0,1196



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAI P 4	NE black / NE black	LED 4 x 6,7W - optic ~ 40° beam 3000K* 2700K upon request	1.295,00
		NE black / OO matt gold		1.407,00
		OO matt gold / NE black		1.663,00




IP20 CRI>90 LED ~2684 lm\* ~100 lm/W\* 220-240Vac

example composition code SP LIAI P 4 NE NE LED

## SP LIAI M 4

kg 5,945 m<sup>3</sup> 0,100



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAI M 4	NE black / NE black	LED 4 x 6,7W - optic ~ 40° beam 3000K* 2700K upon request	1.433,00
		NE black / OO matt gold		1.546,00
		OO matt gold / NE black		1.862,00




IP20 CRI>90 LED ~2684 lm\* ~100 lm/W\* 220-240Vac

example composition code SP LIAI M 4 OO NE LED

## SP LIAI G 4

kg 6,068 m<sup>3</sup> 0,200



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAI G 4	NE black / NE black	LED 4 x 6,7W - optic ~ 40° beam 3000K* 2700K upon request	1.489,00
		NE black / OO matt gold		1.606,00
		OO matt gold / NE black		2.140,00




IP20 CRI>90 LED ~2684 lm\* ~100 lm/W\* 220-240Vac

example composition code SP LIAI G 4 OO NE LED

# Liaison

Sara Moroni




Collezione di lampade a sospensione in metallo. Disponibile in vari colori e dimensioni. La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of metal suspended lamps. Available in several colors and sizes. Built-in dimmable LED light source.

## SP LIAI P 8

kg 7,914 m<sup>3</sup> 0,1196



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAI P 8	NE black / NE black	LED 8 x 6,7W - optic ~ 40° beam 3000K* 2700K upon request	2.295,00
		NE black / OO matt gold		2.436,00
		OO matt gold / NE black		2.959,00




IP20 CRI>90 **LED** ~5368 lm\* ~100 lm/W\* 220-240Vac

example composition code SP LIAI P 8 NE NE LED

## SP LIAI M 8

kg 8,41 m<sup>3</sup> 0,240



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAI M 8	NE black / NE black	LED 8 x 6,7W - optic ~ 40° beam 3000K* 2700K upon request	2.505,00
		NE black / OO matt gold		2.705,00
		OO matt gold / NE black		3.294,00




IP20 CRI>90 **LED** ~5368 lm\* ~100 lm/W\* 220-240Vac

example composition code SP LIAI M 8 OO NE LED

## SP LIAI G 8

kg 8,656 m<sup>3</sup> 0,360



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAI G 8	NE black / NE black	LED 8 x 6,7W - optic ~ 40° beam 3000K* 2700K upon request	2.788,00
		NE black / OO matt gold		3.005,00
		OO matt gold / NE black		3.872,00




IP20 CRI>90 **LED** ~5368 lm\* ~100 lm/W\* 220-240Vac

example composition code SP LIAI G 8 OO NE LED

# Liaison

Sara Moroni




Collezione di lampade a sospensione in metallo. Disponibile in vari colori e dimensioni. La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of metal suspended lamps. Available in several colors and sizes. Built-in dimmable LED light source.

## SP LIAD P 2

kg 3,678 m<sup>3</sup> 0,0759



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAD P 2	NE black / NE black	LED 2 x 6,7W - optic ~ 40° beam 3000K* 2700K upon request	1.017,00
		NE black / OO matt gold		1.117,00
		OO matt gold / NE black		1.373,00




IP20 CRI>90 **LED** ~1342 lm\* ~100 lm/W\* 220-240VAc

example composition code SP LIAD P 2 NE NE LED

## SP LIAD M 2

kg 4,12 m<sup>3</sup> 0,0947



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAD M 2	NE black / NE black	LED 2 x 6,7W - optic ~ 40° beam 3000K* 2700K upon request	1.131,00
		NE black / OO matt gold		1.231,00
		OO matt gold / NE black		1.583,00




IP20 CRI>90 **LED** ~1342 lm\* ~100 lm/W\* 220-240VAc

example composition code SP LIAD M 2 OO NE LED

## SP LIAD G 2

kg 4,28 m<sup>3</sup> 0,1605



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAD G 2	NE black / NE black	LED 2 x 6,7W - optic ~ 40° beam 3000K* 2700K upon request	1.290,00
		NE black / OO matt gold		1.402,00
		OO matt gold / NE black		1.978,00




IP20 CRI>90 **LED** ~1342 lm\* ~100 lm/W\* 220-240VAc

example composition code SP LIAD G 2 OO NE LED

# Liaison

Sara Moroni




Collezione di lampade a sospensione in metallo. Disponibile in vari colori e dimensioni. La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of metal suspended lamps. Available in several colors and sizes. Built-in dimmable LED light source.

## SP LIAD P 4

kg 7,355 m<sup>3</sup> 0,0948



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAD P 4	NE black / NE black	LED 4 x 6,7W - optic ~ 40° beam 3000K* 2700K upon request	1.851,00
		NE black / OO matt gold		1.993,00
		OO matt gold / NE black		2.571,00




IP20 CRI>90 **LED** ~2684 lm\* ~100 lm/W\* 220-240Vac

example composition code SP LIAD P 4 NE NE LED

## SP LIAD M 4

kg 8,241 m<sup>3</sup> 0,2477



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAD M 4	NE black / NE black	LED 4 x 6,7W - optic ~ 40° beam 3000K* 2700K upon request	2.066,00
		NE black / OO matt gold		2.213,00
		OO matt gold / NE black		2.867,00




IP20 CRI>90 **LED** ~2684 lm\* ~100 lm/W\* 220-240Vac

example composition code SP LIAD M 4 OO NE LED

## SP LIAD G 4

kg 8,559 m<sup>3</sup> 0,1794



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAD G 4	NE black / NE black	LED 4 x 6,7W - optic ~ 40° beam 3000K* 2700K upon request	2.211,00
		NE black / OO matt gold		2.419,00
		OO matt gold / NE black		3.274,00




IP20 CRI>90 **LED** ~2684 lm\* ~100 lm/W\* 220-240Vac

example composition code SP LIAD G 4 OO NE LED

# Liaison

Sara Moroni




Collezione di lampade a sospensione in metallo. Disponibile in vari colori e dimensioni. La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of metal suspended lamps. Available in several colors and sizes. Built-in dimmable LED light source.

## SP LIAD P 8

kg 10,631 m<sup>3</sup> 0,0948



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAD P 8	NE black / NE black	LED 8 x 6,7W - optic ~ 40° beam 3000K* 2700K upon request	3.202,00
		NE black / OO matt gold		3.428,00
		OO matt gold / NE black		4.553,00




IP20 CRI>90 **LED** ~5368 lm\* ~100 lm/W\* 220-240Vac

example composition code SP LIAD P 8 NE NE LED

## SP LIAD M 8

kg 12,401 m<sup>3</sup> 0,2477



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAD M 8	NE black / NE black	LED 8 x 6,7W - optic ~ 40° beam 3000K* 2700K upon request	3.624,00
		NE black / OO matt gold		3.855,00
		OO matt gold / NE black		5.464,00




IP20 CRI>90 **LED** ~5368 lm\* ~100 lm/W\* 220-240Vac

example composition code SP LIAD M 8 OO NE LED

## SP LIAD G 8

kg 13,039 m<sup>3</sup> 0,1794



LIAISON / DRIVER INCLUDED

Type	Article	Arch / Final & sphere finishes	Source	EURO
SP	LIAD G 8	NE black / NE black	LED 8 x 6,7W - optic ~ 40° beam 3000K* 2700K upon request	3.856,00
		NE black / OO matt gold		4.093,00
		OO matt gold / NE black		6.421,00



IP20 CRI>90 **LED** ~5368 lm\* ~100 lm/W\* 220-240Vac

example composition code SP LIAD G 8 OO NE LED



# Lik

S. & R. Cornelissen

Lampada da parete in alluminio disponibile in tre colori. Sorgente luminosa a LED integrato dimmerabile.

Aluminium wall lamp available in three colours. Built-in dimmable LED.

## COLOURS



wrinkle white




matt bronze



matt nickel

## AP LIK

kg 0,5 m<sup>3</sup> 0,02



### LIK

Type	Article	Colours	Code End	Source	EURO
AP	LIK XXX	BC wrinkled white	XX	LED 16,6W - diffused beam 3000K* 2700K upon request	205,00
		BR matt bronze			223,00
		NI matt nickel			223,00

CE IP20 CRI90  220-240VAc **LED** ~1480 lm\* 89 lm/W\*

example composition code AP LIKXXX BR XX LED

# Manifesto

Timo Ripatti


Manifesto è una lampada da muro e da soffitto, realizzata interamente in metallo. LED driver dimmerabile incluso nel corpo lampada. La lampada potrà fissarsi direttamente al punto luce (versione plafone / parete).

*Manifesto is a wall and ceiling lamp, entirely realized in metal with build in dimmable LED driver. The lamp can be fixed directly to the wiring system (ceiling/wall version).*

## COLOURS




intense black



desert white




earth red



mirrored steel


## AP MANIFESTO

kg 2 m³ 0,11



Ø 61 cm

8 cm



Ø 61 cm

### MANIFESTO / DRIVER INCLUDED

Type	Article	CCT	Body Colours	Source	EURO
AP	MANIFESTOX	1 2700K	NE intense black	LED 18.2 W	595,00
		2 3000K*	DW desert white		595,00
			ER earth red		595,00
			IX mirrored steel		1086,00



IP20 CRI>90



110-240VAc



~2020 lm\*

111 lm/W\*

example composition code AP MANIFESTOX 2 DW

# Manto

Davide Besozzi

Collezione di lampade a sospensione con struttura metallica in alluminio e acciaio. Diffusore in vetro soffiato e tessuto elastico removibile e lavabile. Il diffusore è regolabile nella posizione in altezza. Disponibile in tre dimensioni. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminum and steel suspended lamps. Blown opaline glass and elastic removable and washable fabric diffuser. The height position of the diffuser can be adjusted. Available in three sizes. Built-in dimmable LED light source.



## COLOUR



white fabric and light grey finishings

## SP MAN 070

kg 4,36 m<sup>3</sup> 0,382



### MANTO / DRIVER INCLUDED



Type	Article	Colours	Finishings	Source	EURO
SP	MAN 070	GR light grey	XX	LED 15,3W - diffused beam 3000K*, 2700K 3500K upon request	1.208,00

CE IP20 CRI>90 100-277VAC ~1924 lm\* ~125 lm/W\*

example composition code SP MAN070 GR XX LED

## SP MAN 120

kg 6,27 m<sup>3</sup> 0,194



### MANTO / DRIVER INCLUDED

Type	Article	Colours	Finishings	Source	EURO
SP	MAN 120	GR light grey	XX	LED 21W - diffused beam 3000K*, 2700K 3500K upon request	1.523,00

CE IP20 CRI>90 100-277VAC ~2438 lm\* ~116 lm/W\*

example composition code SP MAN120 GR XX LED

# Manto



Davide Besozzi

Collezione di lampade a sospensione con struttura metallica in alluminio e acciaio. Diffusore in vetro soffiato e tessuto elastico removibile e lavabile. Il diffusore è regolabile nella posizione in altezza. Disponibile in tre dimensioni. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminum and steel suspended lamps. Blown opaline glass and elastic removable and washable fabric diffuser. The height position of the diffuser can be adjusted. Available in three sizes. Built-in dimmable LED light source.

## SP MAN 180


kg 9,23 m³ 0,475



### MANTO / DRIVER INCLUDED

Type	Article	Colours	Finishings	Source	EURO
SP	MAN 180	GR light grey	XX	<b>LED</b> 24.6W - diffused beam 3000K*, 2700K 3500K upon request	<b>1.838,00</b>

IP20 CRI>90 dimmable 0/1-10V 100-277VAC **LED** ~2911 lm\* ~118 lm/W\*  
 example composition code SP MAN 180 GR XX LED



# Mountain View

Dima Loginoff

Lampada a sospensione realizzata in vetro soffiato trasparente disponibile in vari colori. Sorgente luminosa a LED integrato dimmerabile.

*Suspended lamp made of transparent blown glass, available in several colours. Built-in dimmable LED light source.*

## COLOURS



crystal / chrome




crystal / gold




amber / gold



grey / chrome




chrome canopy



gold canopy

## SP MOUNTA

kg 16 m<sup>3</sup> 0.22



### MOUNTAIN VIEW / DRIVER INCLUDED

Type	Article	Colours / Finish	Source	EURO
SP	MOUNTA	CS / CR crystal / chrome	LED 17W - 3000K*	2.185,00
		CS / OR crystal / gold		2.398,00
		AM / OR amber / gold		2.398,00
		GR / CR grey / chrome		2.398,00



IP20



dimmable phase cut

CR>90

LED

~2210 lm\* 130 lm/W\*

220-240VAC

example composition code SP MOUNTA AM OR LED

# Muse

Sandro Santantonio

Collezione di lampade da soffitto, parete, tavolo con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of ceiling, wall and table lamps with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes. Screw fitting light source.


## COLOURS



white



orange upon request



yellow upon request



multicolor



sticks




flower

Altri colori disponibili su richiesta / Other colors available upon request.

## PL MUSE 40

kg 1 m<sup>3</sup> 0.03



**MUSE** / tessuto INCLUSO, kit lente NON PREVISTO / fabric INCLUDED, glass diffuser kit NOT AVAILABLE  
/ applicazione a soffitto o a parete / application: both as ceiling or wall lamp

Type	Article	Colours	Finish	Source	EURO
PL	MUSE 40	BC white	XX white metal	E27 1 x Max 6,5W LED or 1 x Max 42W halogen	229,00
		AR orange upon request			321,00
		GI yellow upon request			321,00
		MC multicolour			321,00
		FI flower			321,00
		ST sticks			321,00

CE IP20 +LED 220-240VAc

example composition code PL MUSE40 GI XX E27

### TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSPLMUSE40	white	80,00
TSPLMUSE40AR	orange upon request	119,00
TSPLMUSE40GI	yellow upon request	119,00
TSPLMUSE40MC	multicolour	119,00
TSPLMUSE40FI	flower	119,00
TSPLMUSE40ST	sticks	119,00

# Muse


Sandro Santantonio

Collezione di lampade da soffitto, parete, tavolo con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of ceiling, wall and table lamps with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes. Screw fitting light source.

## PL MUSE 60

kg 1.5 m<sup>3</sup> 0.09



**MUSE** / tessuto INCLUSO, kit lente NON PREVISTO / fabric INCLUDED, glass diffuser kit NOT AVAILABLE  
/ applicazione a soffitto o a parete / application: both as ceiling or wall lamp

Type	Article	Colours	Finish	Source	EURO
PL	MUSE 60	BC white	XX white metal	E27 2 x Max 6,5W LED or 2 x Max 42W halogen	284,00
		AR orange upon request			395,00
		GI yellow upon request			395,00
		MC multicolour			395,00
		FI flower			395,00
		ST sticks			395,00

CE IP20 +LED 220-240Vac

example composition code PL MUSE60 ST XX E27

### TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSPLMUSE60	white	90,00
TSPLMUSE60AR	orange upon request	163,00
TSPLMUSE60GI	yellow upon request	163,00
TSPLMUSE60MC	multicolour	163,00
TSPLMUSE60FI	flower	163,00
TSPLMUSE60ST	sticks	163,00

# Muse


Sandro Santantonio

Collezione di lampade da soffitto, parete, tavolo con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of ceiling, wall and table lamps with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes. Screw fitting light source.

## PL MUSE 80

kg 4 m<sup>3</sup> 0.13



**MUSE** / tessuto INCLUSO, kit lente NON INCLUSO / fabric INCLUDED, glass diffuser kit NOT INCLUDED  
/ applicazione a soffitto o a parete / application: both as ceiling or wall lamp

Type	Article	Colours	Finish	Source	EURO
PL	MUSE 80	BC white	XX white metal	E27 3 x Max 16W LED or 3 x Max 70W halogen	533,00
		AR orange upon request			742,00
		GI yellow upon request			742,00
		MC multicolour			742,00
		FI flower			742,00
		ST sticks			742,00

CE IP20 +LED 220-240V<sub>ac</sub>

example composition code PL MUSE80 MC XX E27

KPLMUSE	optional: kit lente <b>solo</b> per E27 con lampadina LED optional: glass diffuser kit <b>only</b> for E27 when mounting LED bulb	86,00
---------	--	-------

### TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSPLMUSE80	white	161,00
TSPLMUSE80AR	orange upon request	265,00
TSPLMUSE80GI	yellow upon request	265,00
TSPLMUSE80MC	multicolour	265,00
TSPLMUSE80FI	flower	265,00
TSPLMUSE80ST	sticks	265,00



# Muse


Sandro Santantonio

Collezione di lampade da soffitto, parete, tavolo con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of ceiling, wall and table lamps with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes. Screw fitting light source.

## PL MUS 120

kg 7 m<sup>3</sup> 0.31



**MUSE** / tessuto INCLUSO, kit lente NON INCLUSO / fabric INCLUDED, glass diffuser kit NOT INCLUDED  
/ applicazione a soffitto o a parete / application: both as ceiling or wall lamp

Type	Article	Colours	Finish	Source	EURO
PL	MUS 120	BC white	XX white metal	E27 3 x Max 16W LED or 3 x Max 70W halogen	669,00
		AR orange upon request			926,00
		GI yellow upon request			926,00
		MC multicolour			926,00
		FI flower			926,00
		ST sticks			926,00

CE IP20 +LED 220-240V<sub>AC</sub>

example composition code PL MUS120 VE XX E27

KPLMUSE	optional: kit lente <b>solo</b> per E27 con lampadina LED optional: glass diffuser kit <b>only</b> for E27 when mounting LED bulb	86,00
---------	--	-------

### TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSPLMUSE120	white	201,00
TSPLMUSE120AR	orange upon request	385,00
TSPLMUSE120GI	yellow upon request	385,00
TSPLMUSE120MC	multicolour	385,00
TSPLMUSE120FI	flower	385,00
TSPLMUSE120ST	sticks	385,00

# Nelly

Manuel Vivian

Collezione di lampade da soffitto e parete, con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of ceiling or wall lamps, with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes. Screw fitting light source.

## COLOURS




white



white pattern

## PL NELL 60

kg 2 m<sup>3</sup> 0.06



NELLY / tessuto INCLUSO / fabric INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	NELL 60	BC white FB white pattern	XX white metal	E27 2 x Max 16W LED or 2 x Max 70W halogen	231,00

CE IP20 +LED 220-240V<sub>AC</sub>


example composition code PL NELL60 FA XX E27

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSPLNELLY60BC	white	105,00
TSPLNELLY60FB	white pattern	105,00

## PL NEL 100

kg 4 m<sup>3</sup> 0.17



NELLY / tessuto INCLUSO / fabric INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	NEL 100	BC white FB white pattern	XX white metal	E27 3 x Max 16W LED or 3 x Max 70W halogen	356,00

CE IP20 +LED 220-240V<sub>AC</sub>

example composition code PL NEL100 FB XX E27

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSPLNELLY100BC	white	191,00
TSPLNELLY100FB	white pattern	191,00

# Nelly


Manuel Vivian

Collezione di lampade da soffitto e parete, con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of ceiling or wall lamps, with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes. Screw fitting light source.

## PL NEL 140

kg 6 m<sup>3</sup> 0.5



NELLY / tessuto INCLUSO / fabric INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	NEL 140	BC white	XX white metal	E27 4 x Max 16W LED or 4 x Max 70W halogen	931.00



IP20

+LED

220-240V<sub>AC</sub>

example composition code PL NEL140 BC XX E27

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSPLNELLY140BC white

240.00

# Nelly straight

Manuel Vivian

Collezione di lampade da soffitto e parete, con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of ceiling or wall lamps, with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes. Screw fitting light source.

## COLOURS




white



white pattern

## PL NEL S 60

kg 2 m<sup>3</sup> 0.06



NELLY STRAIGHT / tessuto INCLUSO / fabric INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	NEL S 60	BC white FB white pattern	XX white metal	E27 2 x Max 16W LED or 2 x Max 70W halogen	252.00

CE IP20 +LED 220-240V<sub>AC</sub>


example composition code PL NELS60 FA XX E27

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSPLNELLYQ60BC	white	105.00
TSPLNELLYQ60FB	white pattern	105.00

## PL NE S 100

kg 4 m<sup>3</sup> 0.17



NELLY / tessuto INCLUSO / fabric INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	NE S 100	BC white FB white pattern	XX white metal	E27 3 x Max 16W LED or 3 x Max 70W halogen	411.00

CE IP20 +LED 220-240V<sub>AC</sub>

example composition code PL NES100 FB XX E27

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSPLNELLYQ100BC	white	191.00
TSPLNELLYQ100FB	white pattern	191.00

# Nelly straight


Manuel Vivian

Collezione di lampade da soffitto e parete, con struttura metallica e rivestimento in tessuto elasticizzato, sfoderabile e lavabile. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of ceiling or wall lamps, with metal frame and removable, washable elastic fabric covering. Available in several colours and sizes. Screw fitting light source.

## PL NE S 140

kg 6 m<sup>3</sup> 0.5



NELLY / tessuto INCLUSO / fabric INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	NE S 140	BC white	XX white metal	E27 4 x Max 16W LED or 4 x Max 70W halogen	921,00

CE IP20 +LED 220-240VAc

example composition code PL NE S 140 BC XX E27

TESSUTI SUPPLEMENTARI SU RICHIESTA / ADDITIONAL FABRICS UPON REQUEST:

TSPLNELLYQ140BC white

240,00

# Orchid

Rainer Mutsch

Collezione composta da lampade da parete, soffitto, sospensione, terra e tavolo in alluminio. Disponibile in tre colori. La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of aluminium wall, ceiling, suspended, floor and table lamps. Available in three colours. Built-in dimmable LED light source.


## COLOURS



white



sand



anthracite grey


## DETAILS



white canopy

## AP ORCHID

kg 1 m<sup>3</sup> 0.02



ORCHID / applicazione a soffitto o a parete / application: both as ceiling or wall lamp


Type	Article	Colours	Code End	Source	EURO
AP	ORCHID	BC white	XX	LED 15W - diffused beam 3000K* 2700K upon request	216,00
		SA sand			
		AN anthracite grey			

CE IP20 CRI90  220-240V<sub>AC</sub> LED ~1234 lm\* ~86lm/W\*

example composition code AP ORCHID SA XX LED


## PL ORCHID

kg 6 m<sup>3</sup> 0.07



ORCHID

Type	Article	Colours	Code End	Source	EURO
PL	ORCHID	BC white	XX	LED 3 x 15W - diffused beam 3000K* 2700K upon request	725,00
		SA sand			
		AN anthracite grey			

CE IP20 CRI90  220-240V<sub>AC</sub> LED 3 x ~1234 lm\* ~86lm/W\*

example composition code PL ORCHID SA XX LED

# Orchid


Rainer Mutsch

Collezione composta da lampade da parete, soffitto, sospensione, terra e tavolo in alluminio. Disponibile in tre colori. La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of aluminium wall, ceiling, suspended, floor and table lamps. Available in three colours. Built-in dimmable LED light source.


## SP ORCHI 3

kg 6 m<sup>3</sup> 0.18




### ORCHID

Type	Article	Colours	Code End	Source	EURO
SP	ORCHI 3	BC white SA sand AN anthracite grey	XX	LED 3 x 15W - diffused beam 3000K* 2700K upon request	998,00

CE IP20 CRI90  220-240V<sub>AC</sub> **LED** 3 x ~1234 lm\* ~86lm/W\*  
example composition code SP ORCHI3 SA XX LED


## SP ORCHI 4

kg 8 m<sup>3</sup> 0.2




### ORCHID

Type	Article	Colours	Code End	Source	EURO
SP	ORCHI 4	BC white SA sand AN anthracite grey	XX	LED 4 x 15W - diffused beam 3000K* 2700K upon request	1.208,00

CE IP20 CRI90  220-240V<sub>AC</sub> **LED** 4 x ~1234 lm\* ~86lm/W\*  
example composition code SP ORCHI4 BC XX LED


## PT ORCHID

kg 13 m<sup>3</sup> 0.2



### ORCHID / DIMMER INCLUDED

Type	Article	Colours	Code End	Source	EURO
PT	ORCHID	BC white SA sand AN anthracite grey	XX	LED 3 x 6,5W - diffused beam 3000K* 2700K upon request	1.008,00

CE IP20 CRI90  220-240V<sub>AC</sub> **LED** 3 x ~671 lm\* ~103lm/W\*  
example composition code PT ORCHID AN XX LED

# Orchid


Rainer Mutsch

Collezione composta da lampade da parete, soffitto, sospensione, terra e tavolo in alluminio. Disponibile in tre colori. La sorgente luminosa è a LED integrato dimmerabile.

Collection consisting of aluminium wall, ceiling, suspended, floor and table lamps. Available in three colours. Built-in dimmable LED light source.

## LT ORCHID

kg 2,5 m³ 0,07



### ORCHID / DIMMER INCLUDED

Type	Article	Colours	Code End	Source	EURO
LT	ORCHID	BC white SA sand AN anthracite grey	XX	LED 6,5W - diffused beam 3000K* 2700K upon request	462,00


IP20 CRI90 dimmable 220-240V<sub>AC</sub> LED ~671 lm\* ~103lm/W

example composition code LT ORCHID BC XX LED



# Pivot

Ryosuke Fukusada




Compatibile con quattro collezioni di sospensioni: Jewel Mono (p. 43), Liaison (p. 53), Urban mini (p. 139), Virtus (p. 150)

Compatible with four pendants collections: Jewel Mono (p. 43), Liaison (p. 53), Urban mini (p. 139), Virtus (p. 150)


Collezione composta da plafoniere e sospensioni modulari. Disponibile in diversi colori, fasci di luce e CCT.

Collection consisting of modular ceiling - suspension lamps. Available in different colors, beam angles and CCT.

## COLOURS



white




black



greige

## PIVOT

kg 0.57 m<sup>3</sup> 0.005



### PIVOT / DRIVER INCLUDED (DIMMABLE)


Type	Article	Light number	Beam	CCT	Colours	LED - Source	EURO	
PL	PIVO	01	1 12°	1 2700K	BC white	1 X 6,5W lm: 671* lm/w: 103*	242,00	BC NE
			3 38°	2 3000K*	NE black		266,00	GE
			3 3500K	GE greige				

IP20 CRI90 220-240VAC

example composition code PL PIVO 01 32 BC XXX

## SPOTLIGHT X REC

kg 0.663



### RECESSED ORIENTABLE SPOTLIGHT SATELLITE / DRIVER NOT INCLUDED

Code	Beam	CCT	Colours	LED - Source	EURO
SATELTURNXI	1 12°	1 2700K	BC white	1 X 6,5W lm: 671* lm/w: 103*	158,00
	3 38°	2 3000K*	NE black		174,00
	3 3500K	GE greige	174,00		

CRI90 700mA - 9,2 Vdc ~688 lm\* 107,5 lm/W\*

example composition code SATELTURNXI 1 1 BC

\* for a list of compatible drivers see pag 163


### PIVOT / DRIVER INCLUDED (DIMMABLE)



Type	Article	Light number	Beam	CCT	Colours	Rod	LED - Source	EURO	
PL	PIVO	02	1 12°	1 2700K	BC white	035	2 X 6,5W lm: 1342* lm/w: 103*	716,00	BC NE
								773,00	GE
			3 38°	2 3000K*	NE black	065		751,00	BC NE
								812,00	GE
			3 3500K	GE greige	100	798,00		BC NE	
						865,00		GE	

# Pivot


Ryosuke Fukusada



Collezione composta da plafoniere e sospensioni modulari.  
Disponibile in diversi colori, luce e CCT.

Collection consisting of modular ceiling - suspension lamps.  
Available in different colors, beam angles and CCT.


## PIVOT / DRIVER INCLUDED (DIMMABLE)



Type	Article	Light number	Beam	CCT	Colours	Rod	LED - Source	EURO	
PL	PIVO	03	1 12°	1 2700K	BC white	035	3 X 6,5W lm: 2013* lm/w: 103*	901,00	BC NE
				2 3000K*	NE black	065		978,00	GE
			3 38°	2 3000K*	NE black	065		955,00	BC NE
				3 3500K	GE greige	100		1.035,00	GE
			1.027,00	BC NE					
			1.116,00	GE					


220-240VAc 
  
 example composition code PL PIVO 03 32 BC 065

## PIVOT / DRIVER INCLUDED (DIMMABLE)




Type	Article	Light number	Beam	CCT	Colours	Rod	LED - Source	EURO	
PL	PIVO	04	1 12°	1 2700K	BC white	035	4 X 6,5W lm: 2684* lm/w: 103*	1.087,00	BC NE
				2 3000K*	NE black	065		1.182,00	GE
			3 38°	2 3000K*	NE black	065		1.159,00	BC NE
				3 3500K	GE greige	100		1.260,00	GE
			1.255,00	BC NE					
			1.367,00	GE					

## PIVOT / DRIVER INCLUDED (DIMMABLE)



Type	Article	Light number	Beam	CCT	Colours	Rod	LED - Source	EURO	
PL	PIVO	05	1 12°	1 2700K	BC white	035	5 X 6,5W lm: 3355* lm/w: 103*	1.274,00	BC NE
				2 3000K*	NE black	065		1.386,00	GE
			3 38°	2 3000K*	NE black	065		1.362,00	BC NE
				3 3500K	GE greige	100		1.484,00	GE
			1.483,00	BC NE					
			1.615,00	GE					


## PIVOT / DRIVER INCLUDED (DIMMABLE)



Type	Article	Light number	Beam	CCT	Colours	Rod	LED - Source	EURO	
PL	PIVO	06	1 12°	1 2700K	BC white	035	6 X 6,5W lm: 4076* lm/w: 103*	1.589,00	BC NE
				2 3000K*	NE black	065		1.720,00	GE
			3 38°	2 3000K*	NE black	065		1.696,00	BC NE
				3 3500K	GE greige	100		1.838,00	GE
			1.840,00	BC NE					
			1.997,00	GE					

# Pivot


Ryosuke Fukusada



Collezione composta da plafoniere e sospensioni modulari.  
Disponibile in diversi colori, luce e CCT.

Collection consisting of modular ceiling - suspension lamps.  
Available in different colors, beam angles and CCT.


## PIVOT / DRIVER INCLUDED (DIMMABLE)



Type	Article	Light number	Beam	CCT	Colours	Rod	LED - Source	EURO	
PL	PIVO	07	1 12°	1 2700K	BC white	035	7 X 6,5W lm: 4697* lm/w: 103*	1.775,00	BC NE
								1.925,00	GE
			3 38°	2 3000K*	NE black	065		1.900,00	BC NE
								2.062,00	GE
			3 3500K	GE greige	100	2.068,00		BC NE	
						2.247,00		GE	


220-240V<sub>AC</sub>
  
 example composition code PL PIVO 07 32 BC 065

## PIVOT / DRIVER INCLUDED (DIMMABLE)




Type	Article	Light number	Beam	CCT	Colours	Rod	LED - Source	EURO	
PL	PIVO	08	1 12°	1 2700K	BC white	035	8 X 6,5W lm: 5368* lm/w: 103*	1.962,00	BC NE
								2.130,00	GE
			3 38°	2 3000K*	NE black	065		2.104,00	BC NE
								2.286,00	GE
			3 3500K	GE greige	100	2.296,00		BC NE	
						2.497,00		GE	

## PIVOT / DRIVER INCLUDED (DIMMABLE)



Type	Article	Light number	Beam	CCT	Colours	Rod	LED - Source	EURO	
PL	PIVO	09	1 12°	1 2700K	BC white	035	9 X 6,5W lm: 6039* lm/w: 103*	2.148,00	BC NE
								2.335,00	GE
			3 38°	2 3000K*	NE black	065		2.307,00	BC NE
								2.510,00	GE
			3 3500K	GE greige	100	2.525,00		BC NE	
						2.748,00		GE	

## PIVOT / DRIVER INCLUDED (DIMMABLE)




Type	Article	Light number	Beam	CCT	Colours	Rod	LED - Source	EURO	
PL	PIVO	10	1 12°	1 2700K	BC white	035	10 X 6,5W lm: 6710* lm/w: 103*	2.335,00	BC NE
								2.538,00	GE
			3 38°	2 3000K*	NE black	065		2.512,00	BC NE
								2.734,00	GE
			3 3500K	GE greige	100	2.753,00		BC NE	
						2.998,00		GE	

220-240V<sub>AC</sub>
  
 example composition code PL PIVO 10 32 BC 065

# Pivot Accessori / Accessories

## CANOPY

kg 1.25




### CANOPY WITH SPINNING DEVICES / DRIVER NOT INCLUDED

Code	Colours	XX	EURO
ROSONEPIVOT	BC white		214,00
	NE black		214,00
	GE greige		235,00

example composition code **ROSONEPIVOT BC XX**



## SPOTLIGHT

kg 0.574



### SPOTLIGHT SATELLITE / DRIVER NOT INCLUDED


Code	Beam	CCT	Colours	LED - Source	EURO
SATELLPIVOT	1 12°	1 2700K	BC white	1 X 6,5W lm: 671* lm/w: 103*	164,00
	3 38°	2 3000K*	NE black		164,00
		3 3500K	GE greige		181,00

 CRI90  **LED** 700mA - 9,2 Vdc ~688 lm\* 107,5 lm/W\*

example composition code **SATELLPIVOT 1 1 BC**



## SPOTLIGHT X

kg 0.547



### ORIENTABLE SPOTLIGHT SATELLITE / DRIVER NOT INCLUDED / COMPATIBLE ONLY WITH PENDANTS SATELLITE


Code	Beam	CCT	Colours	LED - Source	EURO
SATELTURNXX	1 12°	1 2700K	BC white	1 X 6,5W lm: 671* lm/w: 103*	158,00
	3 38°	2 3000K*	NE black		158,00
		3 3500K	GE greige		174,00

 CRI90  **LED** 700mA - 9,2 Vdc ~688 lm\* 107,5 lm/W\*

example composition code **SATELTURNXX 1 1 BC**

## PENDANTS

kg 0.240



### PENDANTS SATELLITE / DRIVER NOT INCLUDED


Code	Colours	EURO
PENDANTSATELL	BC white	93,00
	NE black	93,00
	GE greige	103,00

example composition code **PENDANTSATELL BC**

# Pivot Accessori / Accessories

## ROD 35 CM

kg 0.38




### PIVOT / ROD 35 cm

Code	Colours		EURO
KITPIVOT035	BC white	XX	24,00
	NE black		24,00
	GE greige		26,00

example composition code KITPIVOT035 BC XX

## ROD 65 CM

kg 0.68




### PIVOT / ROD 65 cm

Code	Colours		EURO
KITPIVOT065	BC white	XX	41,00
	NE black		41,00
	GE greige		46,00

example composition code KITPIVOT065 BC XX

## ROD 100 CM

kg 1.00





### PIVOT / ROD 100 cm

Code	Colours		EURO
KITPIVOT100	BC white	XX	65,00
	NE black		65,00
	GE greige		71,00

example composition code KITPIVOT100 BC XX

## JUNCTION KIT




### PIVOT / JUNCTION KIT

Code	Colours	EURO
KITJUNCTIPPIV	BC white	UPON REQUEST
	NE black	
KITJUNCTIGPIV	GE greige	

example composition code KITJUNCTIGPIV BC

## DIMMABLE 1 - 10V



### DRIVER 700mA DIMMABLE 1 - 10V & PUSH

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00128	Dimmable 0/1 - 10V Push	37	110-240V 50-60 Hz	700mA constant 53 Vdc	net kg 0,215	132,00



for more info see page 163

# Pivot system compatibility

## JEWEL MONO



Code

SP JEWEL MONO II (RECESSED)

for more info see page 48

## LIAISON



Code

SP LIA P 1I (RECESSED)

SP LIA M 1I (RECESSED)

SP LIA G 1I (RECESSED)

for more info see page 58

## URBAN MINI / LCC



Code

SP URBMI PI (RECESSED)

SP URBMI MI (RECESSED)

SP URBMI GI (RECESSED)

for more info see page 149

## VIRTUS SUSPENSION




Code

E 2 101 4 11 1 X (RECESSED)

for more info see page 159

# Poses


Axolight Lab




Lampada componibile, da soffitto, muro e sospensione, che consente la creazione di innumerevoli forme geometriche.

Modular pendant, wall and ceiling fixture which allows the creation of countless geometrical shapes.


## COLOURS



desert white



greige



laguna aqua



earth red




intense black



white only for recessed canopy

## POSES

kg 1,04 - 0,60 - 0,33



## POSES

Type	Article	Length	CCT	Light	Colours	LED - Source	EURO
AC	POSES	0451	3000K*	ON light	DW desert white	8,6W ~840lm* ~97lm/W*	290,00 on 206,00 off
		0821		OFF no light	GE greige	16,5W ~1608lm* ~97lm/W*	363,00 on 229,00 off
		1421			LA laguna aqua	29,5W ~2867lm* ~97lm/W*	485,00 on 281,00 off
					ER earth red		
					NE intense black		


CE IP20 CRI90 24Vdc **LED**

example composition code AC POSES 0821 ON LA  
3500K, 2700K available upon request

# Poses Componenti / Components

## SATELLITE - ACSATXX01 (1 hole)

kg 0,25



Code

ACSATXX01 (1 hole)

Colours

DW desert white  
GE greige  
LA laguna aqua  
ER earth red  
NE intense black

EURO


56,00

example composition code ACSATXX01 XX XX DW

Satellites with different holes, can be made upon request, only with multiple angles of 30°

## SATELLITE - ACSATXX02 (2 holes 90°)

kg 0,25



Code

ACSATXX02 (2 holes 90°)

Colours

DW desert white  
GE greige  
LA laguna aqua  
ER earth red  
NE intense black

EURO


58,00

example composition code ACSATXX02 XX XX GE

Satellites with different holes, can be made upon request, only with multiple angles of 30°

## SATELLITE - ACSATXX03 (2 holes 180°)

kg 0,25



Code

ACSATXX03 (2 holes 180°)

Colours

DW desert white  
GE greige  
LA laguna aqua  
ER earth red  
NE intense black

EURO


58,00

example composition code ACSATXX03 XX XX LA

Satellites with different holes, can be made upon request, only with multiple angles of 30°

## SATELLITE - ACSATXX04 (3 holes 120°)

kg 0,25



Code

ACSATXX04 (3 holes 120°)

Colours

DW desert white  
GE greige  
LA laguna aqua  
ER earth red  
NE intense black

EURO


58,00

example composition code ACSATXX04 XX XX ER

Satellites with different holes, can be made upon request, only with multiple angles of 30°

## SATELLITE - ACSATXX05 (4 holes 90°)

kg 0,25



Code

ACSATXX05 (4 holes 90°)

Colours

DW desert white  
GE greige  
LA laguna aqua  
ER earth red  
NE intense black

EURO

60,00

example composition code ACSATXX05 XX XX NE


Satellites with different holes, can be made upon request, only with multiple angles of 30°



# Poses Componenti / Components

## SPACER ROD

kg 0,15



Code

ACPIEDINO07

Colours

DW desert white

GE greige

LA laguna aqua

ER earth red

NE intense black


EURO

44,00

example composition code ACPIEDINO07 XX LA

## SPACER ROD

kg 0,25



Code

ACPIEDINO22

Colours

DW desert white

GE greige

LA laguna aqua

ER earth red

NE intense black


EURO

54,00

example composition code ACPIEDINO22 XX GE

## CANOPY

kg 1,5



Code

ACCANOPYRE001

Colours

DW desert white

GE greige

LA laguna aqua

ER earth red

NE intense black


EURO

153,00

example composition code ACCANOPYRE001 DW

## CANOPY

kg 2,5



Code

ACCANOPYTO001

Colours

DW desert white

GE greige

LA laguna aqua

ER earth red

NE intense black

EURO


266,00

example composition code ACCANOPYTO001 ER

# Poses Componenti / Components

## CANOPY FOR RECESSED SYSTEM

kg 0,20



Code	Colours	EURO
ACCANOPYIN001	BC white	55,00

example composition code ACCANOPYIN001 BC

## FEED CABLES (FOR DC DECONDARY CIRCUIT)

kg 0,13 / 0,22




Code	Poles	Colours	EURO
ACCAVOEL	2X001	AN anthracite grey	18,00
	4X001	BC white	22,00
BR bronze			
TR transparent			

example composition code ACCAVOEL 4X001 BC

## CABLE LOCK

kg 0,015




Code	Colours	EURO
ACBLOCCACAV01	DW desert white	21,00
	GE greige	
	LA laguna aqua	
	ER earth red	
	NE intense black	

example composition code ACBLOCCACAV01 DW

# Poses Componenti / Components

## SUSPENSION CABLE

kg 0,040




Code	Colours	EURO
ACCAVINOX0300	CR chrome	31,00

example composition code ACCAVINOX0300 CR

## CORNER CONNECTION

kg 0,17




Code	Colours	EURO
ACANGOLO90001	DW desert white GE greige LA laguna aqua ER earth red NE intense black	145,00

example composition code ACANGOLO90001 DW


# Poses Drivers

## Dimmable 1-10V




### DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00206	Dimmable 1-10V	40	100-305Vac 50-60 Hz	24VDC constant 3,2A	net kg 0,8	<b>95,00</b>



### DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00202	Dimmable 1-10V	80	100-305Vac 50-60 Hz	24VDC constant 3,4A	net kg 0,9	<b>99,00</b>




### DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00203	Dimmable 1-10V	100	100-305Vac 50-60 Hz	24VDC constant 4A	net kg 1,2	<b>156,00</b>




## Dimmable DALI



### DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00204	Dimmable DALI	75	100-305Vac 50-60 Hz	24VDC constant 3,15A	net kg 0,8	<b>158,00</b>



### DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00205	Dimmable DALI	100	100-305Vac 50-60 Hz	24VDC constant 4A	net kg 0,85	<b>171,00</b>



# Skin

Manuel Vivian

Collezione composta da lampade da soffitto e sospensione con paralume in ecopelle ignifuga. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.

Collection consisting of ceiling and suspended lamps. The lampshade is realized with flame-retardant eco-leather. Available in several colours and sizes. Screw light bulb or built-in dimmable LED light source.

## COLOURS




white



ivory white



brown



black

## DIFFUSER COLOURS



white



warm white




white canopy

Altri colori disponibili su richiesta / Other colors available on request.

## PL SKI 070

kg 6 m<sup>3</sup> 0.33



### SKIN

Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source	EURO
PL	SKI 070 E27	BC white BA ivory white MA brown NE matt black	BC white BW warm white	E27 2 x Max 16W LED or 2 x Max 20W fluo	1.079,00




IP20 +LED

220-240Vac

example composition code PL SKI070E27 BC BC

## PL SKI 100

kg 12 m<sup>3</sup> 0.98



### SKIN

Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source	EURO
PL	SKI 100 E27	BC white BA ivory white MA brown NE matt black	BC white BW warm white	E27 3 x Max 16W LED or 3 x Max 23W fluo	1.939,00



IP20 +LED

220-240Vac

example composition code PL SKI100E27 BA BW

# Skin


Manuel Vivian

Collezione composta da lampade da soffitto e sospensione con paralume in ecopelle ignifuga. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.

Collection consisting of ceiling and suspended lamps. The lampshade is realized with flame-retardant eco-leather. Available in several colours and sizes. Screw light bulb or built-in dimmable LED light source.

## PL SKI 160

kg 24 m<sup>3</sup> 2.22



### SKIN

Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source	EURO
PL	SKI 160 E27	BC white	BC white	E27 5 x Max 16W LED or 5 x Max 23W fluo	5.207,00
		BA ivory white	BW warm white		
		MA brown			
		NE matt black			




IP20 +LED

220-240VAc

example composition code PL SKI160E27 MA BW

## SP SKI 070

kg 10 m<sup>3</sup> 0.33



SKIN / con illuminazione verso alto e basso / with upward and downward lighting

Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source	EURO
SP	SKI 070 E27	BC white	BC white	E27 4 x Max 16W LED or 4 x Max 20W fluo	1.407,00
		BA ivory white	BW warm white		
		MA brown			
		NE matt black			




IP20 +LED

220-240VAc

example composition code SP SKI070E27 MA BW

## SP SKI 100

kg 15 m<sup>3</sup> 1.08



SKIN / con illuminazione verso alto e basso / with upward and downward lighting

Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source	EURO
SP	SKI 100 E27	BC white	BC white	E27 6 x Max 16W LED or 6 x Max 20W fluo	2.310,00
		BA ivory white	BW warm white		
		MA brown			
		NE matt black			



IP20 +LED

220-240VAc

example composition code SP SKI100E27 MA BW


# Skin

Manuel Vivian

Collezione composta da lampade da soffitto e sospensione con paralume in ecopelle ignifuga. Disponibile in vari colori e dimensioni. Sorgente luminosa con attacco a vite o a LED integrato dimmerabile.

Collection consisting of ceiling and suspended lamps. The lampshade is realized with flame-retardant eco-leather. Available in several colours and sizes. Screw light bulb or built-in dimmable LED light source.

## SP SKI 100 LED



SKIN / con illuminazione verso alto e basso / with upward and downward lighting / DRIVER INCLUDED

Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source	EURO
SP	SKI 100 LED	BC white	BC white	LED 98W - diffused beam 3000K* 4000K upon request	3.209,00
		BA ivory white	BW warm white		
		MA brown			
		NE matt black			



IP20 CRI90



LED


~10719 lm\* 109 lm/W\*

110-240Vac

example composition code SP SKI100LED BC BW

## SP SKI 160

kg 23 m<sup>3</sup> 2.15



SKIN / con illuminazione verso alto e basso / with upward and downward lighting

Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source	EURO
SP	SKI 160 E27	BC white	BC white	E27 6 x Max 16W LED or 6 x Max 20W fluo	5.695,00
		BA ivory white	BW warm white		
		MA brown			
		NE matt black			




IP20 +LED

220-240Vac

example composition code SP SKI160E27 MA BW

## SP SKI 160 LED



SKIN / con illuminazione verso alto e basso / with upward and downward lighting / DRIVER INCLUDED

Type	Article	Colours (lampshade)	Colours (radial diffuser)	Source	EURO
SP	SKI 160 LED	BC white	BC white	LED 98W - diffused beam 3000K* 4000K upon request	6.195,00
		BA ivory white			
		MA brown			
		NE matt black			



IP20 CRI90



LED

~10719 lm\* 109 lm/W\*

110-240Vac

example composition code SP SKI160LED BA BW

# Skirt

Manuel Vivian

Collezione di lampade da soffitto, a sospensione e da tavolo con paralume in tessuto ignifugato. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling, suspended and table lamps in flame-retardant fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.




prodotto fonoassorbente / sound absorbing product


## COLOURS




white




orange




blue




light grey



red



light green



black net over a white fabric




white canopy

Altri colori disponibili su richiesta / Other colors available on request.

## PL SKR 070

kg 5.5 m<sup>3</sup> 0.43



SKIRT / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Exterior Net	Fabric Colours	Source	EURO
PL	SKR 070 E27	NE black net	BC white	E27 1 x Max 16W LED or 1 x Max 70W halogen	1.804,00
		XX no black net	AR orange		1.472,00
			BL blue		
			GR light grey		
			RS red		
			VE light green		



IP20 +LED

220-240Vac

example composition code PL SKR070E27 XX GR



### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,39	0,44	0,58	0,68	0,76	0,81	1,02	0,67	0,67

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,41	0,54	0,60	0,78	0,85	0,92	1,18	0,75	0,74



# Skirt


Manuel Vivian

Collezione di lampade da soffitto, a sospensione e da tavolo con paralume in tessuto ignifugato TREVIRA® CS. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling, suspended and table lamps in flame-retardant TREVIRA®CS fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

## PL SKR 100

kg 10 m<sup>3</sup> 1.06



SKIRT / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Exterior Net	Fabric Colours	Source	EURO
PL	SKR 100 E27	NE black net	BC white	E27 3 x Max 16W LED or 3 x Max 70W halogen	3.078,00
		XX no black net	AR orange		2.483,00
			BL blue		
			GR light grey		
			RS red		
			VE light green		



CE IP20 +LED 220-240V<sub>ac</sub>  
example composition code PL SKR100E27 NE BC

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,30	0,56	0,89	1,22	1,33	1,56	2,78	1,23	1,15

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,41	0,98	1,26	1,49	1,66	1,89	2,96	1,52	1,47

# Skirt


Manuel Vivian

Collezione di lampade da soffitto, a sospensione e da tavolo con paralume in tessuto ignifugato TREVIRA® CS. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling, suspended and table lamps in flame-retardant TREVIRA®CS fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

## PL SKR 150

kg 25 m³ 2.54



SKIRT / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Exterior Net	Fabric Colours	Source	EURO
PL	SKR 150 E27	NE black net	BC white	E27 4 x Max 16W LED or 4 x Max 70W halogen	5.390,00
		XX no black net	AR orange		4.336,00
			BL blue		
			GR light grey		
			RS red		
			VE light green		



CE IP20 +LED 220-240Vac  
example composition code PL SKR150E27 XX RS

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	1,23	1,87	2,51	3,22	3,38	3,51	4,39	2,87	3,04

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	1,45	1,98	2,67	3,42	3,51	3,79	4,68	3,07	3,20

# Skirt


Manuel Vivian

Collezione di lampade da soffitto, a sospensione e da tavolo con paralume in tessuto ignifugato TREVIRA® CS. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling, suspended and table lamps in flame-retardant TREVIRA®CS fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

## PL SK 100 2

kg 18 m<sup>3</sup> 1.06



SKIRT / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Exterior Net	Fabric Colours	Source	EURO
PL	SK 100 2 E27	NE black net	BC white	E27 3 x Max 16W LED or 3 x Max 70W halogen	4.059,00
		XX no black net	AR orange		3.018,00
			BL blue		
			GR light grey		
			RS red		
			VE light green		



IP20 +LED

220-240Vac

example composition code PL SK1002E27 XX RS



### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,32	1,17	1,58	1,81	1,98	2,21	3,31	1,77	1,79

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,47	0,98	1,67	2,23	2,49	2,78	4,03	2,09	2,13

# Skirt


Manuel Vivian

Collezione di lampade da soffitto, a sospensione e da tavolo con paralume in tessuto ignifugato TREVIRA® CS. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling, suspended and table lamps in flame-retardant TREVIRA®CS fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

## PL SK 150 2

kg 30 m<sup>3</sup> 2,54



SKIRT / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Exterior Net	Fabric Colours	Source	EURO
PL	SK 150 2 E27	NE black net	BC white	E27 4 x Max 16W LED or 4 x Max 70W halogen	6.845,00
		XX no black net	AR orange		5.288,00
			BL blue		
			GR light grey		
			RS red		
			VE light green		



IP20 +LED

220-240Vac

example composition code PL SK1502E27 XX RS



### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,66	2,67	2,96	3,54	3,73	4,23	5,08	3,27	3,41

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,68	2,75	3,30	3,56	3,78	4,45	6,12	3,52	3,55

# Skirt


Manuel Vivian

Collezione di lampade da soffitto, a sospensione e da tavolo con paralume in tessuto ignifugato TREVIRA® CS. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling, suspended and table lamps in flame-retardant TREVIRA®CS fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

## SP SKR 050

kg 3.5 m³ 0.13



SKIRT / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SKR 050 E27	NE black net	BC white	E27 1 x Max 20W LED or 1 x Max 70W halogen	850,00
		XX no black net	AR orange		688,00
			BL blue		
			GR light grey		
			RS red		
			VE light green		



IP20 +LED

220-240Vac

example composition code SP SKR050E27 XX RS



### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,18	0,29	0,35	0,38	0,35	0,41	0,48	0,35	0,36

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,21	0,32	0,41	0,44	0,48	0,51	0,59	0,42	0,44

# Skirt


Manuel Vivian

Collezione di lampade da soffitto, a sospensione e da tavolo con paralume in tessuto ignifugato TREVIRA® CS. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling, suspended and table lamps in flame-retardant TREVIRA®CS fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

## SP SKR 070

kg 6.5 m<sup>3</sup> 0.43



SKIRT / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SKR 070 E27	NE black net	BC white	E27 1 x Max 20W LED or 1 x Max 70W halogen	1.617,00
		XX no black net	AR orange		1.329,00
			BL blue		
			GR light grey		
			RS red		
			VE light green		

CE IP20 +LED 220-240Vac

example composition code SP SKR070E27 XX RS



### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,39	0,44	0,58	0,68	0,76	0,81	1,02	0,67	0,67

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,41	0,54	0,60	0,78	0,85	0,92	1,18	0,75	0,74

# Skirt


Manuel Vivian

Collezione di lampade da soffitto, a sospensione e da tavolo con paralume in tessuto ignifugato TREVIRA® CS. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling, suspended and table lamps in flame-retardant TREVIRA®CS fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

## SP SKR 100

kg 12.5 m<sup>3</sup> 1.06



SKIRT / with upward and downward lighting / diffuser INCLUDED / DRIVER INCLUDED

Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SKR 100 E27	NE black net	BC white	E27 4 x Max 20W LED or 4 x Max 70W halogen	3.329,00
		XX no black net	AR orange		2.716,00
			BL blue		
			GR light grey		
			RS red		
			VE light green		



IP20 +LED

220-240V<sub>ac</sub>

example composition code SP SKR100E27 XX RS



### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,30	0,56	0,89	1,22	1,33	1,56	2,78	1,23	1,15

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,41	0,98	1,26	1,49	1,66	1,89	2,96	1,52	1,47

# Skirt


Manuel Vivian

Collezione di lampade da soffitto, a sospensione e da tavolo con paralume in tessuto ignifugato TREVIRA® CS. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling, suspended and table lamps in flame-retardant TREVIRA®CS fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

## SP SKR 100 LED

SKIRT / with upward and downward lighting / diffuser INCLUDED / DRIVER INCLUDED



Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SKR 100 LED	NE black net	BC white	LED 98W - diffused beam 3000K* 4000K upon request	3.780,00
		XX no black net	AR orange		3.203,00
			BL blue		
			GR light grey		
			RS red		
			VE light green		

CE IP20 CRI90 LED ~10719 lm\* 109 lm/W\*

110-240Vac

example composition code SP SKR100LED XX RS



### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,30	0,56	0,89	1,22	1,33	1,56	2,78	1,23	1,15

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,41	0,98	1,26	1,49	1,66	1,89	2,96	1,52	1,47



# Skirt


Manuel Vivian

Collezione di lampade da soffitto, a sospensione e da tavolo con paralume in tessuto ignifugato TREVIRA® CS. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling, suspended and table lamps in flame-retardant TREVIRA®CS fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

## SP SKR 140

kg 11.5 m<sup>3</sup> 0.65



SKIRT / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SKR 140 E27	NE black net	BC white	E27 4 x Max 16W LED or 4 x Max 57W halogen	3.504,00
		XX no black net	AR orange		2.905,00
			BL blue		
			GR light grey		
			RS red		
			VE light green		



IP20 +LED

220-240VAc

example composition code SP SKR140E27 XX RS



### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,41	1,02	1,08	1,75	2,04	2,26	2,84	1,63	1,62

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	1,23	1,87	2,51	3,22	3,38	3,51	4,39	2,87	3,04

# Skirt


Manuel Vivian

Collezione di lampade da soffitto, a sospensione e da tavolo con paralume in tessuto ignifugato TREVIRA® CS. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling, suspended and table lamps in flame-retardant TREVIRA®CS fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

## SP SKR 150

kg 19 m<sup>3</sup> 2.54



**SKIRT** / diffusore INCLUSO, con illuminazione verso alto e basso / *diffuser INCLUDED, with upward and downward lighting*

Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SKR 150 E27	NE black net	BC white	E27 4 x Max 16W + 1 x Max 12W LED	<b>5.385,00</b>
		XX no black net	AR orange	or 4 x Max 70W + 1 x Max 57W halogen	<b>4.312,00</b>
			BL blue		
			GR light grey		
			RS red		
			VE light green		



IP20 +LED

220-240Vac

example composition code SP SKR150E27 XX BC



### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	1,23	1,87	2,51	3,22	3,38	3,51	4,39	2,87	3,04

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	1,45	1,98	2,67	3,42	3,51	3,79	4,68	3,07	3,20


# Skirt

Manuel Vivian

Collezione di lampade da soffitto, a sospensione e da tavolo con paralume in tessuto ignifugato TREVIRA® CS. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling, suspended and table lamps in flame-retardant TREVIRA®CS fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

## SP SKR 150 LED



SKIRT / with upward and downward lighting / diffuser INCLUDED / DRIVER INCLUDED

Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SKR 150 LED	NE black net	BC white	LED 98W - diffused beam 3000K* 4000K upon request	6.025,00
		XX no black net	AR orange		4.860,00
			BL blue		
			GR light grey		
			RS red		
			VE light green		



IP20 CRI90



~10719 lm\* 109 lm/W\*

110-240Vac

example composition code SP SKR150LED NE BC



### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	1,23	1,87	2,51	3,22	3,38	3,51	4,39	2,87	3,04

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	1,45	1,98	2,67	3,42	3,51	3,79	4,68	3,07	3,20

# Skirt


Manuel Vivian

Collezione di lampade da soffitto, a sospensione e da tavolo con paralume in tessuto ignifugato TREVIRA® CS. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling, suspended and table lamps in flame-retardant TREVIRA®CS fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

## SP SK 100 2

kg 18 m<sup>3</sup> 1.06



**SKIRT** / diffusore INCLUSO, con illuminazione verso alto e basso / *diffuser INCLUDED, with upward and downward lighting*

Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SK 100 2 E27	NE black net	BC white	E27 4 x Max 20W LED or 4 x Max 70W halogen	4.368,00
		XX no black net	AR orange		3.246,00
			BL blue		
			GR light grey		
			RS red		
			VE light green		



IP20 +LED

220-240VAc

example composition code SP SK1002E27 XX BC



### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,32	1,17	1,58	1,81	1,98	2,21	3,31	1,77	1,79

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,47	0,98	1,67	2,23	2,49	2,78	4,03	2,09	2,13


# Skirt

Manuel Vivian

Collezione di lampade da soffitto, a sospensione e da tavolo con paralume in tessuto ignifugato TREVIRA® CS. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling, suspended and table lamps in flame-retardant TREVIRA®CS fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

## SP SK 100 2 LED



SKIRT / with upward and downward lighting / diffuser INCLUDED / DRIVER INCLUDED

Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SK 100 2 LED	NE black net	BC white	LED 98W - diffused beam 3000K* 4000K upon request	4.792,00
		XX no black net	AR orange		3.666,00
			BL blue		
			GR light grey		
			RS red		
			VE light green		

CE IP20 CRI90 LED ~10719 lm\* 109 lm/W\*

110-240Vac

example composition code SP SK1002LED NE BC



### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,32	1,17	1,58	1,81	1,98	2,21	3,31	1,77	1,79

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,47	0,98	1,67	2,23	2,49	2,78	4,03	2,09	2,13

# Skirt


Manuel Vivian

Collezione di lampade da soffitto, a sospensione e da tavolo con paralume in tessuto ignifugato TREVIRA® CS. Disponibile in varie dimensioni e colori, anche con tessuto esterno retato nero.

Collection of ceiling, suspended and table lamps in flame-retardant TREVIRA®CS fabric, available in several sizes and colours. The fabric can also come in a double-layer version with an exterior black net fabric.

## SP SK 150 2

kg 23 m<sup>3</sup> 2.54



SKIRT / diffuser INCLUDED, with upward and downward lighting

Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SK 150 2 E27	NE black net	BC white	E27 4 x Max 16W + 1 x Max 12W LED or 4 x Max 70W + 1 x Max 57W halogen	7.020,00
		XX no black net	AR orange		5.479,00
			BL blue		
			GR light grey		
			RS red		
			VE light green		



IP20 +LED


220-240Vac

example composition code SP SK1502E27 NE BC

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,66	2,67	2,96	3,54	3,73	4,23	5,08	3,27	3,41

## SP SK 150 2 LED



SKIRT / with upward and downward lighting / diffuser INCLUDED / DRIVER INCLUDED

Type	Article	Exterior Net	Fabric Colours	Source	EURO
SP	SK 150 2 LED	NE black net	BC white	LED 98W - diffused beam 3000K* 4000K upon request	7.734,00
		XX no black net	AR orange		6.078,00
			BL blue		
			GR light grey		
			RS red		
			VE light green		



IP20 CRI90



~10719 lm\* 109 lm/W\*

110-240Vac

example composition code SP SK1502LED XX BC

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,66	2,67	2,96	3,54	3,73	4,23	5,08	3,27	3,41

# Spillray

Manuel Vivian

Collezione composta da lampade da parete e da soffitto ad incasso e a sospensione in vetro con montatura in metallo cromato. Disponibile in vari colori e dimensioni. Sorgente luminosa alogena o a LED.

Collection consisting of wall, recessed and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. Halogen or LED light source.

## COLOURS



crystal



red



grey




metallic bronze


## CANOPIES



monopoint canopy



3 lights canopy



linear multipoint canopy



circular multipoint canopy

## RECESSED VERSION





suspension lamp



ceiling lamp

## AP SPILLR

kg 1.2 m<sup>3</sup> 0.03



### SPILLRAY

Type	Article	Colours	Finish	Source	EURO
AP	SPILLR	CS crystal	CR chrome	G4L (•) G4 1xMax 15W 12Vbc LED included - only	287,00
		RS red			339,00
		GR grey			339,00

CE IP20 (••) dimmable phase cut 220-240VAc (•) LED 90-264VAc  
example composition code AP SPILLR RS CR G4L

# Spillray


Manuel Vivian

Collezione composta da lampade da parete e da soffitto ad incasso e a sospensione in vetro con montatura in metallo cromato. Disponibile in vari colori e dimensioni. Sorgente luminosa alogena o a LED.

Collection consisting of wall, recessed and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. Halogen or LED light source.

## PL SPIL P I (RECESSED)

kg 0.7 m<sup>3</sup> 0.02



SPILLRAY / TRANSFORMER OR DRIVER NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	SPIL P I	CS crystal	CR chrome	G4L (*) G41xMax 1.5W 12Vbc LED included - only	214,00
		RS red			256,00
		GR grey			256,00



foro - hole Ø 4 cm / profondità min - min depth 10 cm

example composition code PL SPILPI CS CR 12V



CEDMWC00200

(G4L) on/off driver - Max 8W

24,00


CEDMWC00201

(G4L) on/off driver - Max 12W

25,00

## PL SPIL M I (RECESSED)

kg 0.6 m<sup>3</sup> 0.02



SPILLRAY / TRANSFORMER OR DRIVER NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
PL	SPIL M I	CS crystal	CR chrome	G4L (*) G41xMax 1.5W 12Vbc LED included - only	240,00
		RS red			281,00
		GR grey			281,00



foro - hole Ø 4 cm / profondità min - min depth 10 cm

example composition code PL SPILMI CS CR 12V



CEDMWC00200

(G4L) on/off driver - Max 8W

24,00

CEDMWC00201

(G4L) on/off driver - Max 12W

25,00





# Spillray



Manuel Vivian

Collezione composta da lampade da parete e da soffitto ad incasso e a sospensione in vetro con montatura in metallo cromato. Disponibile in vari colori e dimensioni. Sorgente luminosa alogena o a LED.

Collection consisting of wall, recessed and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. Halogen or LED light source.

## SP SPILL P

kg 1.2 m<sup>3</sup> 0.02



### SPILLRAY



Type	Article	Colours	Finish	Source	EURO
SP	SPILL P	CS crystal	CR chrome	G4L (*) G41xMax.1.5W 12Vbc LED included - only	282,00
		RS red			318,00
		GR grey			318,00
		BR metallic bronze			407,00

CE IP20 220-240V<sub>AC</sub> (\*) LED 90-264V<sub>AC</sub>

example composition code SP SPILLP BR CR 12V

## SP SPIL P I (RECESSED)

kg 1.2 m<sup>3</sup> 0.03



### SPILLRAY / TRANSFORMER OR DRIVER NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	SPIL P I	CS crystal	CR chrome	G4L (*) G41xMax.1.5W 12Vbc LED included - only	256,00
		RS red			289,00
		GR grey			289,00
		BR metallic bronze			376,00

CE IP20 (\*) LED

foro - hole Ø 4 cm / profondità min - min depth 10 cm

example composition code SP SPILPI BR CR 12V



CEDMWC00200

(G4L) on/off driver - Max 8W

24,00

CEDMWC00201

(G4L) on/off driver - Max 12W

25,00

# Spillray


Manuel Vivian

Collezione composta da lampade da parete e da soffitto ad incasso e a sospensione in vetro con montatura in metallo cromato. Disponibile in vari colori e dimensioni. Sorgente luminosa alogena o a LED.

Collection consisting of wall, recessed and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. Halogen or LED light source.

## SP SPILL M

kg 1.4 m<sup>3</sup> 0.05




### SPILLRAY

Type	Article	Colours	Finish	Source	EURO
SP	SPILL M	CS crystal	CR chrome	G4L (*) G41xMax 1.5W 12Vbc LED included - only	307,00
		RS red			347,00
		GR grey			347,00
		BR metallic bronze			420,00

IP20 (\*\*) 220-240VAC (\*) LED 90-264VAC  
 example composition code SP SPILLM BR CR 12V

## SP SPIL M I (RECESSED)

kg 1.4 m<sup>3</sup> 0.05



### SPILLRAY / TRANSFORMER OR DRIVER NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	SPIL M I	CS crystal	CR chrome	G4L (*) G41xMax 1.5W 12Vbc LED included - only	280,00
		RS red			320,00
		GR grey			320,00
		BR metallic bronze			394,00

IP20 (\*) LED  
 foro - hole Ø 4 cm / profondità min - min depth 10 cm  
 example composition code SP SPILMI BR CR 12V

	CEDMWC00200	(G4L) on/off driver - Max 8W	24,00
	CEDMWC00201	(G4L) on/off driver - Max 12W	25,00

# Spillray



Manuel Vivian

Collezione composta da lampade da parete e da soffitto ad incasso e a sospensione in vetro con montatura in metallo cromato. Disponibile in vari colori e dimensioni. Sorgente luminosa alogena o a LED.

Collection consisting of wall, recessed and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. Halogen or LED light source.

## SP SPILL G

kg 1.6 m<sup>3</sup> 0.05



### SPILLRAY



Type	Article	Colours	Finish	Source	EURO
SP	SPILL G	CS crystal	CR chrome	G4L (*) G41xMax 1.5W 12Vbc LED included - only	340,00
		RS red			373,00
		GR grey			373,00
		BR metallic bronze			467,00

CE IP20 220-240V<sub>AC</sub> (\*) **LED** 90-264V<sub>AC</sub>

example composition code SP SPILLG BR CR 12V

## SP SPIL G I (RECESSED)

kg 1.6 m<sup>3</sup> 0.05



### SPILLRAY / TRANSFORMER OR DRIVER NOT INCLUDED

Type	Article	Colours	Finish	Source	EURO
SP	SPIL G I	CS crystal	CR chrome	G4L (*) G41xMax 1.5W 12Vbc LED included - only	312,00
		RS red			347,00
		GR grey			347,00
		BR metallic bronze			441,00

CE IP20 (\*) **LED**

foro - hole Ø 4 cm / profondità min - min depth 10 cm

example composition code SP SPILGI BR CR 12V



CEDMWC00200

(G4L) on/off driver - Max 8W

24,00

CEDMWC00201

(G4L) on/off driver - Max 12W

25,00

# Spillray


Manuel Vivian

Collezione composta da lampade da parete e da soffitto ad incasso e a sospensione in vetro con montatura in metallo cromato. Disponibile in vari colori e dimensioni. Sorgente luminosa alogena o a LED.

Collection consisting of wall, recessed and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. Halogen or LED light source.

## SP SPILL 3

kg 1.8 m<sup>3</sup> 0.05




### SPILLRAY

Type	Article	Colours	Finish	Source	EURO
SP	SPILL 3	CS crystal	CR chrome	G4L (-) G41xMax1,5W 12Vdc LED included - only	671,00
		RS red			784,00
		GR grey			784,00
		BR metallic bronze			987,00

220-240VAc (-) 90-264VAc  
 example composition code SP SPILL3 BR CR 12V

## SP SPILL 6

kg 4.5 m<sup>3</sup> 0.13



### SPILLRAY

Type	Article	Colours	Finish	Source	EURO
SP	SPILL 6	CS crystal	CR chrome	G4L (-) G41xMax1,5W 12Vdc LED included - only	1.258,00
		RS red			1.472,00
		GR grey			1.472,00
		BR metallic bronze			1.909,00

220-240VAc (-) 90-264VAc  
 example composition code SP SPILL6 BR CR 12V

# Spillray


Manuel Vivian

Collezione composta da lampade da parete e da soffitto ad incasso e a sospensione in vetro con montatura in metallo cromato. Disponibile in vari colori e dimensioni. Sorgente luminosa alogena o a LED.

Collection consisting of wall, recessed and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. Halogen or LED light source.

## SP SPIL 10

kg 7 m<sup>3</sup> 0.22




### SPILLRAY

Type	Article	Colours	Finish	Source	EURO
SP	SPIL 10	CS crystal	CR chrome	G4L (*) G41xMax.1.5W.12Vbc LED included - only	1.980,00
		RS red			2.338,00
		GR grey			2.338,00
		BR metallic bronze			2.914,00

IP20 (\*\*) 220-240V<sub>AC</sub> (\*) **LED** 90-264V<sub>AC</sub>  
 example composition code SP SPIL10 BR CR 12V

## SP SPIL 12

kg 9 m<sup>3</sup> 0.13



### SPILLRAY

Type	Article	Colours	Finish	Source	EURO
SP	SPIL 12	CS crystal	CR chrome	G4L (*) G41xMax.1.5W.12Vbc LED included - only	2.309,00
		RS red			2.669,00
		GR grey			2.669,00
		BR metallic bronze			3.373,00

IP20 (\*\*) 220-240V<sub>AC</sub> (\*) **LED** 90-264V<sub>AC</sub>  
 example composition code SP SPIL10 BR CR 12V

# Spillray


Manuel Vivian

Collezione composta da lampade da parete e da soffitto ad incasso e a sospensione in vetro con montatura in metallo cromato. Disponibile in vari colori e dimensioni. Sorgente luminosa alogena o a LED.

Collection consisting of wall, recessed and suspended lamps. The diffusers are made of glass with chrome-plated metal frame. Available in several colours and sizes. Halogen or LED light source.

## SP SPIL 20

kg 22 m<sup>3</sup> 1.08




### SPILLRAY

Type	Article	Colours	Finish	Source	EURO
SP	SPIL 20	CS crystal	CR chrome	G4L (*) G41xMax.15W.12Vbc LED included - only	6.581,00
		RS red			7.656,00
		GR grey			7.656,00

220-240V<sub>AC</sub> (\*) 90-264V<sub>AC</sub>  
 example composition code SP SPIL20 RS CR 12V

## SP SPIL 26

kg 23.5 m<sup>3</sup> 0.86




### SPILLRAY

Type	Article	Colours	Finish	Source	EURO
SP	SPIL 26	CS crystal	CR chrome	G4L (*) G41xMax.15W.12Vbc LED included - only	7.525,00
		RS red			8.897,00
		GR grey			8.897,00

220-240V<sub>AC</sub> (\*) 90-264V<sub>AC</sub>  
 example composition code SP SPIL26 RS CR 12V

## SP SPIL 30

kg 31 m<sup>3</sup> 1.31



### SPILLRAY

Type	Article	Colours	Finish	Source	EURO
SP	SPIL 30	CS crystal	CR chrome	G4L (*) G41xMax.15W.12Vbc LED included - only	9.734,00
		RS red			11.353,00
		GR grey			11.353,00

220-240V<sub>AC</sub> (\*) 90-264V<sub>AC</sub>  
 example composition code SP SPIL30 RS CR 12V

# U-Light

Timo Ripatti



Collezione composta da lampade da parete, soffitto e sospensione in alluminio.  
Disponibile in due colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.  
Disponibile con opzione fonoassorbente.


*Collection consisting of wall, ceiling and suspended lamps in aluminium. Available in two colours and sizes. Built-in LED dimmable light source. Available with sound-absorbing panel option.*

prodotto fonoassorbente / sound absorbing product

## COLOURS



anthracite grey



canopy



rust brown



canopy

## WALL AND CEILING LAMP VERSION



wall or ceiling details



wall or ceiling lamp  
canopy version



wall or ceiling lamp  
recessed version



acoustic performance  
see page 137



# U-Light

Timo Ripatti

Collezione composta da lampade da parete, soffitto e sospensione in alluminio.  
Disponibile in due colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.  
Disponibile con opzione fonoassorbente.


Collection consisting of wall, ceiling and suspended lamps in aluminium. Available in two colours and sizes. Built-in LED dimmable light source. Available with sound-absorbing panel option.

## PL UL 1 090 h10 cm canopy


## PL UL 2 090 h25 cm canopy

PL UL 1: kg 5.8 m<sup>3</sup> 0.128


PL UL 2: kg 6.3 m<sup>3</sup> 0.128



rosone standard / standard canopy



altezze disponibili  
available heights



10 cm height

25 cm height

U-LIGHT / h10 cm or h25 cm ceiling lamp with canopy / DRIVER INCLUDED /

Type	Article	Colours	Version	Source	EURO
PL	UL 1 090 LED (h10 cm)	AN anthracite grey	XX standard canopy	LED 63W - diffused beam 3000K*, 2700K other CCT options available upon request	2.034,00
	UL 2 090 LED (h25 cm)	RU rust brown			2.051,00

CE IP20 CRI90 ~5158 lm\* 82 lm/W\* 100-240VAC

Installazione come plafoniera (downlight o uplight) oppure applique (con illuminazione verso la superficie di installazione).  
Application: both as ceiling (downlight or uplight mounting) or wall lamp (only wallward light).

example composition code PL UL2090LED AN XX



KITFAPLULA090AV opzione fonoassorbente avorio / sound absorbing option ivory.  
For more information see page 139

502,00

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp


FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,01	0,11	0,32	0,68	0,63	0,63	0,58	0,42	0,54

## PL UL 1 090 h10 cm recessed



## PL UL 2 090 h25 cm recessed

PL UL 1: kg 2.7 m<sup>3</sup> 0.126


PL UL 2: kg 3.1 m<sup>3</sup> 0.126



rosone incasso / recessed canopy



altezze disponibili  
available heights



10 cm height

25 cm height

U-LIGHT / h10 cm or h25 cm recessed ceiling lamp / DRIVER NOT INCLUDED

Type	Article	Colours	Version	Source	EURO
PL	UL 1 090 LED (h10 cm)	AN anthracite grey	IN recessed canopy	LED 54W - diffused beam 3000K*, 2700K 24VDC other CCT options available upon request	1.819,00
	UL 2 090 LED (h25 cm)	RU rust brown			1.835,00

CE IP20 CRI90 ~5158 lm\* 95 lm/W\* 24Vdc

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

Installazione come plafoniera (downlight o uplight) oppure applique (con illuminazione verso la superficie di installazione).  
Application: both as ceiling (downlight or uplight mounting) or wall lamp (only wallward light).

example composition code PL UL1090LED RU IN

optional for more info see page 164



CEDMWC00202 dimmable 1-10V 24VDC driver max 80W x1 pcs

99,00

CEDMWC00204 dimmable DALI 24VDC driver max 75W x1 pcs

158,00



KITFAPLUL090IAV opzione fonoassorbente avorio / sound absorbing option ivory.  
For more information see page 139

577,00

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,01	0,11	0,32	0,68	0,63	0,63	0,58	0,42	0,54

# U-Light


Timo Ripatti

Collezione composta da lampade da parete, soffitto e sospensione in alluminio.  
Disponibile in due colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.  
Disponibile con opzione fonoassorbente.

Collection consisting of wall, ceiling and suspended lamps in aluminium. Available in two colours and sizes. Built-in LED dimmable light source. Available with sound-absorbing panel option.

## PL UL 1 120 h10 cm canopy PL UL 2 120 h25 cm canopy

PL UL 1: kg 6.6 m<sup>3</sup> 0.180  
PL UL 2: kg 7 m<sup>3</sup> 0.180



U-LIGHT / h10cm or h25cm ceiling lamp with canopy / DRIVER INCLUDED

Type	Article	Colours	Version	Source	EURO
PL	UL 1 120 LED (h10 cm)	AN anthracite grey	XX standard canopy	LED 86W - diffused beam <b>3000K*, 2700K</b> other CCT options available upon request	<b>2.468,00</b>
	UL 2 120 LED (h25 cm)	RU rust brown			<b>2.484,00</b>

CE IP20 CRI90 LED ~7736 lm\* 90 lm/W\* 100-240VAc

Installazione come plafoniera (downlight o uplight) oppure applique (con illuminazione verso la superficie di installazione).  
Application: both as ceiling (downlight or uplight mounting) or wall lamp (only wallward light).

example composition code PL UL1120LED RU XX


KITFAPLULA120AV opzione fonoassorbente avorio / sound absorbing option ivory. For more information see page 139 **605,00**

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,02	0,15	<b>0,43</b>	<b>0,91</b>	<b>0,84</b>	0,83	0,74	0,56	0,73

## PL UL 1 120 h10 cm recessed PL UL 2 120 h25 cm recessed

PL UL 1: kg 3.2 m<sup>3</sup> 0.150  
PL UL 2: kg 3.6 m<sup>3</sup> 0.150



U-LIGHT / h10 cm or h25 cm recessed ceiling lamp / DRIVER NOT INCLUDED

Type	Article	Colours	Version	Source	EURO
PL	UL 1 120 LED (h10 cm)	AN anthracite grey	IN recessed canopy	LED 74W - diffused beam <b>3000K*, 2700K</b> 24VDC other CCT options available upon request	<b>2.187,00</b>
	UL 2 120 LED (h25 cm)	RU rust brown			<b>2.202,00</b>

CE IP20 CRI90 LED ~7736 lm\* 104 lm/W\* 24Vdc

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

Installazione come plafoniera (downlight o uplight) oppure applique (con illuminazione verso la superficie di installazione).  
Application: both as ceiling (downlight or uplight mounting) or wall lamp (only wallward light).

example composition code PL UL2120LED AN IN

optional for more info see page 164

CEDMWC00203 dimmable 1-10V 24VDC driver max 100W **156,00**

CEDMWC00205 dimmable DALI 24VDC driver max 100W **171,00**

KITFAPLUL120IAV opzione fonoassorbente avorio / sound absorbing option ivory. For more information see page 139 **680,00**

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,02	0,15	<b>0,43</b>	<b>0,91</b>	<b>0,84</b>	0,83	0,74	0,56	0,73

# U-Light


Timo Ripatti

Collezione composta da lampade da parete, soffitto e sospensione in alluminio.  
Disponibile in due colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.  
Disponibile con opzione fonoassorbente.


Collection consisting of wall, ceiling and suspended lamps in aluminium. Available in two colours and sizes. Built-in LED dimmable light source. Available with sound-absorbing panel option.

## PL UL 1 160 h10 cm canopy PL UL 2 160 h25 cm canopy


PL UL 1: kg 9.2 m<sup>3</sup> 0.310  
PL UL 2: kg 9.6 m<sup>3</sup> 0.310



rosone standard / standard canopy



altezze disponibili  
available heights



10 cm  
height

25 cm  
height

U-LIGHT / h10 cm or h25 cm ceiling lamp with canopy / DRIVER INCLUDED

Type	Article	Colours	Version	Source	EURO
PL	UL 1 160 LED (h10 cm)	AN anthracite grey	XX standard canopy	LED 125W - diffused beam <b>3000K*, 2700K</b> other CCT options available upon request	2.827,00
	UL 2 160 LED (h25 cm)	RU rust brown			2.842,00

CE IP20 CRI90 LED ~9025 lm\* 72 lm/W\* 100-240VAC

Installazione come plafoniera (downlight o uplight) oppure applique (con illuminazione verso la superficie di installazione).  
Application: both as ceiling (downlight or uplight mounting) or wall lamp (only wallward light).

example composition code PL UL2160LED AN XX



KITFAPLULA000AV opzione fonoassorbente avorio / sound absorbing option ivory.  
For more information see page 139


850,00

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp


FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,05	0,29	<b>0,93</b>	<b>1,48</b>	<b>1,60</b>	1,52	1,45	1,04	1,34

## PL UL 1 160 h10 cm recessed PL UL 2 160 h25 cm recessed

PL UL 1: kg 5 m<sup>3</sup> 0.280  
PL UL 2: kg 5.4 m<sup>3</sup> 0.280




rosone incasso / recessed canopy  
hole Ø 4.5 cm



min depth 10cm

altezze disponibili  
available heights



10 cm  
height

25 cm  
height

U-LIGHT / h10 cm or h25 cm recessed ceiling lamp / DRIVER NOT INCLUDED

Type	Article	Colours	Version	Source	EURO
PL	UL 1 160 LED (h10 cm)	AN anthracite grey	IN recessed canopy	LED 102W - diffused beam <b>3000K*, 2700K</b> 24VDC other CCT options available upon request	2.493,00
	UL 2 160 LED (h25 cm)	RU rust brown			2.509,00

CE IP20 CRI90 LED ~9025 lm\* 88 lm/W\* 24Vdc

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

Installazione come plafoniera (downlight o uplight) oppure applique (con illuminazione verso la superficie di installazione).  
Application: both as ceiling (downlight or uplight mounting) or wall lamp (only wallward light).

example composition code PL UL1160LED RU IN

optional for more info see page 164



CEDMWC00202 dimmable 1-10V 24VDC driver max 80W x 2 pcs.

99,00

CEDMWC00204 dimmable DALI 24VDC driver max 75W x 2 pcs.

158,00



KITFAPLUL000IAV opzione fonoassorbente avorio / sound absorbing option ivory.  
For more information see page 139

950,00

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,05	0,29	<b>0,93</b>	<b>1,48</b>	<b>1,60</b>	1,52	1,45	1,04	1,34

# U-Light


Timo Ripatti

Collezione composta da lampade da parete, soffitto e sospensione in alluminio.  
Disponibile in due colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.  
Disponibile con opzione fonoassorbente.


Collection consisting of wall, ceiling and suspended lamps in aluminium. Available in two colours and sizes. Built-in LED dimmable light source. Available with sound-absorbing panel option.

## PL UL 1 180 h10 cm canopy PL UL 2 180 h25 cm canopy


PL UL 1: kg 10,4 m<sup>3</sup> 0,330  
PL UL 2: kg 11,0 m<sup>3</sup> 0,330



rosone standard / standard canopy



altezze disponibili  
available heights



10 cm  
height

25 cm  
height

U-LIGHT / h10 cm or h25 cm ceiling lamp with canopy / DRIVER INCLUDED

Type	Article	Colours	Version	Source	EURO
PL	UL 1 180 LED (h10 cm)	AN anthracite grey	XX standard canopy	LED 153W - diffused beam 3000K*, 2700K other CCT options available upon request	3.497,00
	UL 2 180 LED (h25 cm)	RU rust brown			3.518,00

CE IP20 CRI90 LED ~10315 lm\* 67 lm/W\* 100-240VAC

Installazione come plafoniera (downlight o uplight) oppure applique (con illuminazione verso la superficie di installazione).  
Application: both as ceiling (downlight or uplight mounting) or wall lamp (only wallward light).

example composition code PL UL2180LED AN XX



KITFAPLULA000AV opzione fonoassorbente avorio / sound absorbing option ivory.  
For more information see page 139


850,00

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp


FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,12	0,66	1,65	2,86	2,96	2,68	2,46	1,91	2,49

## PL UL 1 180 h10 cm recessed PL UL 2 180 h25 cm recessed

PL UL 1: kg 5,7 m<sup>3</sup> 0,310  
PL UL 2: kg 6,1 m<sup>3</sup> 0,310




rosone incasso / recessed canopy  
hole Ø 4,5 cm



min depth 10cm

altezze disponibili  
available heights



10 cm  
height

25 cm  
height

U-LIGHT / h10 cm or h25 cm recessed ceiling lamp / DRIVER NOT INCLUDED

Type	Article	Colours	Version	Source	EURO
PL	UL 1 180 LED (h10 cm)	AN anthracite grey	IN recessed canopy	LED 123W - diffused beam 3000K*, 2700K 24VDC other CCT options available upon request	2.993,00
	UL 2 180 LED (h25 cm)	RU rust brown			3.009,00

CE IP20 CRI90 LED ~10315 lm\* 84 lm/W\* 24Vdc

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

Installazione come plafoniera (downlight o uplight) oppure applique (con illuminazione verso la superficie di installazione).  
Application: both as ceiling (downlight or uplight mounting) or wall lamp (only wallward light).

example composition code PL UL1180LED RU IN

optional for more info see page 164



CEDMWC00203 dimmerable 1-10V 24VDC driver max 100W x 2 pcs.

156,00  
each

CEDMWC00205 dimmerable DALI 24VDC driver max 100W x 2 pcs.

171,00  
each



KITFAPLUL000IAV opzione fonoassorbente avorio / sound absorbing option ivory.  
For more information see page 139

950,00

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,12	0,66	1,65	2,86	2,96	2,68	2,46	1,91	2,49

# U-Light

Timo Ripatti


Collezione composta da lampade da parete, soffitto e sospensione in alluminio.  
Disponibile in due colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.  
Disponibile con opzione fonoassorbente.

Collection consisting of wall, ceiling and suspended lamps in aluminium. Available in two colours and sizes. Built-in LED dimmable light source. Available with sound-absorbing panel option.

## SP ULA 090 canopy SP ULA 090 recessed

canopy kg 5.8 m<sup>3</sup> 0.128  
recessed kg 2.5 m<sup>3</sup> 0.126


Installazione downlight o upright.  
Downlight or upright mounting.



rosone standard / standard canopy



rosone incasso / recessed canopy



U-LIGHT / suspension with canopy / DRIVER INCLUDED

Type	Article	Colours	Version	Source	EURO
SP	ULA 090 LED	AN anthracite grey RU rust brown	XX standard canopy	LED 63W - diffused beam <b>3000K*, 2700K</b> other CCT options available upon request	<b>2.056,00</b>

CE IP20 CRI90 LED ~5158 lm\* 82 lm/W\* 100-240VAC

U-LIGHT / recessed suspension lamp / DRIVER NOT INCLUDED

Type	Article	Colours	Version	Source	EURO
SP	ULA 090 LED	AN anthracite grey RU rust brown	IN recessed canopy	LED 54W - diffused beam <b>3000K*, 2700K</b> 24VDC other CCT options available upon request	<b>1.835,00</b>

CE IP20 CRI90 LED ~5158 lm\* 951 lm/W\* 24Vdc

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

example composition code SP ULA090LED AN IN

optional for more info see page 164

	CEDMWC00202	dimmmable 1-10V 24VDC driver max 80W	<b>99,00</b>
	CEDMWC00204	dimmmable DALI 24VDC driver max 75W	<b>158,00</b>

		KITFASPULA090AV opzione fonoassorbente avorio / sound absorbing option ivory. For more information see page 139	<b>601,00</b>
--	--	--	---------------

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,02	0,18	<b>0,57</b>	<b>1,11</b>	<b>1,11</b>	1,15	1,04	0,74	0,93

# U-Light

Timo Ripatti


Collezione composta da lampade da parete, soffitto e sospensione in alluminio.  
Disponibile in due colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.  
Disponibile con opzione fonoassorbente.

Collection consisting of wall, ceiling and suspended lamps in aluminium. Available in two colours and sizes. Built-in LED dimmable light source. Available with sound-absorbing panel option.

## SP ULA 120 canopy SP ULA 120 recessed

canopy kg 6.5 m<sup>3</sup> 0.180  
recessed kg 3 m<sup>3</sup> 0.150

Installazione downlight o uplight.  
Downlight or uplight mounting.



### U-LIGHT / suspension with canopy / DRIVER INCLUDED

Type	Article	Colours	Version	Source	EURO
SP	ULA 120 LED	AN anthracite grey RU rust brown	XX standard canopy	LED 86W - diffused beam <b>3000K*, 2700K</b> other CCT options available upon request	<b>2.556,00</b>

CE IP20 CRI90 dimmable 1-10V LED ~7736 lm\* 90 lm/W\* 100-240VAc

### U-LIGHT / recessed suspension lamp / DRIVER NOT INCLUDED

Type	Article	Colours	Version	Source	EURO
SP	ULA 120 LED	AN anthracite grey RU rust brown	IN recessed canopy	LED 74W - diffused beam <b>3000K*, 2700K</b> 24VDC other CCT options available upon request	<b>2.222,00</b>

CE IP20 CRI90 dimmable with dedicated PSU LED ~7736 lm\* 104 lm/W\* 24Vdc

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

example composition code SP ULA120LED RU IN

optional for more info see page 164

	CEDMWC00203	dimmmable 1-10V 24VDC driver max 100W	<b>156,00</b>
	CEDMWC00205	dimmmable DALI 24VDC driver max 100W	<b>171,00</b>

	KITFASPULA000AV opzione fonoassorbente avorio / sound absorbing option ivory. For more information see page 139	<b>980,00</b>
--	--	---------------

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,04	0,35	<b>1,23</b>	<b>2,03</b>	<b>2,13</b>	2,09	2,02	1,41	1,80

# U-Light


Timo Ripatti

Collezione composta da lampade da parete, soffitto e sospensione in alluminio.  
Disponibile in due colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.  
Disponibile con opzione fonoassorbente.

Collection consisting of wall, ceiling and suspended lamps in aluminium. Available in two colours and sizes. Built-in LED dimmable light source. Available with sound-absorbing panel option.

## SP ULA 160 canopy SP ULA 160 recessed


canopy kg 9.1 m<sup>3</sup> 0.310  
recessed kg 4.8 m<sup>3</sup> 0.280  
Installazione downlight o upright.  
Downlight or upright mounting.



rosone standard / standard canopy



rosone incasso / recessed canopy



### U-LIGHT / suspension with canopy / DRIVER INCLUDED

Type	Article	Colours	Version	Source	EURO
SP	ULA 160 LED	AN anthracite grey RU rust brown	XX standard canopy	LED 125W - diffused beam <b>3000K*, 2700K</b> other CCT options available upon request	<b>2.926,00</b>

CE IP20 CRI90 LED ~9025 lm\* 72 lm/W\* 100-240VAC

### U-LIGHT / recessed suspension lamp / DRIVER NOT INCLUDED

Type	Article	Colours	Version	Source	EURO
SP	ULA 160 LED	AN anthracite grey RU rust brown	IN recessed canopy	LED 102W - diffused beam <b>3000K*, 2700K</b> 24VDC other CCT options available upon request	<b>2.582,00</b>

CE IP20 CRI90 LED ~9025 lm\* 88 lm/W\* 24VDC

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

example composition code SP ULA160LED AN IN

optional for more info see page 164

	CEDMWC00202	dimmable 1-10V 24VDC driver max 80W x 2 pcs.	<b>99,00 each</b>
	CEDMWC00204	dimmable DALI 24VDC driver max 75W x 2 pcs.	<b>158,00 each</b>



KITFASPULA000AV opzione fonoassorbente avorio / sound absorbing option ivory.  
For more information see page 139

**980,00**

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,11	0,65	<b>2,06</b>	<b>3,63</b>	<b>3,63</b>	3,64	3,45	2,45	3,11

# U-Light

Timo Ripatti


Collezione composta da lampade da parete, soffitto e sospensione in alluminio.  
Disponibile in due colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.  
Disponibile con opzione fonoassorbente.

Collection consisting of wall, ceiling and suspended lamps in aluminium. Available in two colours and sizes. Built-in LED dimmable light source. Available with sound-absorbing panel option.

## SP ULA 180 canopy SP ULA 180 recessed

canopy kg 10,5 m<sup>3</sup> 0,330  
recessed kg 5,4 m<sup>3</sup> 0,310


Installazione downlight o uplight.  
Downlight or uplight mounting.



rosone standard / standard canopy



rosone incasso / recessed canopy



U-LIGHT / suspension with canopy / DRIVER INCLUDED

Type	Article	Colours	Version	Source	EURO
SP	ULA 180 LED	AN anthracite grey RU rust brown	XX standard canopy	LED 153W - diffused beam <b>3000K*, 2700K</b> other CCT options available upon request	<b>3.420,00</b>

CE IP20 CRI90 ~10315 lm\* 67 lm/W\* 100-240VAC

U-LIGHT / recessed suspension lamp / DRIVER NOT INCLUDED

Type	Article	Colours	Version	Source	EURO
SP	ULA 180 LED	AN anthracite grey RU rust brown	IN recessed canopy	LED 123W - diffused beam <b>3000K*, 2700K</b> 24VDC other CCT options available upon request	<b>2.943,00</b>

CE IP20 CRI90 ~10315 lm\* 84 lm/W\* 24Vdc

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

example composition code SP ULA180LED AN IN

optional for more info see page 164

	CEDMWC00203	dimmmable 1-10V 24VDC driver max 100W x 2 pcs.	<b>156,00 each</b>
	CEDMWC00205	dimmmable DALI 24VDC driver max 100W x 2 pcs.	<b>171,00 each</b>

	KITFASPULA000AV opzione fonoassorbente avorio / sound absorbing option ivory.	For more information see page 139	<b>980,00</b>
--	---	-----------------------------------	---------------

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,11	0,65	<b>2,06</b>	<b>3,63</b>	<b>3,63</b>	3,64	3,45	2,45	3,11



# U-Light


Timo Ripatti

Collezione composta da lampade da parete, soffitto e sospensione in alluminio.  
Disponibile in due colori e dimensioni. Sorgente luminosa a LED integrato dimmerabile.  
Disponibile con opzione fonoassorbente.

Collection consisting of wall, ceiling and suspended lamps in aluminium. Available in two colours and sizes. Built-in LED dimmable light source. Available with sound-absorbing panel option.

## SP ULI 090

kg 7.2 m<sup>3</sup> 0.19



U-LIGHT / downward lighting only / DRIVER INCLUDED

Type	Article	Colours	Code End	Source	EURO
SP	ULI 090 LED	AN anthracite grey RU rust brown	XX	LED 63W - diffused beam <b>3000K*, 2700K</b> other CCT options available upon request	<b>2.441,00</b>

~5158 lm\* 82 lm/W\* 100-240Vac  
 example composition code **SP ULI090LED RU XX**

KITSPUL090AAV opzione fonoassorbente per versione antracite / sound absorbing option anthracite - see page 139

**607,00**

KITSPUL090RAV opzione fonoassorbente ruggine / sound absorbing option rust brown - see page 139


**607,00**

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,02	0,18	<b>0,57</b>	<b>1,11</b>	<b>1,11</b>	1,15	1,04	0,74	0,93

## SP ULI 120

kg 8.2 m<sup>3</sup> 0.33



U-LIGHT / downward lighting only / DRIVER INCLUDED

Type	Article	Colours	Code End	Source	EURO
SP	ULI 120 LED	AN anthracite grey RU rust brown	XX	LED 86W - diffused beam <b>3000K*, 2700K</b> other CCT options available upon request	<b>2.993,00</b>

~7736 lm\* 90 lm/W\* 100-240Vac  
 example composition code **SP ULI120LED RU XX**

KITSPUL120AAV opzione fonoassorbente per versione antracite / sound absorbing option anthracite - see page 139

**804,00**

KITSPUL120RAV opzione fonoassorbente ruggine / sound absorbing option rust brown - see page 139


**804,00**

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,04	0,35	<b>1,23</b>	<b>2,03</b>	<b>2,13</b>	2,09	2,02	1,41	1,80

## SP ULI 160

kg 18.8 m<sup>3</sup> 0.6



U-LIGHT / downward lighting only / DRIVER INCLUDED

Type	Article	Colours	Code End	Source	EURO
SP	ULI 160 LED	AN anthracite grey RU rust brown	XX	LED 125W - diffused beam <b>3000K*, 2700K</b> other CCT options available upon request	<b>3.435,00</b>


~9025 lm\* 72 lm/W\* 100-240Vac  
 example composition code **SP ULI090LED RU XX**

pannello fonoassorbente non disponibile / sound absorbing panel not available


# U-Light

## Opzione fonoassorbente / Sound absorbing option

### COLOURS



anthracite grey ring & warm white panel




rust brow ring & warm white panel

The panels are:


Ø600mm weight 700g  
 Ø800mm weight 1.25kg  
 Ø1100mm weight 2.30 kg  
 Ø1500mm weight 4.4 kg

Thickness: 25mm  
 Sound absorption factor: about 0.6  
 Fire resistance: B-S1, d0 (EN13501)  
 Emissions (SP Ref. F122842): odor free, emits no gases


PL UL X 090 / 120 / 160 / 180



SP ULA 090 / 120 / 160 / 180



SP ULI 090 / 120



# Ukiyo


Manuel Vivian

Collezione composta da lampade da parete o da soffitto con struttura metallica e rivestimento in tessuto bianco retato elasticizzato, sfoderabile e lavabile. Disponibile in tre dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of ceiling or wall lamps with metal frame and white removable, washable elastic mesh fabric covering. Available in three sizes. Screw fitting light bulb.




## COLOURS



white

## PL UKIYO P

kg 1.7 m<sup>3</sup> 0.06



UKIYO / tessuto INCLUSO - applicazione a soffitto o a parete / fabric INCLUDED - application: both as ceiling or wall lamp

Type	Article	Colours	Finish	Source	EURO
PL	UKIYO P	BC white	XX white metal	E27 3 x Max 6,5W LED or 3 x Max 42W halogen	466,00

CE IP20 +LED 220-240V<sub>ac</sub>

example composition code PL UKIYOP BC XX E27

TESSUTO SUPPLEMENTARE SU RICHIESTA / ADDITIONAL FABRIC UPON REQUEST:

TSPLUKIYO60X60BC white

98,00



## Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,08	0,12	0,14	0,16	0,20	0,32	0,55	0,22	0,17

# Ukiyo


Manuel Vivian

Collezione composta da lampade da parete o da soffitto con struttura metallica e rivestimento in tessuto bianco retato elasticizzato, sfoderabile e lavabile. Disponibile in tre dimensioni. Sorgente luminosa con attacco a vite.

Collection consisting of ceiling or wall lamps with metal frame and white removable, washable elastic mesh fabric covering. Available in three sizes. Screw fitting light bulb.

## PL UKI 110

kg 3 m<sup>3</sup> 0.12



UKIYO / tessuto INCLUSO - applicazione a soffitto o a parete / fabric INCLUDED - application: both as ceiling or wall lamp

Type	Article	Colours	Finish	Source	EURO
PL	UKI 110	BC white	XX white metal	E27 3 x Max 16W LED or 3 x Max 70W halogen	497,00

CE IP20 +LED 220-240V<sub>ac</sub>

example composition code PL UKI110 BC XX E27

TESSUTO SUPPLEMENTARE SU RICHIESTA / ADDITIONAL FABRIC UPON REQUEST:

TSPLUKIYO100X55BC white


233,00

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,18	0,36	0,42	0,48	0,54	0,58	0,68	0,46	0,48

## PL UKIYO G

kg 3.6 m<sup>3</sup> 0.24



UKIYO / tessuto INCLUSO - applicazione a soffitto o a parete / fabric INCLUDED - application: both as ceiling or wall lamp

Type	Article	Colours	Finish	Source	EURO
PL	UKIYO G	BC white	XX white metal	E27 3 x Max 16W LED or 3 x Max 70W halogen	639,00

CE IP20 +LED 220-240V<sub>ac</sub>

example composition code PL UKIYOG BC XX E27

TESSUTO SUPPLEMENTARE SU RICHIESTA / ADDITIONAL FABRIC UPON REQUEST:

TSPLUKIYO100X100BC white

330,00

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,24	0,60	0,69	0,75	0,87	0,99	1,38	0,79	0,77

# Urban

Dima Loginoff

1 edition


Collezione composta da lampade da soffitto e sospensione in alluminio. Disponibile in tre colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in three colours and sizes. Built-in dimmable LED light source.

## COLOURS



wrinkled white



matt bronze



matt nickel



standard canopy




recessed canopy

## PL URBAN P

kg 1,6 m<sup>3</sup> 0,02



8,3 cm



Ø 13,5 cm

### URBAN

Type	Article	Colours	Finishing	Source	EURO
PL	URBAN P	BC wrinkled white BR matt bronze NI matt nickel	XX	LED 15W - diffused beam 3000K* 2700K upon request	209,00

220-240VAC **LED** ~1375 lm\* ~92 lm/W\*


example composition code PL URBANP NI XX LED

## PL URBAN M

kg 1,3 m<sup>3</sup> 0,02



13,8 cm



Ø 13,5 cm

### URBAN

Type	Article	Colours	Finishing	Source	EURO
PL	URBAN M	BC wrinkled white BR matt bronze NI matt nickel	XX	LED 15W - diffused beam 3000K* 2700K upon request	264,00

220-240VAC **LED** ~1375 lm\* ~92 lm/W\*

example composition code PL URBANM NI XX LED

# Urban

Dima Loginoff


1 edition

Collezione composta da lampade da soffitto e sospensione in alluminio. Disponibile in tre colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in three colours and sizes. Built-in dimmable LED light source.

## PL URBAN G

kg 1,7 m<sup>3</sup> 0,025




### URBAN

Type	Article	Colours	Finishing	Source	EURO
PL	URBAN G	BC wrinkled white	XX	LED 15W - diffused beam 3000K* 2700K upon request	286,00
		BR matt bronze			
		NI matt nickel			

220-240VAC **LED** ~1375 lm\* ~92 lm/W\*  
 example composition code **PL URBAN G NI XX LED**

## SP URBAN P

kg 1,9 m<sup>3</sup> 0,02




### URBAN / solo con illuminazione verso il basso / downward lighting only

Type	Article	Colours	Finishing	Source	EURO
SP	URBAN P	BC wrinkled white	XX	LED 15W - diffused beam 3000K* 2700K upon request	321,00
		BR matt bronze			
		NI matt nickel			

220-240VAC **LED** ~1375 lm\* ~92 lm/W\*  
 example composition code **SP URBAN P BR XX LED**

## SP URBAN M

kg 2,3 m<sup>3</sup> 0,025



### URBAN / solo con illuminazione verso il basso / downward lighting only

Type	Article	Colours	Finishing	Source	EURO
SP	URBAN M	BC wrinkled white	XX	LED 15W - diffused beam 3000K* 2700K upon request	386,00
		BR matt bronze			
		NI matt nickel			

220-240VAC **LED** ~1375 lm\* ~92 lm/W\*  
 example composition code **SP URBAN M BR XX LED**

# Urban

Dima Loginoff


1 edition

Collezione composta da lampade da soffitto e sospensione in alluminio. Disponibile in tre colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in three colours and sizes. Built-in dimmable LED light source.

## SP URBA P I (RECESSED)

kg 1,7 m³ 0,02



URBAN / solo con illuminazione verso il basso / downward lighting only

Type	Article	Colours	Finishing	Source	EURO
SP	URBA P I	BC wrinkled white BR matt bronze NI matt nickel	XX	LED 15W - diffused beam 3000K* 2700K upon request	311,00


CE IP20 CRI90  220-240VAC LED ~1375 lm\* ~92 lm/W\*

foro - hole 1 x Ø 3 cm + 2 x Ø 1.4 cm / profondità min - min depth 10 cm

example composition code SP URBAPI BR XX LED

## SP URBA M I (RECESSED)

kg 2,1 m³ 0,025



URBAN / solo con illuminazione verso il basso / downward lighting only

Type	Article	Colours	Finishing	Source	EURO
SP	URBA M I	BC wrinkled white BR matt bronze NI matt nickel	XX	LED 15W - diffused beam 3000K* 2700K upon request	356,00

CE IP20 CRI90  220-240VAC LED ~1375 lm\* ~92 lm/W\*

foro - hole 1 x Ø 3 cm + 2 x Ø 1.4 cm / profondità min - min depth 10 cm

example composition code SP URBAMI BR XX LED

# Urban

Dima Loginoff

## New LCC edition

Collezione composta da lampade da soffitto e sospensione in alluminio. Disponibile in tre colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in three colours and sizes. Built-in dimmable LED light source.

### COLOURS



wrinkled white



matt bronze



matt nickel



standard canopy




recessed canopy

## PL URBAN P

kg 1,6 m<sup>3</sup> 0,02



8,3 cm



Ø 13,5 cm

URBAN / driver not included

Type	Article	CCT	Colours	Source (LCC)	EURO
PL	URBAN P	1X 2700K	BC wrinkled white	LCC 17,5W - diffused beam	180,00
		2X 3000K*	BR matt bronze		203,00
		3X 3500K	NI matt nickel		203,00

CE IP20 CRI90 500mA - 34,7Vdc **LED** ~2200 lm\* ~125 lm/W\*

example composition code PL URBANP 2X NI LCC

CEDLTC00124 dimmable Phase Cut 500mA driver - Max 20W trailing and leading edge **69,00**

CEDLTC00126 dimmable DALI 500mA driver - Max 20W **69,00**

CEDLTC00104 dimmable DALI 500mA driver - Max35W **152,00**


CEDLTC00128 dimmable 1-10V 500mA driver - Max26.5W **132,00**

## PL URBAN M

kg 1,3 m<sup>3</sup> 0,02



13,8 cm



Ø 13,5 cm

URBAN / driver included

Type	Article	CCT	Colours	Source (LCC)	EURO
PL	URBAN M	1X 2700K	BC wrinkled white	LCC 17,5W - diffused beam	285,00
		2X 3000K*	BR matt bronze		295,00
		3X 3500K	NI matt nickel		295,00

CE IP20 CRI90 220-240VAC **LED** ~2200 lm\* ~125 lm/W\*

example composition code PL URBANM 2X BC LCC



# Urban

Dima Loginoff


## New LCC edition

Collezione composta da lampade da soffitto e sospensione in alluminio. Disponibile in tre colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in three colours and sizes. Built-in dimmable LED light source.

### PL URBAN G

kg 1,7 m<sup>3</sup> 0,025




URBAN / driver included

Type	Article	CCT	Colours	Source (LCC)	EURO
PL	URBAN G	1X 2700K	BC wrinkled white	LCC 17,5W - diffused beam	315,00
		2X 3000K*	BR matt bronze		325,00
		3X 3500K	NI matt nickel		325,00

220-240V<sub>AC</sub> **LED** ~2200 lm\* ~125 lm/W\*  
 example composition code **PL URBANG 2X NI LCC**

### SP URBAN P

kg 1,9 m<sup>3</sup> 0,02




URBAN / solo con illuminazione verso il basso / downward lighting only / driver included

Type	Article	CCT	Colours	Source (LCC)	EURO
SP	URBAN P	1X 2700K	BC wrinkled white	LCC 17,5W - diffused beam	360,00
		2X 3000K*	BR matt bronze		385,00
		3X 3500K	NI matt nickel		385,00

220-240V<sub>AC</sub> **LED** ~2200 lm\* ~125 lm/W\*  
 example composition code **SP URBANP 2X BR LCC**

### SP URBAN M

kg 2,3 m<sup>3</sup> 0,025



URBAN / solo con illuminazione verso il basso / downward lighting only / driver included

Type	Article	CCT	Colours	Source (LCC)	EURO
SP	URBAN M	1X 2700K	BC wrinkled white	LCC 17,5W - diffused beam	403,00
		2X 3000K*	BR matt bronze		427,00
		3X 3500K	NI matt nickel		427,00

220-240V<sub>AC</sub> **LED** ~2200 lm\* ~125 lm/W\*  
 example composition code **SP URBANM 2X NI LCC**

# Urban

Dima Loginoff

## New LCC edition


Collezione composta da lampade da soffitto e sospensione in alluminio. Disponibile in tre colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in three colours and sizes. Built-in dimmable LED light source.


### SP URBAN PI (RECESSED)

kg 1,7 m<sup>3</sup> 0,02

URBAN / solo con illuminazione verso il basso / downward lighting only / driver not included



Type	Article	CCT	Colours	Source (LCC)	EURO
SP	URBAN P I	1 2700K	BC wrinkled white	LCC 17,5W - diffused beam	273,00
		2 3000K*	BR matt bronze		294,00
		3 3500K	NI matt nickel		294,00

CE IP20 CRI90  500mA - 34,7Vdc **LED** ~2200 lm\* ~125 lm/W\*


foro - hole 1 x Ø 3 cm + 2 x Ø 1,4 cm / profondità min - min depth 10 cm

example composition code SP URBANPI3 BR LCC


### SP URBAN MI (RECESSED)

kg 2,1 m<sup>3</sup> 0,025

URBAN / solo con illuminazione verso il basso / downward lighting only / driver not included




Type	Article	CCT	Colours	Source (LCC)	EURO
SP	URBAN M I	1 2700K	BC wrinkled white	LCC 17,5W - diffused beam	312,00
		2 3000K*	BR matt bronze		336,00
		3 3500K	NI matt nickel		336,00

CE IP20 CRI90  500mA - 34,7Vdc **LED** ~2200 lm\* ~125 lm/W\*

foro - hole 1 x Ø 3 cm + 2 x Ø 1,4 cm / profondità min - min depth 10 cm

example composition code SP URBANMI3 BR LCC

	CEDLTC00124	dimmbale Phase Cut 500mA driver - Max 20W trailing and leading edge	69,00
	CEDLTC00126	dimmbale DALI 500mA driver - Max 20W	69,00
	CEDLTC00104	dimmbale DALI 500mA driver - Max35W	152,00
	CEDLTC00128	dimmbale 1-10V 500mA driver - Max26,5W	132,00

# Urban mini

Dima Loginoff

1 edition


Collezione composta da lampade da soffitto e sospensione in alluminio. Disponibile in tre colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in three colours and sizes. Built-in dimmable LED light source.

## COLOURS



wrinkled white



matt bronze



matt nickel




standard canopy



recessed canopy

## PL URBMI P

kg 0,4 m<sup>3</sup> 0,004



### URBAN MINI


Type	Article	Colours	Finishing	Source	EURO
PL	URB MI P	BC wrinkled white	XX	LED 8W - diffused beam 2700K	146,00
		BR matt bronze			
		NI matt nickel			

CE IP20 CRI90 220-240VAC **LED** (~640 lm\* ~80 lm/W\* 3000K\*)

example composition code PL URBMIP BR XX LED

## PL URBMI M

kg 0,5 m<sup>3</sup> 0,02



### URBAN MINI

Type	Article	Colours	Finishing	Source	EURO
PL	URB MI M	BC wrinkled white	XX	LED 8W - diffused beam 2700K	209,00
		BR matt bronze			
		NI matt nickel			

CE IP20 CRI90 220-240VAC **LED** (~640 lm\* ~80 lm/W\* 3000K\*)

example composition code PL URBMIM BR XX LED

# Urban mini

Dima Loginoff


1 edition

Collezione composta da lampade da soffitto e sospensione in alluminio. Disponibile in tre colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in three colours and sizes. Built-in dimmable LED light source.

## PL URBMI G

kg 0,8 m<sup>3</sup> 0,025




### URBAN MINI

Type	Article	Colours	Finishing	Source	EURO
PL	URB MI G	BC wrinkled white	XX	LED 8W - diffused beam 2700K	227,00
		BR matt bronze			
		NI matt nickel			

220-240VAC **LED** (~640 lm\* ~80 lm/W\* 3000K\*)  
 example composition code **PL URBMI G BR XX LED**

## SP URMI PI (RECESSED)

kg 0,5 m<sup>3</sup> 0,004




URBAN MINI / solo con illuminazione verso il basso / downward lighting only

Type	Article	Colours	Finishing	Source	EURO
SP	URMI PI	BC wrinkled white	XX	LED 8W - diffused beam 2700K	213,00
		BR matt bronze			
		NI matt nickel			

220-240VAC **LED** (~640 lm\* ~80 lm/W\* 3000K\*)  
 foro - hole Ø 4,5 cm / profondità min - min depth 10 cm  
 example composition code **SP URMI PI NI XX LED**

## SP URMI MI (RECESSED)

kg 0,7 m<sup>3</sup> 0,02



URBAN MINI / solo con illuminazione verso il basso / downward lighting only

Type	Article	Colours	Finishing	Source	EURO
SP	URMI MI	BC wrinkled white	XX	LED 8W - diffused beam 2700K	263,00
		BR matt bronze			
		NI matt nickel			

220-240VAC **LED** (~640 lm\* ~80 lm/W\* 3000K\*)  
 foro - hole Ø 4,5 cm / profondità min - min depth 10 cm  
 example composition code **SP URMI MI NI XX LED**

# Urban mini

Dima Loginoff


1 edition

Collezione composta da lampade da soffitto e sospensione in alluminio. Disponibile in tre colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in three colours and sizes. Built-in dimmable LED light source.

## SP URMIGI (RECESSED)

kg 1 m<sup>3</sup> 0,025



URBAN MINI / solo con illuminazione verso il basso / downward lighting only

Type	Article	Colours	Finishing	Source	EURO
SP	URMIGI	BC wrinkled white BR matt bronze NI matt nickel	XX	LED 8W - diffused beam 2700K	280,00


CE IP20 CRI90 220-240VAC LED (~640 lm\* ~80 lm/W\* 3000K\*)

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

example composition code SP URMIGI NI XX LED

## SP URBMIP

kg 0,5 m<sup>3</sup> 0,004



URBAN MINI / solo con illuminazione verso il basso / downward lighting only


Type	Article	Colours	Finishing	Source	EURO
SP	URBMIP	BC wrinkled white BR matt bronze NI matt nickel	XX	LED 8W - diffused beam 2700K	235,00

CE IP20 CRI90 220-240VAC LED (~640 lm\* ~80 lm/W\* 3000K\*)

example composition code SP URBMIP BR XX LED

## SP URBMIM

kg 0,5 m<sup>3</sup> 0,04



URBAN MINI / solo con illuminazione verso il basso / downward lighting only

Type	Article	Colours	Finishing	Source	EURO
SP	URBMIM	BC wrinkled white BR matt bronze NI matt nickel	XX	LED 8W - diffused beam 2700K	277,00

CE IP20 CRI90 220-240VAC LED (~640 lm\* ~80 lm/W\* 3000K\*)

example composition code SP URBMIM BC XX LED


# Urban mini

Dima Loginoff

1 edition

## SP URBMI G

kg 0,5 m³ 0,04




Collezione composta da lampade da soffitto e sospensione in alluminio. Disponibile in tre colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in three colours and sizes. Built-in dimmable LED light source.

URBAN MINI / solo con illuminazione verso il basso / downward lighting only

Type	Article	Colours	Finishing	Source	EURO
SP	URBMIG	BC wrinkled white BR matt bronze NI matt nickel	XX	LED 8W - diffused beam 2700K	323,00

CE IP20 CRI90  220-240VAC **LED** (~640 lm\* ~80 lm/W\* 3000K\*)

example composition code SP URBMI G NI XX LED

# Urban mini

Dima Loginoff

## New LCC edition


Collezione composta da lampade da soffitto e sospensione in alluminio. Disponibile in tre colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in three colours and sizes. Built-in dimmable LED light source.

### COLOURS



wrinkled white



matt bronze



matt nickel




standard canopy



recessed canopy

## PL URBMI P

kg 0,4 m<sup>3</sup> 0,004



### URBAN MINI / driver not included


Type	Article	CCT	Colours	Source (LCC)	EURO
PL	URB MI P	1X 2700K	BC wrinkled white	LCC 6,5W - diffused beam	110,00
		2X 3000K*	BR matt bronze		122,00
		3X 3500K	NI matt nickel		122,00

CE IP20 CRI90 700mA - 9,2Vdc **LED** ~671 lm\* ~103 lm/W\*  
 example composition code PL URBMIP 2X BR LCC

	CEDLTC00124	dimmmable Phase Cut 700mA driver - Max 20W trailing and leading edge	69,00
	CEDLTC00127	dimmmable 0/1 - 10V - Push -700mA driver - Max 9W	69,00
	CEDLTC00126	dimmmable DALI 700mA driver - Max 20W	69,00
	CEDLTC00104	dimmmable DALI 700mA driver - Max 50W	152,00

## PL URBMI M

kg 0,5 m<sup>3</sup> 0,02



### URBAN MINI / driver included

Type	Article	CCT	Colours	Source (LCC)	EURO
PL	URB MI M	1X 2700K	BC wrinkled white	LCC 6,5W - diffused beam	230,00
		2X 3000K*	BR matt bronze		244,00
		3X 3500K	NI matt nickel		244,00

CE IP20 CRI90 220-240VAC **LED** ~671 lm\* ~103 lm/W\*  
 example composition code PL URBMIM 2X BR LCC

# Urban mini

Dima Loginoff


## New LCC edition

Collezione composta da lampade da soffitto e sospensione in alluminio. Disponibile in tre colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in three colours and sizes. Built-in dimmable LED light source.

### PL URBMI G

kg 0,8 m<sup>3</sup> 0,025




URBAN MINI / driver included

Type	Article	CCT	Colours	Source (LCC)	EURO
PL	URB MI G	1X 2700K	BC wrinkled white	LCC 6,5W - diffused beam	253,00
		2X 3000K*	BR matt bronze		268,00
		3X 3500K	NI matt nickel		268,00

220-240V<sub>ac</sub> **LED** ~671 lm\* ~103 lm/W\*  
 example composition code **PL URBMIG 2X BR LCC**

### SP URBMI PI (RECESSED)

kg 0,5 m<sup>3</sup> 0,004



URBAN MINI / solo con illuminazione verso il basso / downward lighting only / driver not included


Type	Article	CCT	Colours	Source (LCC)	EURO
SP	URBMI PI	1 2700K	BC wrinkled white	LCC 6,5W - diffused beam	213,00
		2 3000K*	BR matt bronze		230,00
		3 3500K	NI matt nickel		230,00

700mA - 9,2Vdc **LED** ~671 lm\* ~103 lm/W\*  
 foro - hole Ø 4,5 cm / profondità min - min depth 10 cm  
 example composition code **SP URBMIPI2 NI LCC**

Compatible with pivot system  
pag.76

### SP URBMI MI (RECESSED)

kg 0,7 m<sup>3</sup> 0,02



URBAN MINI / solo con illuminazione verso il basso / downward lighting only / driver not included

Type	Article	CCT	Colours	Source (LCC)	EURO
SP	URBMI MI	1 2700K	BC wrinkled white	LCC 6,5W - diffused beam	228,00
		2 3000K*	BR matt bronze		248,00
		3 3500K	NI matt nickel		248,00

700mA - 9,2Vdc **LED** ~671 lm\* ~103 lm/W\*  
 foro - hole Ø 4,5 cm / profondità min - min depth 10 cm  
 example composition code **SP URBMIMI2 NI LCC**

Compatible with pivot system  
pag.76



# Urban mini

Dima Loginoff


## New LCC edition

Collezione composta da lampade da soffitto e sospensione in alluminio. Disponibile in tre colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in three colours and sizes. Built-in dimmable LED light source.

### SP URBMI GI (RECESSED)

kg 1 m<sup>3</sup> 0,025



URBAN MINI / solo con illuminazione verso il basso / downward lighting only / driver not included

Type	Article	CCT	Colours	Source (LCC)	EURO
SP	URBMI GI	1 2700K	BC wrinkled white	LCC 6,5W - diffused beam	252,00
		2 3000K*	BR matt bronze		271,00
		3 3500K	NI matt nickel		271,00


CE IP20 CRI90 700mA - 9,2Vdc **LED** ~671 lm\* ~103 lm/W\*

foro - hole Ø 4,5 cm / profondità min - min depth 10 cm

example composition code SP URBMIGI2 NI LCC

### SP URBMI P

kg 0,5 m<sup>3</sup> 0,004



URBAN MINI / solo con illuminazione verso il basso / downward lighting only / driver included


Type	Article	CCT	Colours	Source (LCC)	EURO
SP	URBMI P	1X 2700K	BC wrinkled white	LCC 6,5W - diffused beam	280,00
		2X 3000K*	BR matt bronze		300,00
		3X 3500K	NI matt nickel		300,00

CE IP20 CRI90 220-240V<sub>AC</sub> **LED** ~671 lm\* ~103 lm/W\*

example composition code SP URBMIP2X BR LCC

### SP URBMI M

kg 0,5 m<sup>3</sup> 0,04



URBAN MINI / solo con illuminazione verso il basso / downward lighting only / driver included

Type	Article	CCT	Colours	Source (LCC)	EURO
SP	URBMI M	1X 2700K	BC wrinkled white	LCC 6,5W - diffused beam	298,00
		2X 3000K*	BR matt bronze		318,00
		3X 3500K	NI matt nickel		318,00

CE IP20 CRI90 220-240V<sub>AC</sub> **LED** ~671 lm\* ~103 lm/W\*

example composition code SP URBMIM2X BC LCC


# Urban mini

Dima Loginoff

## New LCC edition

### SP URBMI G

kg 0,5 m<sup>3</sup> 0,04



Collezione composta da lampade da soffitto e sospensione in alluminio. Disponibile in tre colori e dimensioni. Le sospensioni sono disponibili anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of aluminium ceiling and suspended lamps, also in a recessed version. Available in three colours and sizes. Built-in dimmable LED light source.

URBAN MINI / solo con illuminazione verso il basso / downward lighting only / driver included

Type	Article	CCT	Colours	Source (LCC)	EURO
SP	URBMIG	1X 2700K	BC wrinkled white	LCC 6,5W - diffused beam	330,00
		2X 3000K*	BR matt bronze		348,00
		3X 3500K	NI matt nickel		348,00

220-240V<sub>AC</sub> **LED** ~671 lm\* ~103 lm/W\*

example composition code SP URBMIG 2X NI LCC

# Velvet

Manuel Vivian

Collezione di lampade a sospensione e da soffitto con paralume troncoconico in tessuto ignifugato. Disponibile in vari colori e dimensioni.

Collection of ceiling and suspended lamps. The cone-shaped lampshade is covered with a flame-retardant. Available in several colours and sizes.



prodotto fonoassorbente / sound absorbing product


## COLOURS



ice white



ivory white



blue



brown




black

## RADIAL DIFFUSER COLOURS



white




warm white

Altri colori disponibili su richiesta / Other colors available upon request.

## PL VEL 070

kg 7 m<sup>3</sup> 0.28



VELVET / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
PL	VEL 070 E27	BC ice white	BC white	E27 2 x Max 16W LED or 2 x Max 20W fluo	1.144,00
		BA ivory white	BW warm white		
		BL blue			
		MA brown			
		NE black			



IP20 +LED

220-240V<sub>AC</sub>

example composition code PL VEL070E27 BC BC



## Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,12	0,22	0,27	0,32	0,37	0,50	1,15	0,42	0,32

# Velvet


Manuel Vivian

Collezione di lampade a sospensione e da soffitto con paralume troncoconico in tessuto ignifugato. Disponibile in vari colori e dimensioni.

Collection of ceiling and suspended lamps. The cone-shaped lampshade is covered with a flame-retardant. Available in several colours and sizes.

## PL VEL 100

kg 9 m<sup>3</sup> 0.98



VELVET / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
PL	VEL 100 E27	BC ice white	BC white	E27 3 x Max 16W LED or 3 x Max 57W halogen	2.171,00
		BA ivory white	BW warm white		
		BL blue			
		MA brown			
		NE black			

CE IP20 +LED 220-240VAc


example composition code PL VEL100E27 NE BW

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,14	0,34	0,67	0,78	0,92	1,23	2,24	0,90	0,79

## PL VEL 160

kg 32 m<sup>3</sup> 2.22



VELVET / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
PL	VEL 160 E27	BC ice white	BC white	E27 5 x Max 16W LED or 5 x Max 46W halogen	5.844,00
		BA ivory white	BW warm white		
		BL blue			
		MA brown			
		NE black			

CE IP20 +LED 220-240VAc

example composition code PL VEL160E27 BL BC

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,45	1,17	1,49	1,56	1,72	1,97	3,16	1,65	1,59

# Velvet


Manuel Vivian

Collezione di lampade a sospensione e da soffitto con paralume troncoconico in tessuto ignifugato. Disponibile in vari colori e dimensioni.

Collection of ceiling and suspended lamps. The cone-shaped lampshade is covered with a flame-retardant. Available in several colours and sizes.

## SP VEL 050

kg 5 m<sup>3</sup> 0.25



VELVET / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
SP	VEL 050 E27	BC ice white	BC white	E27 1 x Max 16W LED or 1 x Max 23W halogen	1.122,00
		BA ivory white	GI gold yellow		
		BL blue	MA brown		
		MA brown	MT brick red		
		NE black	NE black		



IP20 +LED

220-240V<sub>ac</sub>


example composition code SP VEL050E27 BC BC

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,10	0,15	0,22	0,26	0,21	0,26	0,64	0,26	0,23

## SP VEL 070

kg 6.5 m<sup>3</sup> 0.48



VELVET / diffusore INCLUSO / diffuser INCLUDED

Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
SP	VEL 070 E27	BC ice white	BC white	E27 1 x Max 20W LED or 1 x Max 70W halogen	1.515,00
		BA ivory white	GI gold yellow		
		BL blue	MA brown		
		MA brown	MT brick red		
		NE black	NE black		



IP20 +LED

220-240V<sub>ac</sub>

example composition code SP VEL070E27 NE BW

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,15	0,44	0,51	0,66	0,73	0,75	1,01	0,61	0,63

# Velvet


Manuel Vivian

Collezione di lampade a sospensione e da soffitto con paralume troncoconico in tessuto ignifugato. Disponibile in vari colori e dimensioni.

Collection of ceiling and suspended lamps. The cone-shaped lampshade is covered with a flame-retardant. Available in several colours and sizes.

## SP VEL 100

kg 17,5 m<sup>3</sup> 1.16



VELVET / diffusore INCLUSO, con illuminazione verso alto e basso / diffuser INCLUDED, with upward and downward lighting

Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
SP	VEL 100 E27	BC ice white	BC white	E27 4 x Max 20W LED or 4 x Max 57W halogen	3.864,00
		BA ivory white	GI gold yellow		
		BL blue	MA brown		
		MA brown	MT brick red		
		NE black	NE black		



IP20 +LED

220-240V<sub>ac</sub>

example composition code SP VEL100E27 MA BC

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,58	0,89	0,95	0,85	0,87	1,27	1,87	1,04	0,89

## SP VEL 100 LED

VELVET / diffuser INCLUDED, with upward and downward lighting / DRIVER INCLUDED

Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
SP	VEL 100 LED	BC ice white	BC white	LED 98W - diffused beam 3000K* 4000K upon request	4.427,00
		BA ivory white	GI gold yellow		
		BL blue	MA brown		
		MA brown	MT brick red		
		NE black	NE black		



IP20 CR190



LED ~10719 lm\* 109 lm/W\*

110-240V<sub>ac</sub>

example composition code SP VEL100LED NE BC



### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	0,58	0,89	0,95	0,85	0,87	1,27	1,87	1,04	0,89

# Velvet


Manuel Vivian

Collezione di lampade a sospensione e da soffitto con paralume troncoconico in tessuto ignifugato. Disponibile in vari colori e dimensioni.

Collection of ceiling and suspended lamps. The cone-shaped lampshade is covered with a flame-retardant. Available in several colours and sizes.

## SP VEL 160

kg 25 m<sup>3</sup> 4.32



VELVET / diffusore INCLUSO, con illuminazione verso alto e basso / diffuser INCLUDED, with upward and downward lighting

Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
SP	VEL 160 E27	BC ice white	BC white	E27 4 x Max 16W + 1 x Max 9,5W LED	7.953,00
		BA ivory white	GI gold yellow		
		BL blue	MA brown	4 x Max 57 W + 1 x Max 46W halogen	
		MA brown	MT brick red		
		NE black	NE black		



IP20 +LED


220-240VAc

example composition code SP VEL160E27 BL BC

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	1,41	2,32	2,29	1,87	1,98	3,08	4,53	2,50	2,05

## SP VEL 160 LED



VELVET / diffuser INCLUDED, with upward and downward lighting / DRIVER INCLUDED

Type	Article	Colours (lampshade)	Colour (Radial diffuser)	Source	EURO
SP	VEL 160 LED	BC ice white	BC white	LED 98W - diffused beam 3000K* 4000K upon request	8.818,00
		BA ivory white	GI gold yellow		
		BL blue	MA brown		
		MA brown	MT brick red		
		NE black	NE black		



IP20 CRI90



LED ~10719 lm\* 109 lm/W\*

110-240VAc

example composition code SP VEL160LED MA BC

### Equivalent Sound Absorption Area (A) in m<sup>2</sup> per lamp

FREQUENCY	125 HZ	250 HZ	500 HZ	1000 HZ	2000 HZ	4000 HZ	8000 HZ	125-8000 HZ	500-2000 HZ
A	1,41	2,32	2,29	1,87	1,98	3,08	4,53	2,50	2,05

# Virtus

Manuel Vivian

Collezione composta da lampade a sospensione in alluminio in vari colori.  
Disponibile anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of suspended lamps in aluminium, also in a recessed version.  
Available in several colours. Built-in dimmable LED light source.

## COLOURS



matt white RAL 9016 wrinkled



anthracite grey wrinkled / final black polished nickel



anthracite grey wrinkled / final polished gold



rust brown wrinkled / final black polished nickel



rust brown wrinkled / final polished gold

## CANOPIES DETAILS



white for white version



anthracite grey for anthracite version




rust brown for rust brown version



white for recessed versions

## VIRTUS SUSPENSION

kg 0.89 m³ 0.015



### VIRTUS / LED 3,2W / DRIVER INCLUDED

Zone	Type	Article	System compatibility	Finish	LED colour temperature	Beam options	EURO
E	2	101	1  monopoint canopy version	07 matt white RAL 9016 wrinkled	1 3000K	2  medium beam	297,00
				10 anthracite grey wrinkled / final black polished nickel	2 4000K until stock lasts		315,00
				11 anthracite grey wrinkled / final polished gold			315,00
				12 rust brown wrinkled / final black polished nickel			315,00
				13 rust brown wrinkled / final polished gold			315,00

~295 lm\* ~92 lm/W\* 220-240VAc

example composition code E 2 101 1 11 1 2

optional accessories


E000700900 Kit decentramento bianco Ø 2,2 x 2 cm / White decentralization kit Ø 2,2 x 2 cm.

13,00





## VIRTUS SUSPENSION

kg 0.89 m<sup>3</sup> 0.0015



VIRTUS RECESSED / LED 3,2W / 350mA / DRIVER NOT INCLUDED

Zone	Type	Article	System compatibility	Finish	LED colour temperature	Beam options	EURO
E	2	101	4  recessed	07 matt white RAL 9016 wrinkled	1 3000K	 medium beam	247,00
				10 anthracite grey wrinkled / final black polished nickel	2 4000K until stock lasts		268,00
				11 anthracite grey wrinkled / final polished gold			268,00
				12 rust brown wrinkled / final black polished nickel			268,00
				13 rust brown wrinkled / final polished gold			268,00



IP20 CRI90



LED ~295 lm\* ~92 lm/W\*

example composition code E 2 101 4 11 1 2

foro - hole Ø 5,5 cm / profondità min - min depth 10 cm - Collegare in serie. / Wire in series.

optional driver for more info see page 162

E000700900	Kit decentramento bianco Ø 2,2 x 2 cm / White decentralization kit Ø 2,2 x 2 cm.	13,00
CEDLTC00100	on/off 350mA driver - Max 8W	31,00
CEDLTC00101	on/off 350mA driver - Max 12W	44,00
 CEDLTC00102	dimmbale 1-10V & PUSH 350mA driver - Max 6W	50,00
CEDLTC00103	dimmbale 1-10V 350mA driver - Max 25W	125,00
CEDLTC00104	dimmbale DALI 350mA driver - Max 25W	152,00
CEDLLG00303	on/off 350mA driver - Max 12W	66,00

# Virtus


Manuel Vivian

Collezione composta da lampade a sospensione in alluminio in vari colori.  
Disponibile anche nella versione ad incasso. Sorgente luminosa a LED integrato dimmerabile.

Collection consisting of suspended lamps in aluminium, also in a recessed version.  
Available in several colours. Built-in dimmable LED light source.

## VIRTUS SUSPENSION

kg 0.89 m<sup>3</sup> 0.015



VIRTUS / LED 6.5W / DRIVER INCLUDED

Zone	Type	Article	System compatibility	Finish	CCT	Type 2	Led source	EURO
E	2	101	1 monopoint canopy version	07 matt white RAL 9016 wrinkled	1 2700K	X	LED 6,5W	297,00
				10 anthracite grey wrinkled / final black polished nickel	2 3000K*			315,00
				11 anthracite grey wrinkled / final polished gold	3 3500K			315,00
				12 rust brown wrinkled / final black polished nickel				315,00
				13 rust brown wrinkled / final polished gold				315,00

**LED** ~671 lm\* ~103 lm/W\* 220-240VAC

example composition code E 2 101 1 11 1 X


optional accessories

E000700900 Kit decentramento bianco Ø 2,2 x 2 cm / White decentralization kit Ø 2,2 x 2 cm.

13,00

## VIRTUS SUSPENSION


kg 0,89 m<sup>3</sup> 0,0015



Compatible with pivot system  
pag.76



### VIRTUS RECESSED / DRIVER NOT INCLUDED

Zone	Type	Article	System compatibility	Finish	CCT	Type 2	Led source	EURO
E	2	101	4  recessed	07 matt white RAL 9016 wrinkled	1 2700K	X	LED 6,5W	247,00
				10 anthracite grey wrinkled / final black polished nickel	2 3000K*			268,00
				11 anthracite grey wrinkled / final polished gold	3 3500K			268,00
				12 rust brown wrinkled / final black polished nickel				268,00
				13 rust brown wrinkled / final polished gold				268,00



IP20 CRI>90



LED 700mA - 9,4Vdc ~671 lm\* ~103 lm/W\*

example composition code E 2 101 4 11 1 X


foro - hole Ø 5,5 cm / profondità min - min depth 10 cm - Collegare in serie. / Wire in series.

optional accessories for recessed versions . See page 163

E000700900	Kit decentramento bianco Ø 2,2 x 2 cm / White decentralization kit Ø 2,2 x 2 cm.	13,00
CEDLTC00124	dimmbale Phase Cut 700mA driver - Max 20W trailing and leading edge	69,00
CEDLTC00127	dimmbale 0/1 - 10V - Push - 700mA driver - Max 9W	69,00
CEDLTC00126	dimmbale DALI 700mA driver - Max 20W	69,00
CEDLTC00104	dimmbale DALI 700mA driver - Max 50W	152,00

# Driver for Ego - 250mA

## ON/OFF




### DRIVER 250mA ON/OFF

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00123	Standard Not dimmable	10	100-240Vac 50-60 Hz	250mA constant 44Vdc	net kg 0.06	<b>32,00</b>



## DIMMABLE PHASE CUT




### DRIVER 250mA DIMMABLE PHASE CUT

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00124	Dimmable phase cut	12	220-240Vac 50-60 Hz	250mA constant 55Vdc	net kg 0.108	<b>69,00</b>



## DIMMABLE DALI - 0/1-10V - PUSH




### DRIVER 250mA DIMMABLE DALI 0/1-10V & PUSH

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00125	Dimmable DALI- 0/1-10V - Push	28	110-240Vac 50-60 Hz	250mA constant 119Vdc	net kg 0.215	<b>132,00</b>



## DIMMABLE DALI




### DRIVER 250mA DIMMABLE DALI

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00126	Dimmable DALI	12	110-240Vac 50-60 Hz	250mA constant 59Vdc	net kg 0.106	<b>69,00</b>




# Driver 350mA

## ON/OFF



### DRIVER 350mA ON/OFF

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00100	not dimmable	8	220-240V 50-60 Hz	350mA constant 24V	net kg 0.04	31,00




### DRIVER 350mA ON/OFF

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00101	not dimmable	12	100-240V 50-60 Hz	350mA constant 36V	net kg 0.045	44,00




## DIMMABLE 1-10V



### DRIVER 350mA DIMMABLE 1-10V & PUSH

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00102	Dimmable 1-10V	6	220-240V 50-60 Hz	350mA constant 24V	net kg 0.06	50,00




### DRIVER 350mA DIMMABLE 1-10V

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00103	Push dimmable 1-10V	25	110-240V 50-60 Hz	350mA constant 74V Max	net kg 0.15	125,00



## DIMMABLE DALI




### DRIVER 350mA DIMMABLE DALI

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00104	Dimmable DALI	25	110-240V 50-60 Hz	350mA constant 74V Max	net kg 0.15	152,00



# Driver 700mA

## DIMMABLE PHASE CUT




### DRIVER 700mA DIMMABLE PHASE CUT

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00124	Dim Phase cut Trailing edge Leading edge	20	220-240Vac 50-60 Hz	700mA constant 5 - 29 Vdc	net kg 0,108	69,00



## DIMMABLE 1 - 10V




### DRIVER 700mA DIMMABLE 1 - 10V & PUSH

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00127	Dimmable 0/1 - 10V Push	9	220-240V 50-60 Hz	700mA constant 14 Vdc	net kg 0,47	69,00



## DIMMABLE DALI




### DRIVER 700mA DIMMABLE DALI

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00126	Dimmable DALI DALI 2	20	110-240Vac 50-60 Hz	700mA constant 3 - 28 Vdc	net kg 0,106	69,00



## DIMMABLE DALI




### DRIVER 700mA DIMMABLE DALI, PUSH

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00104	Dimmable DALI 1-10V Push	50	110-240V 50-60 Hz	700mA constant 2 - 72 VDC	net kg 0,15	152,00



## DIMMABLE 1-10V





### DRIVER 700mA DIMMABLE 1-10V E PUSH

Code	Product	W Max	Input	Output	Weight	EURO
CEDLTC00128	Dimmable 0/1 - 10V Push	37	110-240V 50-60 Hz	700mA constant 53 Vdc	net kg 0,215	132,00



# Driver for Spillray LED 12V

## ON/OFF



### DRIVER 12V / LED 1+5 x 1,5W

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00200	not dimmable	8	100-264Vac 50-60 Hz	12VDC constant 0,67mA	net kg 0,09	<b>24,00</b>





### DRIVER 12V / LED 1+8 x 1,5W

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00201	not dimmable	12	100-264Vac 50-60 Hz	12VDC constant 1A	net kg 0,08	<b>25,00</b>



# Driver for U-Light 24V - dimmable 1-10V



### DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00202	Dimmable 1-10V	80	100-305Vac 50-60 Hz	24VDC constant 3,4A	net kg 0,9	<b>99,00</b>





### DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00203	Dimmable 1-10V	100	100-305Vac 50-60 Hz	24VDC constant 4A	net kg 1,2	<b>156,00</b>



# Driver for U-Light 24V - dimmable DALI



### DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00204	Dimmable DALI	75	100-305Vac 50-60 Hz	24VDC constant 3,15A	net kg 0,8	<b>158,00</b>




### DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00205	Dimmable DALI	100	100-305Vac 50-60 Hz	24VDC constant 4A	net kg 0,85	<b>171,00</b>




# Poses Drivers

## Dimmable 1-10V




### DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00206	Dimmable 1-10V	40	100-305Vac 50-60 Hz	24VDC constant 3,2A	net kg 0,8	<b>95,00</b>



### DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00202	Dimmable 1-10V	80	100-305Vac 50-60 Hz	24VDC constant 3,4A	net kg 0,9	<b>99,00</b>




### DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00203	Dimmable 1-10V	100	100-305Vac 50-60 Hz	24VDC constant 4A	net kg 1,2	<b>156,00</b>




## Dimmable DALI



### DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00204	Dimmable DALI	75	100-305Vac 50-60 Hz	24VDC constant 3,15A	net kg 0,8	<b>158,00</b>



### DRIVER 24V

Code	Product	W Max	Input	Output	Weight	EURO
CEDMWC00205	Dimmable DALI	100	100-305Vac 50-60 Hz	24VDC constant 4A	net kg 0,85	<b>171,00</b>





# Legenda / Legend

## CE

I nostri prodotti sono sottoposti alle prove di sicurezza elettrica e conformi alle Direttive Comunitarie Europee EN60598-1, LVD 2006/95/EC, EMC 2004/108/EC (ove previsto).

*Our products undergo electric safety tests and comply with ECC Directive EN60598-1, LVD 2006/95/EC, EMC 2004/108/EC (if the law requires).*

I dati nominali di flusso (lm) e di efficienza (lm/W) sono riferiti rispettivamente alle sorgenti LED e alle sorgenti LED più l'assorbimento della PSU.

Nominal flux (lm) and efficacy (lm/W) of the products are estimated on the LED sources and the LED sources plus the PSU absorption.

I dati riportati sono puramente indicativi; è possibile che siano riportati degli errori di stampa. Axo Light può apporre modifiche di qualsivoglia tipo agli apparecchi, ai dati e alle relative istruzioni senza preavviso alcuno. Axo Light non presta garanzia legale relativamente all'accuratezza dei dati riportati nel presente listino.

The details given here are intended purely as guidance as errors may have occurred during the printing process. Axo Light may make alterations of any type to the light fittings, data and relevant instructions without notice. Axo Light does not provide legal guarantee regarding the accuracy of the data provided in this price list.



### CLASSE 1

Solo isolamento fondamentale; le parti conduttrici accessibili sono collegate ad un conduttore di terra. Messa a terra obbligatoria.

*Basic insulation, accessible conductors are earthed. Earthing is compulsory.*



### CLASSE 2

Sistema a doppio isolamento; messa a terra esclusa.

*Double insulation. Earthing: excluded.*



### CLASSE 3

Apparecchio in cui la protezione contro la scossa elettrica si basa sulla alimentazione a bassissima tensione di sicurezza.

*Appliance in which protection against electrical shock is guaranteed by the extremely low voltage power supply.*

### PSU

Alimentatore.

*Power Supply Unit.*



Dimmerabile. Dimmer incluso.

*Dimmable. Dimmer included.*



Dimmerabile solo con driver dedicato.

*Dimmable only with dedicated power supply unit.*



Articolo dimmerabile 1-10V.

*Dimmable 1-10V.*



Interfacciabile con sistema DALI.

*Interfaceable with DALI system.*




Dimmerabile a taglio di fase.

*Dimmable phase cut.*



Articolo dimmerabile Push.

*Dimmable Push.*



Articolo dimmerabile 0/1-10V o Push.

*Dimmable 0/1-10V or Push.*



Misure dei disegni in cm.

*Technical sheets and 3D files will be implemented and are ready available on the site [www.axolight.it](http://www.axolight.it)*

### LED

Prodotto con LED integrato.

*Integrated LED product.*

### LED

Prodotto per sola lampadina a LED.

*Product for LED light bulbs only.*

### +LED

Prodotto con lampadine LED o convenzionali.

*Product for LED or conventional light bulbs.*

*Measures of the drawings in cm.*

*Technical sheets and the 3D files will be updated and available at [www.axolight.it](http://www.axolight.it)*

### 220-240V<sub>AC</sub> LED

Prodotto con LED integrato a tensione di rete.

*Product equipped with Integrated LED for the mains voltage.*

### IPXY

Grado di protezione contro corpi solidi X - e contro i liquidi Y.

*Protection rating against solid bodies X - against liquids Y.*

### CRI

Indice di resa di colore.

*Colour rendering index.*

### EEL compatibility

Gli apparecchi Axo Light sono compatibili con lampadine etichettate con le classi energetiche del regolamento ENERGY LABELLING eventualmente disponibili in commercio e previa verifica dimensionale. La classe energetica in grassetto è quella della lampadina con cui è venduto l'apparecchio. I prodotti presenti a listino con il simbolo **LED** sono muniti di lampade a LED integrate A, A+, A++ non sostituibili. Le informazioni qui riportate riguardo le classi energetiche delle lampadine non sono esaustive di tutti i tipi effettivamente reperibili sul mercato dell'Area Economica Europea.

Elenco EELc al seguente link:

[www.axolight.eu/eelc-axolight.pdf](http://www.axolight.eu/eelc-axolight.pdf)

*The Axo Light luminaires are compatible with bulbs - if available in the market and previously checked as regards their dimensions - labelled with the energy classes of the ENERGY LABELLING regulation. The energy class letter in bold format is related to the bulb supplied together with the specific article. The products with the symbol **LED** are equipped with built-in LED lamps A, A+, A++ that cannot be changed. The information regarding the energy classes of the bulbs are not exhaustive about the actual whole range available in the Economic European Area market.*

EELc list at the following link:

[www.axolight.eu/eelc-axolight.pdf](http://www.axolight.eu/eelc-axolight.pdf)

# Condizioni di vendita / Sales conditions

## Estratto delle condizioni generali di vendita

1. Il prezzo comprende l'imballo in scatole di cartone.
2. Il peso indicato si riferisce al peso netto degli articoli.
3. Il volume indicato si riferisce al volume degli imballi degli articoli.
4. Axo Light declina ogni responsabilità per danni causati dal trasporto, essendo le merci accuratamente controllate e imballate prima della spedizione.
5. Eventuali reclami per difetti o danni causati dal trasporto devono essere comunicati per iscritto entro 8 giorni dal ricevimento della merce.
6. Per maggiori informazioni sui tempi di consegna vi preghiamo di contattare il nostro Customer Service. Tel +39.041.5845193, axolight@axolight.it
7. Axo Light declina qualsiasi responsabilità per l'inosservanza anche parziale delle istruzioni d'installazione e montaggio in dotazione o richieste, o per l'uso non adeguato degli apparecchi d'illuminazione di sua produzione. Axo Light non risponde per eventuali danni a persone o cose causati da una non corretta installazione dei propri apparecchi d'illuminazione.
8. Sono possibili variazioni di colore e dimensioni tra un lotto produttivo e l'altro.
9. I dati riportati sono puramente indicativi; è possibile che siano riportati degli errori di stampa. Axo Light può apporre modifiche di qualsivoglia tipo agli apparecchi e alle relative istruzioni senza preavviso alcuno. Axo Light non presta garanzia legale relativamente all'accuratezza dei dati riportati nel presente listino.
10. Resta inteso che qualsiasi utilizzo dei materiali promozionali messi a disposizione da Axo Light comporta l'integrale accettazione delle "Condizioni di utilizzo dei materiali promozionali Axo Light".
11. Per ogni controversia, l'unico e insindacabile Foro competente è quello di Treviso.

## Abstract of the general conditions of sale

1. *Prices include carton packing.*
2. *The weight indications refer to the net weight of the light fixtures.*
3. *The volume indications refer to the volume of the packing boxes of the items.*
4. *Axo Light s.r.l declines any liability for transport damage since goods are carefully inspected and packed before shipment.*
5. *Any claims have to be notified by fax or by e-mail, within 8 days from receipt of goods.*
6. *Please contact our Customer Service for delivery time, Tel +39.041.5845193, axolight@axolight.it*
7. *Axo Light declines any liability for the non-observance – even partial – of the installation and assembly instructions provided or requested, or for the inappropriate use of the light fittings it manufactures. Axo Light will not be held liable for any property damage or personal injury caused by the incorrect installation of its light fittings.*
8. *Dimensions and colors may vary from one production batch to the other.*
9. *The details given here are intended purely as guidance as errors may have occurred during the printing process. Axo Light may make alterations of any type to the light fittings and relevant instructions without notice. Axo Light does not provide legal guarantee regarding the accuracy of the data provided in this price list.*
10. *It is understood that any use of promotional material made available by Axo Light implies the full acceptance of the "Conditions for use of promotional material of Axo Light".*
11. *Any dispute that may arise shall submit to the sole jurisdiction of the Courts of Treviso.*





# axolight.it

**AXO LIGHT SRL**

via Moglianese 44

30037 Scorzè

Venezia (Italy)

t +39 041 5845193

[axolight@axolight.it](mailto:axolight@axolight.it)